

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Joe Zumpfe (Name of applicant)
of Harbor Oregon, (Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed small stream (Name of stream), a tributary of Pacific Ocean

2. The amount of water which the applicant intends to apply to beneficial use is 0.08 cubic feet per second. Irrigation 0.06; Domestic and fish pond 0.02. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation, domestic and fish pond (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 2068.2 ft. South and 255.3 ft. West from the N.E. corner of Government Lot 4, Section 16, T41S, R13W. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the Government Lot 2 of Sec. 16, Tp. 41 S. (Give smallest legal subdivision) (N. or S.)
R. 13 W, W. M., in the county of Curry (E. or W.)

5. The pipe line to be 800 feet in length, terminating in the Lot 2 of Sec. 16, Tp. 41 S. (Main ditch, canal or pipe line) (Miles or feet) (Smallest legal subdivision) (N. or S.)
R. 13 W, W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 8 feet, length on top 25 feet, length at bottom 10 feet; material to be used and character of construction Concrete (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description For irrigation, a 2" centrifugal pump powered with a 2 HP electric motor, supplying water to six standard sprinkler heads. For domestic and fish pond supply a hydraulic ram with 1 1/2" intake and 3/4" outlet. (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 800 ft.; size at intake, 2 in.; size at 600 ft. from intake 1 in.; size at place of use 1 in.; difference in elevation between intake and place of use, 25 ft. Is grade uniform? No Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
41 S	13 W	16	Lot 2	4.8
			SEE REMARKS	
Joseph Zumpfe				
Legal Description of Pedrieli Lot #32 to accompany Water Permit Application.				
From Deed Record.				
* * * * *				
That certain tract of land consisting of 4.8 acres of bench lands, more or less, lying in Lot 2 and Lot 4, all in Section 16, Township 41 South, Range 13 West, W. M., Curry County, Oregon, and described as follows:				
Beginning at an iron pipe driven at a point 3537.4 feet South and 480.3 feet East of an iron pipe marking the Southeast corner of the James W. Taggart Donation Land Claim No. 40;				
Thence North 3 deg. 03 min. East 1055.8 feet to an iron pipe;				
Thence South 51 deg. 08 min. East 328.4 feet to an iron pipe;				

(If more space required, attach separate sheet) (Continued under "Remarks")

(a) Character of soil Coast Loam

(b) Kind of crops raised Horticulture products

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied One

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ \$500.00
- 12. Construction work will begin on or before September 1, 1950
- 13. Construction work will be completed on or before September 1, 1951
- 14. The water will be completely applied to the proposed use on or before
September 1, 1951.

(Sgd) Joe Zumpfe
(Signature of applicant)

Remarks: This application applies to one of 50 parcels of land subdivided in 1944 upon which no improvements have been made to date. However general use will begin in 1950. Therefore the exact location on the tract of the domestic and fish pond water use has not been definitely decided. This application is made in anticipation of actual needs and with the intent of using the quantity of water indicated herein.

(Continued from Item 8)

Thence South 65 deg. 23 min. West 117.8 feet to an iron pipe;
Thence South 8 deg. 05 min. East 105.8 feet to an iron pipe;
Thence South 19 deg. 22 min. East 390.0 feet to the center of a creek;
Thence approximately South 6 deg. 20 min. West down the center of the channel of said creek 250.0 feet, more or less, to the Ordinary High Tide Line of the Pacific Ocean;
Thence Southwesterly following said Ordinary High Tide Line to a point that bears South 50 deg. 00 min. East from the point of beginning;
Thence North 50 deg. 00 min. West 100.0 feet, more or less, to the point of beginning.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

Application No. 24167

Permit No. 19081

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 27th day of September, 1949, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

March 15, 1950

Recorded in book No. 46 of Permits on page 19081 CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. Page

Fees Paid \$25.00

PERMIT

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.08 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream

The use to which this water is to be applied is irrigation, domestic and fish pond, being 0.06 cfs for irrigation, 0.01 cfs for domestic and 0.01 cfs for fish pond.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 27, 1949

Actual construction work shall begin on or before March 15, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1953

WITNESS my hand this 15th day of March, 1950

CHAS. E. STRICKLIN

STATE ENGINEER