

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, James A. Graf (Name of applicant) of Myrtle Creek (Mailing address) State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation No

1. The source of the proposed appropriation is North Myrtle Creek (Name of stream), a tributary of South Umpqua

2. The amount of water which the applicant intends to apply to beneficial use is 1/2 cu. ft. Per. Sec. cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Private) (Irrigation, power, mining, manufacturing, domestic supplies, etc.) Garden - Hay (Alfalfa) Stock

4. The point of diversion is located 1575.9 ft. N. and 1248.09 ft. E. from the S. one Qter corner of Sec. 22, T. 29 S., Range 5 West NW 1/4 SE 1/4 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 of SE 1/4 of Sec. 22, Tp. 29 S. (Give smallest legal subdivision) (N. or S.)

R. 5 W. W. M., in the county of Douglas (E. or W.)

5. The pipe line to be 26 hundred ft. (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the of Sec. 22, Tp. 29 S. (Smallest legal subdivision) (N. or S.)

R. 5 W. W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1 1/2 Centrifugal Pump (Size and type of pump)

1 1/2 H. P. Gas Engine (1 1/2" pipe) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 600 ft.; size at intake, 1 1/2" in.; size at 20 ft. from intake 1 1/4" in.; size at place of use 1" in.; difference in elevation between intake and place of use, 6' ft. Is grade uniform? Yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use North Myrtle Creek Road

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
29 S	5 W	22	NW 1/4 of SE 1/4	7
<p>Property on which water is to be used is a part of that more explicitly described by applicant as follows: Myrtle Creek, Oregon J. A. Graf Beginning at a point from which an 18" Oak, marked with an x bears North 70 degrees 56' 30" West a distance of 14.65 feet, said point being 1575.9 feet North and 546.5 feet East of the South one quarter corner of Section 22, Township 29 South, Range 5 W, Willamette Meridian; thence North 29 degrees 57' East along the center line of the North Myrtle Creek Road a distance of 523.3 feet; thence North 22 degrees 31' East along the center line of said road a distance of 139.9 feet; thence South 68 degrees 29' East a distance of 20.0 feet to a 1/2" iron pipe; thence North South 68 degrees 29' East a distance of 153.85 feet to a 1/2" iron pipe; thence North 21 degrees 31' East a distance of 26.4 feet; thence South 81 degrees 22' 30" East a distance of 230.14 feet to the center of North Myrtle Creek; thence South 1 degree 42' East along the center line of said creek a distance of 278.08 feet; thence South 3 degrees 25' 30" East along the center line of said creek a distance of 121.4' thence South 12 degrees 51' West along the center line of said creek a distance of 124.98 feet; thence North 89 degrees 01' West a distance of 701.59 feet to the place of beginning containing 7.07 acres, more or less. Douglas County, Oregon.</p>				

(If more space required, attach separate sheet)

(a) Character of soil Sandy (rocky)

(b) Kind of crops raised Garden Hay

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 200.00.....

12. Construction work will begin on or before May 1, 1949.....

13. Construction work will be completed on or before May 1, 1949.....

14. The water will be completely applied to the proposed use on or before May 1, 1949.....

(Sgd) James A. Graf.....

(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Completion Correction.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 8 1949
June 6 September 8 1949

WITNESS my hand this 7th June 1949
6th 8th day of May August 1949

CHAS. E. STRICKLIN
STATE ENGINEER

By Ed K. Humphrey, Assistant

dh vc

Application No. 23744

Permit No. 19091

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 25th day of April, 1949, at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

March 30, 1950

Recorded in book No. 47 of Permits on page 19091 CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 16 Page 36 B

Fees Paid \$15.00

PERMIT

STATE OF OREGON, County of Marion, ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.088 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Myrtle Creek

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 9, 1949

Actual construction work shall begin on or before March 30, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

Complete application of the water to the proposed use shall be made on or before October 1, 1953

WITNESS my hand this 30th day of March, 1950

CHAS. E. STRICKLIN STATE ENGINEER