

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, MT. JEFFERSON LUMBER CO. of LYONS, OREGON State of OREGON, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is TRASK CREEK, a tributary of NORTH SANTIAM RIVER

2. The amount of water which the applicant intends to apply to beneficial use is 0.2 cubic feet per second. (water to be used intermitant-only as needed)

**3. The use to which the water is to be applied is MILL POND RESERVOIR

4. The point of diversion is located 1330 ft. N and 550 ft. E from the 1/4 corner of # on S side of Section 19 T. 9. S., R. 2 E., W.M. Linn County Oregon

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 of SE 1/4 of Sec. 19, Tp. 9 S., R. 2 E., W. M., in the county of Linn

R. 2 E., W. M., in the county of Linn

5. The Outlet pipeline to be 100 ft. in length, terminating in the same of Sec. , Tp. , R. , W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam None feet, length on top feet, length at bottom feet; material to be used and character of construction

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate None

(c) If water is to be pumped give general description 4 in. centrifugal pump

20 HP Electric Motor

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electriclty, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 100 ft. ft.; size at intake, 4 in. in.; size at ft. from intake in.; size at place of use 3 in. in.; difference in elevation between intake and place of use, 10 ft. ft. Is grade uniform? Yes Estimated capacity, 0.2 sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
9 S	2 E	19	NW $\frac{1}{4}$ of SE $\frac{1}{4}$	

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? Yes
(Yes or No)

(g) If so, name stream and locate point of return Trask Creek
same, Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Application No. 24117

Permit No. 19111

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 22nd day of September, 1949, at 2:05 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

March 30, 1950

Recorded in book No. 47 of Permits on page 19111

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 50 E

Fees Paid \$20.00

PERMIT

STATE OF OREGON, County of Marion, ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.2 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Trask Creek

The use to which this water is to be applied is Maintenance of mill pond described in Application No. R-24116, Permit No. R-999.

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 22, 1949

Actual construction work shall begin on or before March 30, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

Complete application of the water to the proposed use shall be made on or before October 1, 1953

WITNESS my hand this 30th day of March, 1950.

CHAS. E. STRICKLIN

STATE ENGINEER