

CERTIFICATE NO. 19893

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, T. J. Morris (Name of applicant) of Rt. 2, Box 145 Beaverton (Mailing address), State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is an unnamed stream (Name of stream) trib. Cedar Mill Creek, a tributary of Tualatin River

2. The amount of water which the applicant intends to apply to beneficial use is 0.013 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1110 ft. S and 2525 ft. E from the W 1/4 corner of Sec. 4, T. 1 S., R. 1 W., W.M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 SW 1/4 of Sec. 4, Tp. 1 S., R. 1 W., W.M., in the county of Washington

5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. , Tp. , R. , W.M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam No dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1 1/2 in. turbine pump 3/4 HP electric motor 4 - 1/2 in. sprinkler heads (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. ** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 S	1 W	4	NE $\frac{1}{4}$ SW $\frac{1}{4}$	1

A Tract of Land situated in Section 4, Township 1 South, Range 1 West of the Willamette Meridian, in Washington County, State of Oregon, and is more particularly described as follows:—

Beginning at a point in County Road No. 215 from which the most northeasterly re-entrant corner of the west boundary line of the Lawrence Hall and wife D.L.C. No. 43 bears north 43° 08' west a distance of 688.38 feet, thence north 64° 24' east a distance 30.47 feet to an iron pipe, thence south 35° 43' east a distance of 237.28 feet to an iron pipe, thence north 65° 14' east a distance of 1045.93 feet to an iron pipe and the true place of beginning of the land herein to be described, thence south 24° 46' east a distance of 198.56 feet to a point, thence north 66° 07' east a distance of 217.57 feet to a point, thence north 24° 46' west a distance of 201.91 feet to an iron pipe; thence south 65° 14' west a distance of 217.55 feet to the place of Beginning, except

A Tract of land situated in Section 4, Township 1 South, Range 1 West of the Willamette Meridian in Washington County, State of Oregon, and more particularly described as follows:—

Beginning at a point in County Road No. 215 from which the most northeasterly re-entrant corner of the west boundary line of the Lawrence Hall and wife D.L.C. No. 43, bears north 43° 08' west a distance of 688.38 feet north 64° 24' east a distance of 30.47 feet to an - - - - (If more space required, attach separate sheet)

(Cont. under "Remarks")

(a) Character of soil Beaver Dam

(b) Kind of crops raised Garden crops

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of
(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$... 250.00.....

12. Construction work will begin on or before One year after approval.....

13. Construction work will be completed on or before two years " ".....

14. The water will be completely applied to the proposed use on or before 3 " " ".....

(Sgd)..... Thurston John Morris.....
(Signature of applicant)

Cont.

Remarks: iron pipe thence south 35° 43' east a distance of 237.28 feet to an iron pipe, thence north 65° 14' east a distance of 1045.93 feet to an iron pipe, thence south 24° 46' east a distance of 198.56 feet to a point, thence north 66° 07' east a distance of 108.785 feet and the true place of beginning of the tract to be described, thence continuing north 66° 07' east a distance of 108.785 feet to the southeast corner of the Houston Tract described in deed Book 263, Page 715, deed records of Washington County, Oregon, thence north 24° 46' west a distance of 201.91 feet to an iron pipe thence south 65° 14' west a distance of 108.775 feet thence southeasterly to the place of beginning.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for signature and description.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before February 6, 1950.

WITNESS my hand this 5th day of January, 1950.

CHAS. E. STRICKLIN
STATE ENGINEER

By Ed K. Humphrey, Assistant

vc

Application No. 24305

Permit No. 19125

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 1st day of December, 1949, at 9:40 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

March 30, 1950

Recorded in book No. 47 of Permits on page 19125

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 62 R

Fees Paid \$15.00

PERMIT

STATE OF OREGON, County of Marion, ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.013 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 1, 1949

Actual construction work shall begin on or before March 30, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1953

WITNESS my hand this 30th day of March, 1950.

CHAS. E. STRICKLIN STATE ENGINEER