

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Alvin Kropf (Name of applicant) of Oakland (Mailing address) State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Calapooya Creek (Name of stream), a tributary of Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 0.32 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 300 yds. N. 175 yds. E. 120 ft. and 200 ft. from the S.W. corner of Wm. C. Burk D.L.C. (Section or subdivision)

Portable pumping between these two points.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 SW 1/4 of Sec. 29, Tp. 25 S. (Give smallest legal subdivision) (N. or S.)

R. 6 W., W. M., in the county of Douglas (E. or W.)

5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. (N. or S.)

R. (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam No dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description cent. pump (Size and type of pump) gasoline engine (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

12 - 12 gpm sprinklers

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 500 ft.; size at intake, 2 in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, 15 ft. Is grade uniform? Yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
25 S	6 W	29	NE $\frac{1}{4}$ SW $\frac{1}{4}$	18
			NW $\frac{1}{4}$ SE $\frac{1}{4}$	7
			Total	<u>25</u>

Property on which water is to be used is a part of that more explicitly described by applicant as follows: Beginning at a point four 80/100 chains South of the North-west corner of the T. Barnard donation land claim running thence N. 68 $\frac{1}{2}$ ° E. three 14/100 chains S 21 $\frac{1}{2}$ ° E. eight 50/100 chains to the middle of the present county road (from which a rock 15 x 12 x 8" bears N 21 $\frac{1}{2}$ ° W 30 distant, thence following said County road N 63 $\frac{3}{4}$ ° E eighteen 95/100 chains to a point from which a rock 30 x 8 x 6 bears South 40 links, thence South thirty eight 50/100 chains to the south boundary of the T. Barnard donation and to a rock 30 x 8 x 6 from which an ash 8" in diameter marked B T bears N 86 $\frac{1}{2}$ ° W 23/100 chains distant, thence west along said boundary twenty-three 70/100 chains to the southwest corner of said chain, thence North twenty-nine chains to the NE corner of the W. C. Burkes donation land claim, thence west along the North boundary of said claim to the N. W. corner of said claim thence continuing west to the west boundary of lot No. three thence North along the west boundary of lot No. three and of the east half of the S W quarter of section 20 to N W corner of same thence east to the center of section 20 thence continuing east four 85/100 chains, thence south to a point five 60/100 chains north of the north boundary of the W. C. Burke donation thence east to the west boundary of (Cont.)

(a) Character of soil loam

(b) Kind of crops raised Ladino Clover pasture feed

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

(Cont. from Remarks)

to the northwest corner of the tract a 4 x 4 inch cedar post, set in the ground scribed N. W. corner Baird; thence north $89^{\circ} 5'$ east 159.9 feet to the northeast corner of the tract, a 5 x 6 x 14 inch sand stone boulder, set in the ground, thence along the easterly line fence of the tract and the westerly right-of-way line of a county road south $5^{\circ} 45'$ east 346.6 feet to the fence post thence along said easterly line fence and westerly right-of-way of county road south $36^{\circ} 0'$ east 70.0 feet to the fence post; thence along said easterly line fence and westerly right-of-way line of county road south $38^{\circ} 0'$ east 194.0 feet to the fence post thence along said easterly line fence and westerly right-of-way line of county road south $2^{\circ} 34'$ east 490.0 feet to the south east corner fence post of the tract thence along southerly line fence of the tract and northerly right-of-way of the main county road south $52^{\circ} 30'$ west 16.7 feet then along the south line fence to the tract and north right-of-way line of said main county road south $85^{\circ} 44'$ west 295.5 feet to the place of beginning, containing 6.8 acres, more or less.

Legal description of the property to accompany application No. 24324

(Sgd) Alvin Kropf

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$..500.00.....

12. Construction work will begin on or before Commenced.....

13. Construction work will be completed on or before ..2 years after approval.....

14. The water will be completely applied to the proposed use on or before 3 " " ".....

(Sgd) Alvin Kropf
(Signature of applicant)

Remarks: (Cont.) the T. Barnard donation north three 58/100 chns to the place of the beginning all lying in section 28, 29, and 20 in T 25 S R 6W of the Willamette Meridian in Douglas County Oregon, and 230 08/100 acres.

Also beginning at a point 3 chs and 25 lks . South and 14 chs and 97 lks west from the quarter section point on the line between section 28 and 29 in township 25 south of range six west and running thence north 28 chs. and 94 lks thence west 43 chs and 73 lks thence south 37 chs and 61 lks thence north 89° degrees 49' east 38 chs and 66 lks thence north 8 chs and 68 lks thence east 5 chs and 58 lks to the place of beginning and containing 160.61 acres more or less (reserving a right of way 20 ft in width through that portion of said land lying north of the county road and being a strip twenty feet wide along the road now traveled by W.C. Burke, S.P. White, Augusta Stevens and others to reach the county road. said right of way to be used and maintained only as a gateway.

Also beginning at a point six and 76/100 chains south and four and 10/100 chs east of the northwest corner of the T. Barnards donation land claim number 63; thence running north 68° and 30' East two and 14/100 chs thence south 21° 30' east five and 26/100 chs to center of county road; Thence south 68° 30' west two and 14/100 chs thence north 21° 30' west five and 26/100 chs to place of beginning and containing 1.28 acres, more or less all being located in section 29 Twsp 25 south range six west of Willamette Meridian.

Excepting the property commencing 20 27/100 chs east of section corner between section 19, 20, 29, and 30 running north two chains thence east 92 1/2 links south 16 25/100 lks west 92 1/2 links north 14 25/100 links to place of beginning, all lying in section 20 and 29 Twsp 25 south of Range 6 west in Douglas County, Oregon, containing 1 1/2 acres, more or less.

Also excepting the land beginning at a point 4.80 chains south of the northwest corner of the T. Barnards donation land claim No. 63, running thence north 68° 30' east 3.14 chs thence south 21 1/2° east 3.32 chs thence south 68° 38' west 4.37 chs, thence north 3.48 chs to place of beginning, containing 1.25 acres, more or less, all lying in section 29 Twsp 25 south of Range 6 west of the Willamette Meridian in Douglas County, State of Oregon.

Excepting therefrom the following beginning at the southwest corner fence post of the tract from which the southwest corner of Wm. C. Burke donation land claim No. 42 in Twsp 25 south, Range 6 west of the Willamette Meridian bears south 1492.3 feet; thence along the west line fence of the tract north 1° 57' west 1103.3 feet

STATE OF OREGON, } (Cont. on separate page)
 } ss.
County of Marion, }

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

Application No. 24324

Permit No. 19130

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 9th day of December, 1949, at 10:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

March 30, 1950

Recorded in book No. 47 of Permits on page 19130

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 16 Page 3

Fees Paid \$15.00

PERMIT

STATE OF OREGON, County of Marion, ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.32 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Calapooya Creek

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 9, 1949

Actual construction work shall begin on or before March 30, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

Complete application of the water to the proposed use shall be made on or before October 1, 1953

WITNESS my hand this 30th day of March, 1950.

CHAS. E. STRICKLIN

STATE ENGINEER