

\* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, OREGON STATE GAME COMMISSION  
(Name of applicant)  
of 1634 S.W. ALDER ST., PORTLAND,  
(Mailing address)  
State of OREGON, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is ANA RIVER  
(Name of stream)  
, a tributary of NONE

2. The amount of water which the applicant intends to apply to beneficial use is 60.0  
cubic feet per second.  
(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is RESTORATION OF MARSH LAND  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)  
FOR WILDLIFE PROPAGATION.

4. The point of diversion is located (1) 800 ft. N. and 100 ft. W. from the S.E.  
(N. or S.) (E. or W.)  
corner of SECTION 17  
(Section or subdivision)

(2) 1200 FT. N. AND 100 FT. W. FROM THE SW CORNER OF SECTION 19  
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  
being within the SE<sup>1</sup>/<sub>4</sub> & SE<sup>1</sup>/<sub>4</sub> of Sec. 17 - 24, Tp. 30,  
(Give smallest legal subdivision) (N. or S.)  
R. 17 E., W. M., in the county of

5. The MAIN DITCH to be 3.75 miles  
(Main ditch, canal or pipe line) (Miles or feet)  
in length, terminating in the ENTIRE of Sec. 30, Tp. 30 S.,  
(Smallest legal subdivision) (N. or S.)  
R. 17 E., W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam (1) 8' - 0" 40' - 0"  
(2) 4' - 0" feet, length on top 40' - 0" feet, length at bottom  
feet; material to be used and character of construction LOOSE ROCK  
(Loose rock, concrete, masonry)

IRRIGATION GATES  
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (1) CORR. CULVERT 4-18" DOWNSTREAM  
(Timber, concrete, etc., number and size of openings)  
2-18" DIVERSION (2) 2-24" CORRUGATED CULVERTS

(c) If water is to be pumped give general description  
(Size and type of pump)  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated.

\*\* Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

**Canal System or Pipe Line—**

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use .....

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated

See description on attached sheet.

(If more space required, attach separate sheet)

(a) Character of soil ..... ALKALI .....

(b) Kind of crops raised ..... MARSH VEGETATION .....

**Power or Mining Purposes—**

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....  
(Legal Subdivision)

Tp. ...., R. ...., W. M.  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M.  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

All that part of the bed of Summer Lake located in the following described sections lying within the meander lines as established by the United States Government Survey approved by the Surveyor General January 13, 1874 and April 15, 1876, to wit:

Sections twenty-four (24), twenty-five (25), twenty-six (26), thirty-five (35) and thirty-six (36), Township thirty (30) South, Range sixteen (16) East of the Willamette Meridian; Sections twenty-nine (29), thirty (30), thirty-one (31) and thirty-two (32), Township thirty (30) South, Range seventeen (17) East of the Willamette Meridian; Sections one (1) and two (2) and the North half ( $\frac{1}{2}$ ) of the North half ( $\frac{1}{2}$ ) of Section eleven (11) and twelve (12), Township thirty-one (31) South, Range sixteen (16) East of the Willamette Meridian; Sections four (4) five (5) and six (6) and the North half ( $\frac{1}{2}$ ) of the North half ( $\frac{1}{2}$ ) of Sections Seven (7), eight (8) and nine (9), Township thirty-one (31) South, Range seventeen (17) East of the Willamette Meridian, containing six thousand one hundred sixty-three and eighty-nine one-hundredths (6163.89) acres, more or less.

Township 30 South	Range 16 East	Willamette Meridian
Section 24	Acreage	
SW $\frac{1}{4}$ SE $\frac{1}{4}$	20	
SE $\frac{1}{4}$ SE $\frac{1}{4}$	36	
NE $\frac{1}{4}$ SE $\frac{1}{4}$	2	
SE $\frac{1}{4}$ SW $\frac{1}{4}$	2	
Section 25		
NW $\frac{1}{4}$ NW $\frac{1}{4}$	2.65	
NE $\frac{1}{4}$ NW $\frac{1}{4}$	32.20	
SE $\frac{1}{4}$ NW $\frac{1}{4}$	40	
SW $\frac{1}{4}$ NW $\frac{1}{4}$	30.58	
W $\frac{1}{2}$ NE $\frac{1}{4}$	80	
NE $\frac{1}{4}$ NE $\frac{1}{4}$	40	
SE $\frac{1}{4}$ NE $\frac{1}{4}$	37	
S $\frac{1}{2}$	320	
Section 26		
SE $\frac{1}{4}$ NE $\frac{1}{4}$	1	
SW $\frac{1}{4}$ NE $\frac{1}{4}$	2	
NW $\frac{1}{4}$ SE $\frac{1}{4}$	22	
NE $\frac{1}{4}$ SE $\frac{1}{4}$	38	
SE $\frac{1}{4}$ SE $\frac{1}{4}$	40	
SW $\frac{1}{4}$ SE $\frac{1}{4}$	28.85	
Section 35		
NE $\frac{1}{4}$ NW $\frac{1}{4}$	3	
SE $\frac{1}{4}$ NW $\frac{1}{4}$	19	
NW $\frac{1}{4}$ NE $\frac{1}{4}$	38	
SW $\frac{1}{4}$ NE $\frac{1}{4}$	40	
E $\frac{1}{2}$ NE $\frac{1}{4}$	80	
SE $\frac{1}{4}$	160	
SE $\frac{1}{4}$ SW $\frac{1}{4}$	19	
NE $\frac{1}{4}$ SW $\frac{1}{4}$	27.5	
Section 36		
All	640	

Township 30 South	Range 17 East	Willamette Meridian
Section 29	Acreage	
SE $\frac{1}{4}$ SW $\frac{1}{4}$	16	
SW $\frac{1}{4}$ SW $\frac{1}{4}$	1.5	
Section 30		
NW $\frac{1}{4}$ NW $\frac{1}{4}$	32	
NE $\frac{1}{4}$ NW $\frac{1}{4}$	16	
SE $\frac{1}{4}$ NW $\frac{1}{4}$	16	
SW $\frac{1}{4}$ NW $\frac{1}{4}$	14	
SW $\frac{1}{4}$	160	
SW $\frac{1}{4}$ NE $\frac{1}{4}$	14.21	
SE $\frac{1}{4}$ NE $\frac{1}{4}$	2.10	
W $\frac{1}{2}$ SE $\frac{1}{4}$	80	
NE $\frac{1}{4}$ SE $\frac{1}{4}$	11.10	
SE $\frac{1}{4}$ SE $\frac{1}{4}$	21.48	

		Acreage
Section 31	All	640
Section 32	NW NW $\frac{1}{4}$	30.4
	NE NW $\frac{1}{4}$	19
	SE NW $\frac{1}{4}$	13.54
	SW $\frac{1}{4}$ NW $\frac{1}{4}$	40
	NW SE $\frac{1}{4}$	2.06
	SW SE $\frac{1}{4}$	25.50
	W $\frac{1}{2}$ SW $\frac{1}{4}$	80
	NE SW $\frac{1}{4}$	35
	SE $\frac{1}{4}$ SW $\frac{1}{4}$	40
Township 31 South		Range 16 East
Willamette Meridian		

		Acreage
Section 1	All	640
Section 2	NE NW $\frac{1}{4}$	17.22
	SE NW $\frac{1}{4}$	19
	NE $\frac{1}{2}$	160
	SE $\frac{1}{4}$	160
	NW SW $\frac{1}{4}$	3
	NE SW $\frac{1}{4}$	39
	SE $\frac{1}{4}$ SW $\frac{1}{4}$	40
	SW SW $\frac{1}{4}$	18
Township 31 South		Range 16 East
Willamette Meridian		

		Acreage
Section 11	NW of NW $\frac{1}{4}$	27
	NE $\frac{1}{4}$ NW $\frac{1}{4}$	40
	N $\frac{1}{2}$ of NE $\frac{1}{4}$	80
Section 12	N $\frac{1}{2}$ of N $\frac{1}{2}$	160
Township 31 South		Range 17 East
Willamette Meridian		

		Acreage
Section 4	NW of SW $\frac{1}{4}$	10
	SW of SW $\frac{1}{4}$	30
Section 5	W $\frac{1}{2}$	320
	SE $\frac{1}{4}$	160
	W $\frac{1}{2}$ NE $\frac{1}{4}$	80
	NE of NE $\frac{1}{4}$	12
	SE of NE $\frac{1}{4}$	30
Section 6	All	640
Section 7	N $\frac{1}{2}$ of N $\frac{1}{2}$	160
Section 8	N $\frac{1}{2}$ of N $\frac{1}{2}$	160
Section 9	NW $\frac{1}{4}$ of NW $\frac{1}{4}$	40
	NE of NW $\frac{1}{4}$	8
TOTAL ACRES		6163.89
Township 30 South		Range 17 East
Willamette Meridian		

		Acreage
Section 29	SE $\frac{1}{4}$	160
	N $\frac{1}{2}$ NW $\frac{1}{4}$	80
Section 32	SE $\frac{1}{4}$ SE $\frac{1}{4}$	40

Municipal or Domestic Supply—

10. (a) To supply the city of .....

..... County, having a present population of .....

(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$...110,000.00.....

12. Construction work will begin on or before August, 1948.....

13. Construction work will be completed on or before September, 1950.....

14. The water will be completely applied to the proposed use on or before September, 1950.....

(Sgd) OREGON STATE GAME COMMISSION  
(Signature of applicant)

(Sgd) By G. C. Lockwood, Director.....

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....revisions.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before .....January 16,....., 1950..

WITNESS my hand this .....14th..... day of .....December....., 19..49.

CHAS. E. STRICKLIN  
STATE ENGINEER

By  
Ed K. Humphrey, Assistant  
dh

Application No. 24326

Permit No. 19131

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 9th day of December, 1949, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

March 30, 1950

Recorded in book No. 47 of Permits on page 19131

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 13 Page 11

Fees Paid \$138.00

PERMIT

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 60.00 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Ana River

The use to which this water is to be applied is restoration of marshland for wildlife propagation

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 9, 1949

Actual construction work shall begin on or before March 30, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

Complete application of the water to the proposed use shall be made on or before October 1, 1953

WITNESS my hand this 30th day of March, 1950.

CHAS. E. STRICKLIN STATE ENGINEER