

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Oregon State Highway Commission, of Salem, Oregon By S. H. Boardman, State Parks Superintendent, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Spring Creek, a tributary of Williamson River

2. The amount of water which the applicant intends to apply to beneficial use is .25 cubic feet per second.

**3. The use to which the water is to be applied is Irrigation for Public Park Purposes

4. The point of diversion is located 1150 ft. S. and 670 ft. W. from the N.E. corner of Section 9

being within the N.E. 1/4 of Sec. 9, Tp. 34S., R. 7E., W. M., in the county of Klamath

5. The Pipe line to be 1400 feet in length, terminating in the Lot 1 of Sec. 9, Tp. 34S., R. 7E., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate

(c) If water is to be pumped give general description 10 H. P. Gas Pump

Suction Hose

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1400 ft.; size at intake, 4" in.; size at ft. from intake in.; size at place of use 4" in.; difference in elevation between intake and place of use, 10 Average ft. Is grade uniform? Yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

| Township | Range | Section | Forty-acre Tract | Number Acres To Be Irrigated |
|---|-------|---------|--|------------------------------|
| 34 S. | 7 E. | 9 | N. E. $\frac{1}{4}$ N.E. $\frac{1}{4}$ | 1 |
| 34 S. | 7 E. | 9 | Lot 1 | 9 |
| | | | | 10 |
| Warranty Deed Description | | | | |
| All w $\frac{1}{2}$ N.W. $\frac{1}{4}$ N.W. $\frac{1}{4}$ of Section 10 T. 34 S. R 7 E. | | | | |
| All N.E. $\frac{1}{4}$ N.E. $\frac{1}{4}$, E $\frac{1}{2}$ N.W. $\frac{1}{4}$ N.E. $\frac{1}{4}$, S.W. $\frac{1}{4}$ N.E. $\frac{1}{4}$, Lot 1 of Section 9 T. 34 S. R 7 E. W.M. | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of
(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$3,200.00.....

12. Construction work will begin on or before November 1, 1947.....

13. Construction work will be completed on or before November 1, 1948.....

14. The water will be completely applied to the proposed use on or before November 1, 1949.....

OREGON STATE HIGHWAY COMMISSION
(Signature of applicant)

By /s/ S. H. Boardman
State Parks Superintendent

Remarks: The above application is for irrigation for public park purposes.....
in Collier State Park.....

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before December 26....., 1947...

WITNESS my hand this 25th day of November....., 1947..

CHAS. E. STRICKLIN
STATE ENGINEER

By Ed K. Humphrey
Ed K. Humphrey, Assistant
mjo

Application No. 22884

Permit No. 19167

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 27th day of October, 1947, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

June 30, 1950

Recorded in book No. 47 of Permits on page 19167

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 14 Page 23

Fees Paid \$15.00

PERMIT

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.25 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Spring Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/10th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 27, 1947

Actual construction work shall begin on or before June 30, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1953

WITNESS my hand this 30th day of June, 1950.

CHAS. E. STRICKLIN

STATE ENGINEER