* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Louie Loeffler (Name of	
ofCentral Point	Route 1, Box 227
(Mailing address) State of Oregon, do hereby	y make application for a permit to appropriate the
following described public waters of the State of Orego	
If the applicant is a corporation, give date and pla	ace of incorporation
1. The source of the proposed appropriation is up	nnamed spring, tributary Blackwell (Name of stream)
Creek, , a tributar	
	nds to apply to beneficial use is 1 g.p.m.
cubic feet per second(If water is to be used from	om more than one source give quantity from each
**3. The use to which the water is to be applied is	
	S. and 480 ft. E. from the N.W.
corner of Section 30 (Section	or subdivision)
(If preferable, give distance and being within the	be described. Use separate sheet if necessary) of Sec. 30, Tp. 36S, (N. or S.)
(E. or W.)	
(Main ditch, canal or pipe line)	to be 700 feet (Miles or feet)
in length, terminating in the NW1 NW2 (Smallest legal subdivision)	of Sec. 30, Tp. 36 S. (N. or s.)
R. $\frac{2 \text{ W.}}{\text{(E. or W.)}}$, W. M., the proposed location being s	hown throughout on the accompanying map.
DESCRIPTION	OF WORKS
Diversion Works—	
6. (a) Height of dam feet, leng	- · · · · · · · · · · · · · · · · · · ·
feet; material to be used and character	•
rock and brush timber only ata wasteway even or around dam)	
(b) Description of headgate(Time	
(c) If water is to be pumped give general descripe	tion (Size and type of pump)
(Size and type of engine or motor to be used,	total head water is to be lifted, etc.)
	· · · · · · · · · · · · · · · · · · ·

[•] A different form of application is provided where storage works are contemplated.

the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line	Canal	System	or Pi	pe L	ine
---------------------------	-------	--------	-------	------	-----

headgate. At headgate: width on top (at water line)	7. (a) Giv	e dimensions at	t each point of	canal where materially chang	ed in size, stating miles from
thousand feet. (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet; width on bottom feet; depth of water feet; grade feet; miles from headgate: width on top (at water line) feet; depth of water feet; feet; (c) Length of pipe, 1000 ft.; size at intake, l. in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, 25 ft. sec. ft. sec. ft. spring boxed in 8' x 8' x 3' service tank 8. Location of area to be irrigated, or place of use feet; 36 S. 2 W. 30 NW2 NW2 Township Rease section Featward feet by applicant as follows: LDUIE LOSFFIER Commencing at the Northwest corner Section 30, Township 36 South, Range 2 West, Williameter Servician, Jackson Country, Oregon; thence S. 0' 15' L. along the township line h35.6 feet to a 18" x 18" x 18" x 3" chammel iron 33" long 10 catact on the Southerly Fight of way line at the Facific Highway for the point of beginning. Thence N. 83' 18' K. 100 O feet Thence N. 85' 14' W., 783.1 feet to the 1/16 section corner. Thence N. 80' 13' W., along the township line 891 if feet to the point of beginning, containing, 11' acrass none or less. (a) Character of soil garden (b) Kind of crops raised garden Fower or Mining Purposes— 9. (a) Total amount of power to be developed theorems of the works by means of which the power is to be developed (e) Such works to be located in feet. (f) Total fall to be utilized feet. (g) If so, name stream and locate point of return Sec. Tp. One No as No Commence of the works by means of which the power is to be developed (h) The use to which power is to be applied is	headgate. At hea	dgate: width on	ı top (at water	line)	feet; width on bottom
feet; width on bottom	***************************************	feet; depth of u	ater	feet; grade	feet fall per one
grade			. miles from he	eadgate: width on top (at wat	er line)
grade		feet; width on	bottom	feet; depth of u	vater feet;
from intake in.; size at place of use in., difference in elevation between intake and place of use, 25 ft. Is grade uniform? Yes. Estimated capacity, sec. ft. spring boxed in 8' x 8' x 3' service tank 8. Location of area to be irrigated, or place of use forty-ace test. 8. Location of area to be irrigated, or place of use forty-ace test. 8. Location of area to be irrigated, or place of use forty-ace test. 8. Location of area to be irrigated, or place of use forty-ace test. 8. Location of area to be irrigated, or place of use forty-ace test. 8. Location of area to be irrigated, or place of use forty-ace test. 8. Location of area to be irrigated, or place of use forty-ace test. 9. Commencing as the Northwest corner Section 30, lownship 36 South, Range 2 West, Williamette Meridian, Jackson County, Oregon; thence 5. 0' 15' E. along the township line 35' Located on the Southerty Fight of way line at the Pacific Highway for the point of beginning. 10cated on the Southerty Fight of way line at the Pacific Highway for the point of beginning. Thence N. 6' 13' E. along said right of way line 791.9 feet. Thence N. 0' 15' W., along the township line 35'l.4 feet to the point of Beginning, containing 11's access collections or less. 11 Located or place to the section of the south of Surveyor. (a) Character of soil granite Surveyor. (b) Kind of crops raised garden Power or Mining Purposes— 9. (a) Total amount of power to be developed the containing 11's access collection of the containing					
intake and place of use, 25 ft. Is grade uniform? Yes. Estimated capacity, sec. ft. spring boxed in 8' x 8' x 3' service tank 8. Location of area to be irrigated, or place of use	(c) Length	of pipe,79	00 ft.;	size at intake,l.	in.; size at ft.
Sec. ft. 8. Location of area to be irrigated, or place of use	from intake	in.	; size at place o	of use in.; dif	ference in elevation between
Sec. ft. 8. Location of area to be irrigated, or place of use	intake and place	of use,25	ft. I	s grade uniform?yes	Estimated capacity,
8. Location of area to be bringiated, or place of use Township Runge Section Forty-acre Trust Township Runge Section Forty-acre Trust Township Runge Section Forty-acre Trust Township Runge A Section Forty-acre Trust Township Runge Property on which water is to be used is a part of that more explicitly described by applicant as follows: LUUIE LOEFFIER Commencing at the Northwest corner Section 30, Township 36 South, Range 2 West, Williamette Meridian, Jackson County, Oregon; thence S. 0° 15; E. along the township line 435.6 feet to a 1½" x 1½" x 3" channel iron 33" long located on the Southerly right of way line at the Pacific Highway for the point of beginning. Thence N. 81 28' E. along said right of way line 791.9 feet. Thence N. 0° 15' E., 1012 O feet Thence N. 0° 15' W., along the township line 891.4 feet to the point of leginning, containing 171. Sacres nor corless. (a) Character of soil granite (b) Kind of crops raised Granite Granite Sarken Power or Mining Purposes 9. (a) Total amount of power to be developed (b) Quantity of water to be used for power (c) Quantity of water to be used for power (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in (c) Such works to be located in (d) Is water to be returned to any stream? (ver or No) (g) If so, name stream and locate point of return (h) The use to which power is to be applied is		sec. ft.			
Township Range Section Perty-serv Tract Time Fried Type Interested 36 S. 2 W. 30 NW1 NW2 domestic, stock & garde Property on which water is to be used is a part of that more explicitly described by applicant as follows: LOUIE LOEFFIER Commencing at the Northwest corner Section 30, Township 36 South, Range 2 West, Williametic Meridian, Jackson County, Oregon; thence S. 0* 15 f E. along the township line 135.6 feet to a 14 m x 12 m channel iron 33 l nog located on the Southerly right of way line at the Pacific Righway for the point of beginning. Thence N. 81 E. along said right of way line 791.9 feet. Thence N. 0* 15 W., along the township line 891.4 feet to the point of Beginning, containing 17:1 series more or less. It may be the transfer of the series there. (a) Character of soil granite granite Dec. 5, 1946 (S. 2. Boyden (b) Kind of crops raised garden. Power or Mining Purposes— 9. (a) Total amount of power to be developed theorems there. (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized for sec. (Resed) feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in degal studiousless) (f) Is water to be returned to any stream? (Yes or No) (g) If so, name stream and locate point of return Sec. TP. (No. K. or S.) R. (No. E. or W.) (h) The use to which power is to be applied is		sr			
Property on which water is to be used is a part of that more explicitly described by applicant as follows: LOUIE LOEFFIER		1			Number Acres
Dulie Loeffler Commencing at the Northwest corner Section 30, Township 36 South, Range 2 West, Willenste Meridian, Jackson County, Oregon; thence S. 0° 15° E. along the township line 4,35.6 feet to a 1½" x 1½" x 3" channel iron 33" long located on the Southerly right of way line at the Pacific Highway for the point of beginning. Thence N. 81° 28° E. along said right of way line 791.9 feet. Thence N. 82° 1,1° E., 1012.0 feet. Thence N. 0° 13' E., 1012.0 feet. Thence N. 0° 15' W., along the township line 891.1 feet to the point of Beginning, containing 1711 agrees more or less. (It most spaces required, stack separate theet) (a) Character of soil granite. (b) Kind of crops raised garden Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsepower. (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed feet. (e) Such works to be located in feet. (filesco) (g) If so, name stream and locate point of return feet on the power is to be applied is for the works of the power is to be applied is for the works of the power is to be applied is	36 S.	2 W.	30	NW2 NW2	domestic, stock & garde
Dulie Loeffler Commencing at the Northwest corner Section 30, Township 36 South, Range 2 West, Willenste Meridian, Jackson County, Oregon; thence S. 0° 15° E. along the township line 4,35.6 feet to a 1½" x 1½" x 3" channel iron 33" long located on the Southerly right of way line at the Pacific Highway for the point of beginning. Thence N. 81° 28° E. along said right of way line 791.9 feet. Thence N. 82° 1,1° E., 1012.0 feet. Thence N. 0° 13' E., 1012.0 feet. Thence N. 0° 15' W., along the township line 891.1 feet to the point of Beginning, containing 1711 agrees more or less. (It most spaces required, stack separate theet) (a) Character of soil granite. (b) Kind of crops raised garden Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsepower. (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed feet. (e) Such works to be located in feet. (filesco) (g) If so, name stream and locate point of return feet on the power is to be applied is for the works of the power is to be applied is for the works of the power is to be applied is					
Qommencing at the Northwest corner Section 30, Township 36 South, Range 2 West, Willametts Meridian, Jackson County, Oregon, thence S. 0° 15' E. along the downship line 435.6 feet to a 12" x 12" x 3" channel iron 33" long located on the Southerly right of way line at the Pacific Highway for the point of beginning. Thence N. 81° 28' E. along said right of way line 791.9 feet. Thence N. 80° 13! E., 1012.0 feet Thence N. 80° 14! W., 788.1 feet to the 1/16 section corner. Thence N. 0° 15' W., along the township line 891.4 feet to the point of Dec. 15' W., along the township line 891.4 feet to the point of Dec. 5, 1946 C. 2. Boyden (a) Character of soil granite (b) Kind of crops raised garden Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsepower. (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in the case of which the power is to be developed (f) Is water to be returned to any stream? (g) If so, name stream and locate point of return (h) The use to which power is to be applied is				sed is a part of that mo	re explicitly described
Range 2 West, fillamette Meridian, Jackson County, Oregon; thence S. 0° 15° E. along the township line 435.6 feet to a 1½" x 1½" x 3" channel iron 33" long located on the Southerly right of way line at the Pacific Highway for the point of beginning. Thence N. 81° 28° E. along said right of way line 791.9 feet. Thence N. 89° 14° W., 783.1 feet to the 1/16 section corner. Thence N. 89° 14° W., 783.1 feet to the 1/16 section corner. Thence N. 89° 14° W., 783.1 feet to the 1/16 section corner. Thence N. 89° 14° W., 783.1 feet to the 1/16 section corner. Thence N. 89° 14° W., 783.1 feet to the 1/16 section corner. Thence N. 89° 14° W., 783.1 feet to the 1/16 section corner. Thence N. 89° 14° W., 783.1 feet to the 1/16 section corner. Thence N. 89° 14° W., 783.1 feet to the 1/16 section corner. Thence N. 89° 14° W., 783.1 feet to the 1/16 section corner. Thence N. 89° 14° W., 783.1 feet to the 1/16 section corner. Thence N. 89° 14° W., 783.1 feet to the 1/16 section corner. Thence N. 89° 14° W., 783.1 feet to the 1/16 section corner. Thence N. 89° 14° W., 783.1 feet to the 1/16 section corner. Thence N. 89° 14° W., 783.1 feet to the 1/16 section corner. Thence N. 89° 14° W., 783.1 feet to the 1/16 section corner. Thence N. 89° 14° W., 783.1 feet to the 1/16 section corner. Thence N. 81° 12° E. along said right of way line 791.9 feet. (a) Character of soil (b) Kind of crops raised (a) Character of soil (b) Kind of crops raised (c) Subject to be used for power (b) Quantity of water to be used for power (c) Such works to be located in feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in feet. (flead) (g) If so, name stream and locate point of return (No. N. or S.) (No. E. or W.) (h) The use to which power is to be applied is			L	OUIE LOEFFLER	
along the township line 435.6 feet to a law x law x 3" channel iron 33" long located on the Souther y right of way line at the Pacific Highway for the point of beginning. Thence N. 81° 28' E. along said right of way line 791.9 feet. Thence S. 0° 13' E., 1012.0 feet Thence N. 82° 44' W., 783.1 feet to the 1/16 section corner. Thence N. 0° 15' W., along the township line 891.4 feet to the point of beginning, containing 17.1 seres more or less. (a) Character of soil granite Bearing 17.1 seres more or less. (b) Kind of crops raised garden Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsepower. (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in Caesal Subdivision) (f) Is water to be returned to any stream? (g) If so, name stream and locate point of return Sec. , Tp. (No. N. or S.) , R. (No. E or W.) , W. M. (h) The use to which power is to be applied is		ommencing at	the Northw	est corner Section 30, T	ownship 36 South,
Coated on the Southerly right of way line at the Pacific Highway for the point of beginning. Thence N. 81° 28° E. along said right of way line 791.9 feet. Thence N. 82° 141° W., 783.1 feet to the 1/16 section corner. Thence N. 82° 141° W., along the township line 891.4 feet to the point of beginning, containing 1911 acres more or less. Thence N. 0° 15° W., along the township line 891.4 feet to the point of beginning, containing 1911 acres more or less. The more special required status separate states Dec. 5, 1916 G. 2. Boyden	along the t	own ship line	e Meridian, 435.6 feet	Jackson County, Oregon; to a $1\frac{1}{2}$ " x $1\frac{1}{2}$ " x 3" cha	nnel iron 33" long
Thence N. 819 281 E. along said right of way line 791.9 feet. Thence S. 09 131 E., 1012.0 feet Thence N. 899 1441 W., 783.1 feet to the 1/16 section corner. Thence N. 09 151 W., along the township line 891.4 feet to the point of beginning, containing 17/1 acres more or less. (If more space required, attach separate theet) (a) Character of soil granite Dec. 5, 1946 S. 2. Boyden (b) Kind of crops raised garden Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsepower. (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in (Legal Subdivision) (g) If so, name stream and locate point of return (No. N. or E.) (No. E. or W.) (g) If so, name stream and locate point of return (No. N. or S.) (No. E. or W.) (No. E. or W.) (h) The use to which power is to be applied is	located on	the Souther	y right of	way line at the Pacific	Highway for the
Thence S. 0° 13! E., 1012.0 feet Thence N. 89° 14! W., 783.1 feet to the 1/16 section corner. Thence N. 0° 15' W., a long the township line 891.4 feet to the point of beginning, containing 1711 acres more or less. (a) Character of soil granite Dec. 5, 1946 g. Z. Boyden (b) Kind of crops raised garden Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsepower. (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in (Legal Subdivision) Tp. (No. N. or S.), R. (No. E or W.) (g) If swater to be returned to any stream? (Yes or No) (g) If so, name stream and locate point of return Sec. Tp. (No. N. or S.), R. (No. E or W.) (h) The use to which power is to be applied is					701 0 0 1
Thence N. 89 141 W., 783.1 feet to the 1/16 section corner. Thence N. 0° 15' W., along the township line 891.4 feet to the point of beginning, containing 171 acres more or less (If more space required, stuch separate sheet) (a) Character of soil granite Dec. 5, 1946 (c. 2. Boyden (b) Kind of crops raised garden Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsepower. (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in formulation of Sec. Tp. (No. N. or S.) (No. E. or W.) (f) Is water to be returned to any stream? (Yes or No) (g) If so, name stream and locate point of return ———————————————————————————————————		hence N. 81	28' E. alo:	ng said right of way lir	ne 791.9 feet.
Thence N. 0° 151 W., a long the township line 891.4 feet to the point of beginning, containing 171 acres more or less. (a) Character of soil granite Dec. 5, 1946 (a) Character of soil granite Dec. 5, 1946 (b) Kind of crops raised garden Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsepower. (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in Cheat Subdivision Of Sec. Tp. (No. N. or S.), R. (No. E. or W.) (g) If so, name stream and locate point of return (Yes or No) (g) If so, name stream and locate point of return (No. N. or S.), R. (No. E. or W.) (h) The use to which power is to be applied is		hence S. 0°	13' E., 101	2.0 feet	
(a) Character of soilgranite					
(a) Character of soilgranite		eginning, co	ntaining 17	11 acres more or less. required, attach separate sheet)	The country of
(b) Kind of crops raised					Dec. 2, 1940
Power or Mining Purposes— 9. (a) Total amount of power to be developed					•
9. (a) Total amount of power to be developed					
(c) Total fall to be utilized	_	_	ower to be deve	eloped	theoretical horsepower.
(c) Total fall to be utilized	(b) Que	antity of water	to be used for	powers	ec. ft.
(d) The nature of the works by means of which the power is to be developed					•
(e) Such works to be located in					developed
Tp, R, W. M. (f) Is water to be returned to any stream? (g) If so, name stream and locate point of return, Sec, Tp, R, W. M. (h) The use to which power is to be applied is	(4) 1100	indiane of the t	works og mean	s of which the power is to be	ueveropeu
Tp, R, W. M. (f) Is water to be returned to any stream? (g) If so, name stream and locate point of return, Sec, Tp, R, W. M. (h) The use to which power is to be applied is	(e) Suc	h works to be	located in	(Legal Subdivision)	of Sec,
(g) If so, name stream and locate point of return, Sec, Tp, R, W. M					
(g) If so, name stream and locate point of return, Sec, Tp, R, W. M	(f) Is u	ater to be retu	rned to any str	eam?	
(h) The use to which power is to be applied is				(165 01 110)	······
(h) The use to which power is to be applied is	•••••		, Sec	, Tp	, R, W. M.
(i) The nature of the mines to be served		·			
	(i) The	nature of the m	ines to be serv	ed	

ınicipal	or Domestic Supply—	
10.	(a) To supply the city of	
	timated population of in 19 in 19	
	(b) If for domestic use state number of families to be suppliedone	
	(Answer questions 11, 12, 13, and 14 in all cases)	
11.	Estimated cost of proposed works, \$150.00	
12.	Construction work will begin on or beforel_yr. from date of priority	
13.	Construction work will be completed on or before 2 yrs. from date of priority	
14.	The water will be completely applied to the proposed use on or before 3 yrs. from date of p	rio
	/s/ Louie Loeffler (Signature of applicant)	
	Central Point R #1 Box 227	
Ren	narks:	
		•
•••••		
ATE C	OF OREGON, ss.	
	s is to certify that I have examined the foregoing application, together with the accompanying	
	data, and return the same for	
	order to retain its priority, this application must be returned to the State Engineer, with correc-	
	r before, 19,	
WI	TNESS my hand thisday of,19,19	

Application	No. 23737
Parmit No	19173

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,	
on the 25th day of April ,	
19.49., at .8:00 o'clock A. M.	
Returned to applicant:	
Corrected application received:	
Approved:	
June 30, 1950	
Recorded in book No47 of	
Permits on page19173	
CHAS. E. STRICKLIN STATE ENGINEER	
Drainage Basin No15 Page78G	
Fees Paid \$20.00	
PERMIT	
STATE OF OREGON, County of Marion, ss.	
This is to certify that I have examined the foregoing application and do her SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:	eby grant the same,
The right herein granted is limited to the amount of water which can be apply	ied to beneficial use
and shall not exceed 1.0 gallon per minute subjectspersserand measured at the point of	f diversion from the
stream, or its equivalent in case of rotation with other water users, from unnam	ed spring
The use to which this water is to be applied is domestic, including irrig exceed 1/2 acre and stock	
If for irrigation, this appropriation shall be limited to second	-
and shall be subject to such reasonable rotation system as may be ordered by the pro	per state officer.
The priority date of this permit isApril_25, 1949	
Actual construction work shall begin on or beforeJune 30, 1951	and shall
thereafter be prosecuted with reasonable diligence and be completed on or before	
October 1, 1952	
Complete application of the water to the proposed use shall be made on or be	fore
October 1, 1953	
WITNESS my hand this30th day of,	1950.