

*** APPLICATION FOR PERMIT**

To Appropriate the Public Waters of the State of Oregon

I, CARL R. STAATS (Name of applicant)
of Route #1 Box 16, Salem, Oregon (Mailing address),
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation - - -

- The source of the proposed appropriation is Staats Reservoir, in Sec. 18, T. 7 S. R. 3 W. W. M., Polk County, Oregon (Name of stream), a tributary of surface water and underground water of Winslow Gulch
- The amount of water which the applicant intends to apply to beneficial use is 15 Acre Feet cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation, livestock, domestic and personal use (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located N. 54° 40' E. 289.7 feet (N. or S.) and ft. (E. or W.) from the S.W. corner of Lot 20, Clarkview Fruit Farms in Polk County, Oregon (Section or subdivision)

It is contemplated that water will be pumped from my reservoir into a pipe line and sprinkler system for irrigation said 6 acres.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the said Lot 20, Clarkview Fruit Farms of Sec. 18, Tp. 7 S. (Give smallest legal subdivision) (N. or S.)

R. 3 (E. or W.), W. M., in the county of Polk

5. The pipe line and sprinkler system as above set forth (Main ditch, canal or pipe line) to be ft. (Miles or feet) in length, terminating in the for said Lots 20, 21, 22 of Sec. 18, Tp. 7 S. (Smallest legal subdivision) (N. or S.)

R. 3 W (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 10 feet, length on top approx. 600 feet, length at bottom approx. 500 feet; material to be used and character of construction compacted clay (Loose rock, concrete, masonry, standard construction)

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate concrete outlets, 6 Ft high, 4 Ft wide (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 15 HP, centrifugal, elec. pump (Size and type of pump) with 4-inch outlet, 10 Ft lift. (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
7S.	3 W.	18	Lots 20, 21, and 22, Clarkview Fruit Farms in Polk County, Oregon (See Vol. 2, Page 13, Record of Town Plats) in SW $\frac{1}{4}$ NW $\frac{1}{4}$	6 Acres

(If more space required, attach separate sheet)

(a) Character of soil red loam

(b) Kind of crops raised general farm crops

Power or Mining Purposes— none

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return
....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Application No. 24115

Permit No. 19200

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. _____ District No. _____

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 22nd day of September,
1949, at 10:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

June 30, 1950

Recorded in book No. 47 of

Permits on page 19200

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 2 Page 76 X

Fees Paid \$25.00

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.10 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from Staats Reservoirs to be
constructed under Application No. R-24114, Permit No. R-1012 and surface water and
underground water of Winslow Gulch

The use to which this water is to be applied is irrigation, stock and domestic, being
0.08 cfs for irrigation, 0.01 cfs for stock and 0.01 cfs for domestic.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per
second or its equivalent for each acre irrigated from direct flow and shall be further
limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated
during the irrigation season of each year from direct flow and storage from reservoir
to be constructed under Permit No. R-1012,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 22, 1949

Actual construction work shall begin on or before June 30, 1951 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before
October 1, 1952

Complete application of the water to the proposed use shall be made on or before
October 1, 1953

WITNESS my hand this 30th day of June, 1950.

CHAS. E. STRICKLIN
STATE ENGINEER

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of
(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied one

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$1,000.00

12. Construction work will begin on or before now completed

13. Construction work will be completed on or before

14. The water will be completely applied to the proposed use on or before now being applied

(Sgd) Carl R. Staats
(Signature of applicant)

Remarks: Evidence in the form of seepage and type of vegetation at the site of
proposed appropriation indicates the presence of underground water flowing
below the surface of the bottom of Winslow Gulch, which underground water will
be intercepted by excavation for dam and reservoir.

By (Sgd) Carl R. Staats

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER