

CERTIFICATE NO. 20044

* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, J. P. Lausen (Name of applicant) of Rt. 1, Box 162, Beaver Creek (Mailing address), Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is an unnamed spring (Name of stream) trib. of unnamed stream, a tributary of Clear Creek and an unnamed stream.

2. The amount of water which the applicant intends to apply to beneficial use is 0.39 cubic feet per second, being 0.01 cfs from spring for dom. and 0.38 cfs from stream for irrigation. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic, including irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.) of 1/2 acre from spring and irrigation from stream.

4. The point of diversion is located ft. and ft. from the corner of Spring S 68° W 690 ft. from N E cor. NW 1/4 NE 1/4 Sec. 34 Stream S. 20° E 400 ft. " NW cor. SW 1/4 NW 1/4 " 35 (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NW NE Sec. 34 & SW NW of Sec. 35, Tp. 3 S R. 3 E, W. M., in the county of Clackamas (Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. Tp. R. W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works— Spring is enclosed in concrete. 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description gravity (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. ** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 1

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$... 1500.
 - 12. Construction work will begin on or before One year after approval for irrigation.
 - 13. Construction work will be completed on or before 2 yrs. " " " "
 - 14. The water will be completely applied to the proposed use on or before 3 " " " "
- System is completed and in use for domestic.

(Sgd) J. P. Lausen
(Signature of applicant)

Remarks:

The easement granting right to go upon the land where the spring is located is
recorded in the Clackamas Co. Records in Book 221, Page 167.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before February 3, 19 50.

WITNESS my hand this 3rd day of January, 1950.

CHAS. E. STRICKLIN
STATE ENGINEER

By Ed K. Humphrey, Assistant

Application No. 24233

Permit No. 19207

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 25th day of October 1949, at 1:20 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

June 30, 1950

Recorded in book No. 47 of

Permits on page 19207

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 10 d

Fees Paid \$25.00

PERMIT

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.39 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed spring and an unnamed stream

The use to which this water is to be applied is irrigation and domestic, including the irrigation of not to exceed 1/2 acre, being 0.38 cfs from stream for irrigation and 0.01 cfs from spring for domestic.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 25, 1949

Actual construction work shall begin on or before June 30, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

Complete application of the water to the proposed use shall be made on or before October 1, 1953

WITNESS my hand this 30th day of June, 1950

CHAS. E. STRICKLIN

STATE ENGINEER