

* APPLICATION FOR A PERMIT

CERTIFICATE NO. 24623

To appropriate the Public Waters of the State of Oregon

I, FISH COMMISSION OF OREGON (Name of applicant) of 510 Governor Bldg., Portland (Post office), County of Multnomah, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Salmon Creek (Name of stream), a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 20 C.F.S. + 15.0 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Operation of Salmon Hatchery (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 685 ft. N. and 18 ft. E. from the 1/4 Cor. corner of Sections 14 and 15. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the S.W. 1/4 of N.W. 1/4 of Sec. 14, Tp. 21 S, R. 3 E, W. M., in the county of Lane

(E. or W.)

5. The (Main ditch, canal or pipe line) to be one mile (Miles or feet) in length, terminating in the N.E. 1/4 of S.W. 1/4 of Sec. 15, Tp. 21 S, R. 3 E, W. M., the proposed location being shown throughout on the accompanying map.

(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 5 feet, length on top 160 feet, length at bottom 120 feet; material to be used and character of construction Timber and loose rock (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Concrete, 2 - 3 " dia. pipes (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$... 35,000

12. Construction work will begin on or before May, 1950

13. Construction work will be completed on or before December, 1950

14. The water will be completely applied to the proposed use on or before December, 1950

FISH COMMISSION OF THE STATE OF OREGON
(Signature of applicant)

By (Sgd) Arnie J. Suomela
Master Fish Warden

Signed in the presence of us as witnesses:

(1) (Sgd) H. C. Luise 510 Governor Bldg., Portland, Oregon
(Name) (Address of witness)

(2) (Sgd) M T Hoy 510 Governor Bldg., Portland, Oregon
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before December 19....., 1949..

WITNESS my hand this 16th day of November , 1949

CHAS. E. STRICKLIN
STATE ENGINEER

By
Ed K. Humphrey, Assistant
dh

Application No. 24236

Permit No. 19208

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 26th day of October, 1949, at 1:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

June 30, 1950

Recorded in book No. 47 of

Permits on page 19208

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 76 X

Fees Paid \$88.00

STATE OF OREGON

County of Marion,

PERMIT

ss

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 35.0 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Salmon Creek

The use to which this water is to be applied is operation of salmon hatchery

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 26, 1949 for 20.0 cfs and November 7, 1949 for/ 15.0 cfs

Actual construction work shall begin on or before June 30, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1953

WITNESS my hand this 30th day of June, 1950.

CHAS. E. STRICKLIN

STATE ENGINEER