

* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, L. F. Lorenz (Name of applicant) of Rt. 1, Box 136, Aurora (Mailing address) State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed stream (Name of stream) trib. of Senecal Creek, a tributary of Mill Creek, trib. of Pudding River.

2. The amount of water which the applicant intends to apply to beneficial use is 0.25 + 0.13 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 32 ch. S and 5.5 ch. W from the NE corner of Sec. 3, T. 4 S., R. 1 W., W.M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 NE 1/4 of Sec. 3, Tp. 4 S., R. 1 W., W.M., in the county of Marion

5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. (N. or S.), R. (E. or W.), W.M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 5 feet, length on top 30 feet, length at bottom 20 feet; material to be used and character of construction dirt fill and plank (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate 6" tile or pipe (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Will pump and sprinklers — details not determined. (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, feet; size at intake, ft.; size at place of use, ft.; size at place of use, ft.; difference in elevation between from intake, ft.; Is grade uniform? Yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
4 S	1 W	3	SE $\frac{1}{4}$ NE $\frac{1}{4}$	15
			NE $\frac{1}{4}$ SE $\frac{1}{4}$	15

Property on which water is to be used is a part of that more explicitly described by applicant as follows:

Beginning at the quarter section corner on the East line of Section 3, Township 4, Range 1 West of the Williamette Meridian in Marion County, Oregon; thence North 37° East along the section line, 6.90 chains to an iron pipe; thence North 89° West 25.44 chains to an iron pin; thence South 9° East 25.39 chains to an iron pipe in the East line of said Section 3; thence N. 30° East 5.70 chains to the point of beginning.

ALSO: Beginning at the Northeast corner of Section 3 in Twp 4 South, Range 1 West of the W.M., Marion County, Oregon; thence South 89° 55' West on the Section line, 21.147 chains; thence South 0° 20' East 33.10 chains; thence North 89° 55' East 21.147 chains to the line between Sections 2 and 3 of the aforesaid township; thence North 20° West 33.10 chains to the place of beginning.

SAVE AND EXCEPT THE FOLLOWING: Beginning at the Northwest corner of the Second Parcel of land conveyed to Geo. H. Blendinger & Lola S. Blendinger, husband and wife, by instrument recorded June 10, 1947, in Vol. 370, Page 725, Deed Records for Marion County, Oregon, which point is found by beginning at the Northeast corner of Sec. 3, in T. 4, S. 1 W. of the W.M. in Marion County, Oregon, and measuring thence S. (CONTINUED UNDER REMARKS)

(a) Character of soil Williamette loam

(b) Kind of crops raised oats - vetch, clover - clovers for pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized (Head) feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. (Legal Subdivision) Twp. R. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$..2500.00.....

12. Construction work will begin on or before One year after approval

13. Construction work will be completed on or before 2 yrs. " "

14. The water will be completely applied to the proposed use on or before 3 " " "

(Sgd) L. F. Lorenz
(Signature of applicant)

Remarks: (Continued from Item 8)

89° 55' West along the section line, 21.147 chains; thence from said place of beginning, South 0° 20' East 435.00 feet; thence North 89° 55' East parallel to said Section line 300.00 feet; thence North 0° West 435.00 feet to said Section line; thence North 89° 55' West, 300.00 feet to the place of beginning.
~~Save and except roads and highways.~~

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

Application No. 21294

Permit No. 19220

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. _____ District No. _____

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 28th day of November,
1949, at 1:36 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

June 30, 1950

Recorded in book No. 47 of
Permits on page 19220

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 38 L

Fees Paid \$15.00

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.375 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from unnamed stream

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per
second or its equivalent for each acre irrigated and shall be further limited to a
diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the
irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 28, 1949

Actual construction work shall begin on or before June 30, 1951 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before
October 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1953 Extended to Oct. 1, 1954

WITNESS my hand this 30th day of June, 1950

CHAS. E. STRICKLIN

STATE ENGINEER