

CERTIFICATE NO. 21100

\* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, W. A. & S. G. Schneider & Ella M. Dey  
(Name of applicant)  
of Lorane,  
(Mailing address)  
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is North Fork of the Siuslaw  
(Name of stream)  
River, a tributary of Siuslaw River

2. The amount of water which the applicant intends to apply to beneficial use is  
cubic feet per second. .75  
(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located S 17° ft. 30 E and 10.45 ch. from the  
(N. or S.) (E. or W.)  
corner of Stone Monument S. line ;  
(Section or subdivision) E 27.24 ch.  
Dellamater D.L.C. S.W. point of Diversion E. 15.44 - 38.10 ch. N. of the  
S.W. Cor of S 13 T 20 S R 5 W.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the 13 of Sec. 13, Tp. 20 S  
(Give smallest legal subdivision) (N. or S.)

R. 5 W, W. M., in the county of Lane  
(E. or W.)

5. The Ditch to be 19 ch.  
(Main ditch, canal or pipe line) (Miles or feet)  
in length, terminating in the SW SW of Sec. 13, Tp. 20 S  
(Smallest legal subdivision) (N. or S.)

R. 5 W, W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam \_\_\_\_\_ feet, length on top \_\_\_\_\_ feet, length at bottom \_\_\_\_\_ feet; material to be used and character of construction \_\_\_\_\_  
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate \_\_\_\_\_  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 3" #5520A 5 H.P.  
(Size and type of pump)  
250 g.p.m. Fairbanks - Morse 6' rais  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)  
flood irrigation. A portable canvas dam will be used.

\* A different form of application is provided where storage works are contemplated.

\*\* Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use .....

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
20 S	5 W	13	NE $\frac{1}{4}$ NW $\frac{1}{4}$	9
			NW $\frac{1}{4}$ NW $\frac{1}{4}$	6
			SW $\frac{1}{4}$ NW $\frac{1}{4}$	31
			SE $\frac{1}{4}$ NW $\frac{1}{4}$	6
			NW $\frac{1}{4}$ SW $\frac{1}{4}$	7
			SW $\frac{1}{4}$ SW $\frac{1}{4}$	2
				61
			WARRANTY DEED	
			George Farman and Lilly Farman	
Beginning at the southeast corner of Lot No. 6 in Section 13 in Township 20 South Range 5 West of Willamette Meridian being the southeast corner of the cancelled George Lewis donation land claim No. 45 and running thence North 16.13 chains to the center of the county road No. 155, thence northwesterly along center of said road 11.53 chains, thence south about 68° west by direct line to a point 11.30 chains				

(If more space required, attach separate sheet)

(a) Character of soil ..... Sandy loam on clay sub soil

(b) Kind of crops raised ..... Clover and grass for pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....  
(Legal Subdivision)

Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

Application No. 24341

Permit No. 19225

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 14th day of December 1949, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

June 30, 1950

Recorded in book No. 47 of Permits on page 19225

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 18 Page 26 B

Fees Paid \$19.65

PERMIT

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.75 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Fork Siuslaw River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, and shall be still further limited to a diversion of not to exceed 0.75 c.f.s.,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 14, 1950

Actual construction work shall begin on or before June 30, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1953

WITNESS my hand this 30th day of June, 1950

CHAS. E. STRICKLIN STATE ENGINEER

Municipal or Domestic Supply—

10. (a) To supply the city of \_\_\_\_\_

\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
(Name of)

and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 500 <sup>00</sup>

12. Construction work will begin on or before Aug. 1, 1950

13. Construction work will be completed on or before " 5, 1950

14. The water will be completely applied to the proposed use on or before Sep. 1, 1950

(Sgd) Ella M. Dey, Mgr.  
(Signature of applicant)

Remarks: The owners of property to be irrigated are.

W. A. Schneider  
S. G. Schneider and  
Ella M. (Schneider) Dey

(Continued from Item 8)

~~north of the south west corner of Lot 12 in section 14 of said township, thence south 11.30 chains to said southwest corner, and thence east 44.44 chains to the place of beginning, containing 90.14 acres all in Lane County, State of Oregon, excepting therefrom 12 1/2 acres conveyed to E. B. Trefry, and except 10.68 acres conveyed to the Oregon Electric Railroad Co., leaving 66.96 acres.~~

~~Also, Beginning at N.W. corner of the D.L.C. of Wm. McAlister and wife, Not. 353 Claim No. 44 in Tp.20, S.R. 5 West, thence running East 33 chs., thence South 16.31 chains, thence West 33 chains, thence North 16.31 chains to place of beginning, containing 53.82 acres, more or less, in Lane County, Oregon.~~

~~Also, Beginning at the S.W. corner of the Wm. McAlister donation land claim, Notification No. 353 in Tp.20, S.R. 5 West, thence running east 33 chains, thence north 23.86 chains, thence West 33 chains and thence South 23.86 chains to the place of beginning, containing 78.75 acres more or less in Lane County, Oregon.~~

ABSTRACT OF TITLE NO. 43220

Beginning at a point 750 feet East of the Northwest corner of the George W. Lewis D. L. C. No. 45, Notification No. 356, in Township 20 South Range 5 West, Willamette Meridian, Oregon and running thence South 19.8 chains, thence North 67 degrees and 54 minutes East 29.79 chains, thence North 13 degrees and 11 minutes West 1.56 chains, thence South 79 degrees West 1.64 chains, thence North 13 degrees and 11 minutes West 1.58 chains, thence South 86 degrees West 1.61 chains, thence North 5.60 chains thence West 24.03 chains to the point of beginning, all in the County of Lane and the State of Oregon.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_ completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_  
April 8 50  
February 6 19 50

WITNESS my hand this 8th day of March 50  
5th day of January 1950

CHAS. E. STRICKLIN  
STATE ENGINEER

By  
Ed K. Humphrey, Assistant  
vc eg