

\* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

We, X the Oregon State Game Commission of 1634 S. W. Alder St., Portland, Oregon  
(Name of applicant)  
~~xxx~~ and Frank Graves of Summer Lake, Oregon  
(Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is an unnamed spring in Section 23, Township 30 South, Range 16 East, a tributary of Summer Lake  
(Name of stream)

2. The amount of water which the applicant intends to apply to beneficial use is one-half foot  
~~cubic feet~~ per second.  
(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Domestic supplies  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

See remarks

4. The point of diversion is located ft. and ft. from the corner of ft.  
(N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the ft. of Sec. 23, Tp. 30 S., R. 16 E., W. M., in the county of Lake  
(Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The pipe line to be approximately 2,400 feet in length, terminating in the ft. of Sec. 23, Tp. 30 S., R. 16 E., W. M., the proposed location being shown throughout on the accompanying map.  
(Main ditch, canal or pipe line) (Miles or feet) (Smallest legal subdivision) (N. or S.) (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam ft. feet, length on top ft. feet, length at bottom ft. feet; material to be used and character of construction ft.  
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate ft.  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description A 300 gallon per minute centrifugal jet gasoline driven pump with a 2 inch outlet being installed to be replaced in the near future with an electric driven pump of equal or slightly larger capacity.  
(Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated.

\*\* Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 2,400 ft.; size at intake, 2 in.; size at place of use, 4 in.; difference in elevation between pipe 4 inches. Base of storage tank approximately 55 feet above spring and 50 feet above intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft. Two-inch pipe line will feed 15,000 gallon capacity storage. From storage to points of utilization, size of

8. Location of area to be irrigated, or place of use .....

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
C. E. Williams husband and wife				
Jessie Williams			Volumn 92 Page 588	
Executed May 25, 1944				
Acknowledged May 25, 1944				
Recorded December 1, 1944				
Township 30 South, Range 16 East, Willamette Meridian				
Section 13: S $\frac{1}{2}$ SW $\frac{1}{4}$				
Section 23: SE $\frac{1}{4}$ NE $\frac{1}{4}$ ; excepting the following:				
A triangular shaped parcel of land lying west of and adjoining thereto the west line of the Fremont Highway, said parcel of land being in the NW corner of the SE $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 23, Township 30 South, Range 16 East, Willamette Meridian, and is more particularly described as follows:				
Beginning at a point on the west line of the right-of-way on the Fremont Highway where the same intersects the north line of the said SE $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 23, at or near highway station B919 + 60; thence in a westerly direction along the north line of said SE $\frac{1}{4}$ NE $\frac{1}{4}$ a distance of 260 feet, more or less, to the NW corner thereof, thence in a southerly direction along the west line of said SE $\frac{1}{4}$ NE $\frac{1}{4}$ a distance of 630 feet to an intersection with the said west right-of-way line of the Fremont Highway, thence North 22° 31' east along said west right-of-way line a distance of 682 feet more or less, to the place of beginning containing 1.88 acres, more or less.				
Also beginning at a point which is the one quarter corner between Section 23 and 26				

(If more space required, attach separate sheet) (CONTINUED UNDER REMARKS)

(a) Character of soil .....

(b) Kind of crops raised .....

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....  
(Legal Subdivision)

Tp. ...., R. ...., W. M.  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M.  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

Municipal or Domestic Supply—

10. (a) To supply the city of .....

..... County, having a present population of .....

(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied See remarks.

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$18,000.00

12. Construction work ~~will begin on or before~~ <sup>began</sup> July 25, 1949

13. Construction work will be completed on or before .....

14. The water will be completely applied to the proposed use on or before .....

See remarks

Oregon State Game Commission

(Sgd) Frank Graves

(Sgd) C A Lockwood

(Signature of applicant)

C.A. Lockwood, Director

Remarks: This domestic water supply will be used by:

- 1. Frank Graves' existing Summer Lake Hunting Lodge.
- 2. Frank Graves' proposed tourist and hunter cabins.
- 3. State Game Commission's proposed refuge manager's residence.
- 4. State Game Commission's existing assistant manager's residence.
- 5. State Game Commission's existing repair shop, refuge office and temporary barracks.
- 6. State Game Commission's proposed barracks.
- 7. State Game Commission's proposed public sanitary facilities.

Re. Item #14 = Water is now being used in all the existing buildings. The proposed buildings will be built in the future with no definite date as to their completion.

Re. Item #8 Use is in:

SE 1/4 of SW 1/4 of NE 1/4 of Sec. 23 T 30 S R 16 E

Re. Item #4 = The point of diversion is located as follows:

Point of beginning S. E. corner of N.E. 1/4 of Sec. 23 T 30 S R 16 E thence West along the East-West center line of said Sec. 23 a distance of 2,532.9 feet thence NO° - 03'W 742.2 feet thence N 61°36'W 330.6 feet to the point of diversion.

(Continued from Item 8)

in Township 30 South, Range 16 East, Willamette Meridian, thence running north 89° 38' east a distance of 349.8 feet; thence north 28° 45' east 466.3 feet; thence north 1° 48" east 1039.7 feet; thence north 13° 54" east 488.5 feet; thence north 18° 50" east 778.7 feet, thence south 89° 25' east 345.1 feet, more or less, to the northeast corner of the NW 1/4 SE 1/4 of said Section 23, thence 2640 feet, more or less, to the southeast corner of the SW 1/4 SE 1/4 of said Section 23; thence west 1320 feet to the place of beginning.

STATE OF OREGON,

County of Marion,

} ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before February 13, 1950

WITNESS my hand this 13th day of January, 1950

CHAS. E. STRICKLIN

STATE ENGINEER

By Ed K. Humphrey, Assistant

eg

Application No. 24384

Permit No. 19237

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 5 day of Jan., 1950, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

June 30, 1950

Recorded in book No. 47 of Permits on page 19237

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 13 Page 41

Fees Paid \$20.00

PERMIT

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.5 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed spring

The use to which this water is to be applied is domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 5, 1950

Actual construction work shall begin on or before June 30, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1953

WITNESS my hand this 30th day of June, 19 50.

CHAS. E. STRICKLIN

STATE ENGINEER