

CERTIFICATE NO. 26405

* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Paul Peck (Name of applicant) of Maupin (Mailing address), State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Un-named Stream (Name of stream), a tributary of White River

2. The amount of water which the applicant intends to apply to beneficial use is 1/2 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation and Domestic Supply (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1815.8 ft. S and 1407.4 ft. W from the N.E. corner of Section 16, T 4S. R 13 E.W.M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the S.W. 1/4 of the N.E. 1/4 of Sec. 16, Tp. 4 S., R. 13 E., W. M., in the county of Wasco

5. The Pipe line to be 4500 Lin Ft in length, terminating in the SW 1/4 of the SW 1/4 of Sec. 10, Tp. 4 S., R. 13 E., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 4500 ft.; size at intake, 5" in.; size at 400 ft. from intake 4" in.; size at place of use 1 1/2" in.; difference in elevation between intake and place of use, 225 ft. Is grade uniform? No Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
4 S	13 E	10	SW 1/4 of the SW 1/4	22 ²
4 S	13 E	15	NW 1/4 of the NW 1/4	10 ²
4 S	13 E	16	NE 1/4 of the NE 1/4	8 ²
				40

(If more space required, attach separate sheet)

(a) Character of soil Sandy

(b) Kind of crops raised Alfalfa and Pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 1

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 6,000.00

12. Construction work will begin on or before Jan 10, 1950

13. Construction work will be completed on or before April 15, 1950

14. The water will be completely applied to the proposed use on or before Mar 15, 1950

(Sgd) Paul Peck

(Signature of applicant)

Remarks: The owner of the property this spring risen on is

Val. Miller. of Maupin, Ore.

STATE OF OREGON, }

County of Marion, }

ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before February 27, 19 50

WITNESS my hand this 26th day of January, 19 50

CHAS. E. STRICKLIN

STATE ENGINEER

By Ed K. Humphrey, Assistant

dh

Application No. 24395

Permit No. 19243

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. _____ District No. _____

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 10th day of January,
1950, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

June 30, 1950

Recorded in book No. 47 of

Permits on page 19243

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 5 Page 38

Fees Paid \$26.50

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.50 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from unnamed stream

The use to which this water is to be applied is irrigation and domestic, being 0.49 c.f.s.
for irrigation and 0.01 c.f.s. for domestic

If for irrigation, this appropriation shall be limited to 1/10th of one cubic foot per
second or its equivalent for each acre irrigated and shall be further limited to a
diversion of not to exceed 3 acre feet per acre for each acre irrigated during the
irrigation season of each year, and shall be still further limited to a diversion
of not to exceed 0.49 c.f.s.,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 10, 1950

Actual construction work shall begin on or before June 30, 1951 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1953

WITNESS my hand this 30th day of June, 1950

CHAS. E. STRICKLIN

STATE ENGINEER