* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

	eeter f applicant)	
ofImbler	r applicant)	
(Mailing address)		
State of, do hereby	y make application for a permit to approprie	ite the
following described public waters of the State of Orego	on, SUBJECT TO EXISTING RIGHTS:	
If the applicant is a corporation, give date and pla	ace of incorporation	
1. The source of the proposed appropriation is	Willow Creek	
, a tributar	(Name of stream) rv of Grande Ronde River	
2. The amount of water which the applicant inter		
cubic feet per second.		
cubic feet per second. (If water is to be used from the control of the control o		
**3. The use to which the water is to be applied is	(Irrigation, power, mining, manufacturing, domestic supplies,	etc.)
	39° 161 East	
4. The point of diversion is located 629.9 ft.	South/ and ft. from the	N.W.
corner of NET, Section 10, Tp. 1 S.R. 39 E.	. W . M .	
(Section	or subdivision)	
(If preferable, give distance and be distance and be distance is more than one point of diversion, each must being within the	be described. Use separate sheet if necessary) of Sec. 18 , Tp. 1 Sout	<u>.h</u> s.)
R. 39 East., W. M., in the county of Union		
5. The main pipe line (Main ditch, canal or pipe line)	to be 7/16 miles (Miles or feet)	
in length, terminating in the SW2NE2 (Smallest legal subdivision)	of Sec. 18 , Tp. 1 S.	, S.)
R. 39 East W. M., the proposed location being s		
DESCRIPTION	OF WORKS	
Diversion Works—		
6. (a) Height of dam feet, leng	gth on top feet, length at l	ottom
feet; material to be used and character	of construction(Loose rock, concrete,	masonry,
rock and brush, timber crib, etc., wasteway over or around dam) (h) Description of handants		
(b) Description of headgate	mber, concrete, etc., number and size of openings)	
(c) If water is to be pumped give general descrip 400 gallons per minute, powered by a D-4 Die NE7 is level and on the Switch there is a ra	esel tractor. The Way of the aise of about 100 feet.	ıst

[•] A different form of application is provided where storage works are contemplated.

^{**} Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

	top (at water	line)	feet; width on botto
th of u	ater	feet; grad e	feet fall per or
	. miles from he	eadgate: width on top (at wo	iter line)
th on	bottom	feet; depth of	water fee
eet fa	ll per one thou	sand feet.	
7/1	6 miles ft.;	size at intake,	in.; size at
	; size at place o wer to 6(c)	of use in.; d	ifference in elevation betwee
	ft. Is	s grade uniform?	Estimated capacit
t.	k		
to be	irrigated, or pl	ace of use	
e	Section	Forty-acre Tract	Number Acres To Be Irrigated
W.M.	18	NW≟NE≟	110
		SW1NE1	140
			80
The	deed of conv	eyance is to Thursman	S. Teeter and
eter,	husband and	wife, and recites the	West half of
ast q	uarter of Se	ction 18, Tp. 1 S.R.39	E.W.M.
	u	c c	
,			
:7	•	required, attach separate sheet)	
	taya	grain and seed	
t of po	ower to be deve	eloped	theoretical horsepow
water	to be used for	power	sec. ft.
		feet.	•
		s of which the power is to be	e developed
•			*
	located in	(Legal Subdivision)	of Sec
to be		(Legal Subdivision) M.	
to be		·-•	
(No. I	, W. I E. or W.) rned to anu str		
(No. 1	rned to any str	eam?(Yes or No)	
(No. 1 e retu stream	rned to any str	ream?(Yes or No)	
(No. 1 e retu stream	rned to any str	eam?(Yes or No)	, R, W.

Municipa	l or Domestic Supply—					
	(a) To supply the city of					
	County, having a present population of					
	timated population ofin 19					
	(b) If for domestic use state number of families to be supplied					
	(Answer questions 11, 12, 13, and 14 in all cases)					
11.	Estimated cost of proposed works, \$ 5000.00					
12.	Construction work will begin on or before within one year					
13.	13. Construction work will be completed on or beforefive years					
14.	The water will be completely applied to the proposed use on or beforefive years.					
	(Sgd) Thurman S. Teeter					
	(Sgd) Meda N Teeter					
	(Signature of applicant)					
Rer	narks:					
	e					
	•					
, 4						
,,	t .					
,	· · · · · · · · · · · · · · · · · · ·					
	OF OREGON, ss.					
·	y of Marion,)					
	is is to certify that I have examined the foregoing application, together with the accompanying					
	data, and return the same for					
In	order to retain its priority, this application must be returned to the State Engineer, with correc-					
tions on o	r before,19					
WI	TNESS my hand this					
	STATE ENGINEER					
	STATE ENGINEER					

Application	No. 24399
Permit No.	19245

PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No District No	
	This instrument was first received in the office of the State Engineer at Salem, Oregon,	
	on the13th day of January ,	
	19.50, at8:00 o'clock A M.	
	Returned to applicant:	
•	Corrected application received:	
	Approved:	
	June 30, 1950	
	Recorded in book No47	
	Permits on page 19245	
	CHAS. E. STRICKLIN STATE ENGINEER	•
	Drainage Basin No 8 Page 18 B	
	Fees Paid \$22.50	
	PERMIT	
STATE OF OREGON, ss.		
SUBJECT TO EXISTING RI The right herein grant	I have examined the foregoing application an GHTS and the following limitations and condicted and the amount of water which car	tions: n be applied to beneficial use
and shall not exceed	cubic feet per second measured at th	e point of diversion from the
stream, or its equivalent in o	ase of rotation with other water users, from	Willow Creek
	· · · · · · · · · · · · · · · · · · ·	
The use to which this t	water is to be applied is irrigation	
second or its equivale r	opropriation shall be limited to 1/40th at for each acre irrigated and shall be seed 3 acre feet per acre for each acr	e further limited to a
the irrigation season,	and shall be still further limited to	a diversion of not to
exceed 1.0 c.f.s.,		
and shall be subject to such 1	reasonable rotation system as may be ordered by	y the proper state officer.
•	is permit is January 13, 1950	
Actual construction w	ork shall begin on or before June 30, 1	.951 and shall
thereafter be prosecuted wit	h reasonable diligence and be completed on or standed to Oct. 1, 1984	
•	of the water to the proposed use shall be made	on or before
October 1. 1953	Extend d to Oct. 1, 1956 Extended to Oct. 1, 1956 Extended	to Oct. 1, 1957
	is 30th day of June	
	CHAS. E. STRIC	KLIN
		STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933. State Printing Dept. 28175