

* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Kenneth F. and Alice J. Miller (Name of applicant) of Box 864 Tigard (Mailing address), State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation Individual

1. The source of the proposed appropriation is Fanno Creek (Name of stream), a tributary of Tualatin River

2. The amount of water which the applicant intends to apply to beneficial use is 0.11375 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

*3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of Portable Pumping along Fanno creek where it forms the North Boundary of my property. An Iron pipe reference monument is set at the lower end of the creek described as follows: Beginning at a stone marking the SW corner of NW 1/4 Sec 2 TWP 2S RLW WM and running North 26 16' East a distance of 2118ft to a 1" Iron pipe monument. being within the NW 1/4 NW 1/4 of Sec. 2, Tp. 2S, R. 1W, W. M., in the county of Washington

5. The Main Pipe Line to be Portable (400 Ft) in length, terminating in the NW 1/4 NW 1/4 of Sec. 2, Tp. 2S, R. 1W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1 1/2" Centrifugal pump powered by 5 HP Electric Motor. Rated capacity is 150 gal min. Water will be lifted 20 ft.

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 700.00

12. Construction work will begin on or before May 1 1950

13. Construction work will be completed on or before May 1 1951

14. The water will be completely applied to the proposed use on or before Sept 1952

(Sgd) Kenneth F. Miller

(Sgd) Alice J. Miller

(Signature of applicant)

Remarks:

Lots 10 and 12 of amended North Tigardville Addition.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for corrections

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before March 13, 19 50

WITNESS my hand this 10th day of February, 19 50

CHAS. E. STRICKLIN

STATE ENGINEER

By Ed K. Humphrey, Assistant

dh

Application No. 24119

Permit No. 19257

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 31st day of January,
1950, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

June 30, 1950

Recorded in book No. 47 of
Permits on page 19257

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 62 R

Fees Paid \$15.00

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.144 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from Fanno Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per
second or its equivalent for each acre irrigated and shall be further limited to a
diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the
irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 31, 1950

Actual construction work shall begin on or before June 30, 1951 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before
October 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1953

WITNESS my hand this 30th day of June, 1950.

CHAS. E. STRICKLIN

STATE ENGINEER