

\* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Carlton J. McLeod (Name of applicant) of Route #1 Box 134, Brooks, Oregon (Mailing address) State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Little Pudding River (Name of stream) trib. of Pudding River, a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.45 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of at any point where property described herein touches Little Pudding River (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the of Sec. 6 - 7, Tp. 6S (Give smallest legal subdivision) (N. or S.)

R. 1W, W. M., in the county of Marion (E. or W.)

5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the of Sec. , Tp. (Smallest legal subdivision) (N. or S.)

R. , W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam none feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Split case 21 H.P. (Size and type of pump) Diesel engine 26 - 12 1/2 gpm sprinklers (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated.

\*\* Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.   
 mainline - 1200' - 5"   
 laterals 1000' - 3"

(c) Length of pipe, ..... ft.; size at intake, ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... 30 ..... ft. Is grade uniform? ..... yes ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use .....

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
6S	1W	6	SW $\frac{1}{4}$ SW $\frac{1}{4}$	8.
			SE $\frac{1}{4}$ SW $\frac{1}{4}$	1.5
		7	NW $\frac{1}{4}$ NE $\frac{1}{4}$	5.
			SW $\frac{1}{4}$ NE $\frac{1}{4}$	2.
			NE $\frac{1}{4}$ NW $\frac{1}{4}$	8.5
			NW $\frac{1}{4}$ NW $\frac{1}{4}$	5.
			SE $\frac{1}{4}$ NW $\frac{1}{4}$	5.7
				35.7

(If more space required, attach separate sheet)

(a) Character of soil ..... Willamette Silt .....

(b) Kind of crops raised ..... Permanent pasture, seed and hay .....

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.   
(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....   
(Legal Subdivision)

Tp. ...., R. ...., W. M.   
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....   
(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M.   
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

All the following bounded and described real property situated in the County of Marion and State of Oregon, to wit:

Beginning at an old plow set in the Northeast corner of James Webb D. L. C. #56 in Township 6 South, Range 2 West of the Willamette Meridian in Marion County, Oregon; thence South 89° East along the center line of the county road 39.58 chains to a stone on Town Line; thence North 85° 30' East 8.63 chains to an iron pipe in an angle of said road; thence North 58° East 7.15 chains to an iron bar in the intersection of the center lines of two roads; thence South 59° 30' East 18.87 chains to an iron rod in an angle of said second road; thence East 8.06 chains to a steel bar; thence South 62° 53' East 5.13 chains to an iron bar; thence South 50° 2' East 2.96 chains to an iron bar; thence South 5° 17' West 4.28 chains to an iron bar; thence South 20° 4' East 6.67 chains to an iron bar; thence South 20° 26' West 3.90 chains to a steel shaft; thence South 24° 13' West 10.35 chains to a steel shaft in the South line of the Wm. Parker D. L. C. #49; thence leaving said road and running North 89° 27' West 25.52 chains to an iron rod in the most Southerly Southwest corner of said Parker Claim; thence North 68° 56' East 12.54 chains to an iron pin in an angle in said Claim; thence North 50' East 21.09 chains to a steel shaft in angle of said claim; thence North 77° 57' West 11.00 chains to an iron bar in an angle of said claim; thence South 49° 39' West 20.06 chains to an angle of said claim; thence West 3.00 chains to a stone in the most Westerly Southwest corner of said Wm. Parker claim; thence South 40° 55' West 5.98 chains to an iron pipe in an angle of the John Quigley D. L. C. #55; thence South 63° 55' West 14.94 chains to an iron pipe in an angle of said Quigley Claim; thence South 62° 25' West 14.94 chains to an angle of said claim; thence South 49° West 11.28 chains to a buggy axel in the most Southerly Southwest corner of said Quigley Claim; thence North 43.84 chains to the point of beginning; being part of the Donation Land Claim #49 of Wm. Parker in Township 6 South, Range 1 West of the Willamette Meridian, and part of the Donation Land Claim #55 of John Quigley in Township 6 South, Range 2 West of the Willamette Meridian, Marion County, Oregon.

Also Lot Three(3) in the Northwest quarter of Section Seven (7), Township 6 South, Range 1 West of the Willamette Meridian; also, Lots Seven (7) Eight (8) and Nine (9), of Section Twelve (12), Township 6 South, Range 2 West of the Willamette Meridian.

Also, all lands lying between the Northerly boundary lines of said government lots and the the Southerly line of the John Quigley D. L. C. No. 55, Township 6 South, Range 2 West of the Willamette Meridian; also all lands lying between all the boundary lines of the Southwest quarter of the William Parker D. L. C. No. 49, Township 6 South, Range 1 West of the Willamette Meridian, and said government lots.

Save and except all the following described lands:

Beginning at a stone being the most Westerly Southwest corner of the William Parker Donation Land Claim No. 49, in Section 7, Township 6 South, Range 1 West of the Willamette Meridian in Marion County, Oregon; thence East 199.00 feet; thence North 49° 39' East 1323.00 feet; thence South 77° 57' East 726.00 feet; thence South 1° West 1391.25 feet; thence South 69° 26' West 783.00 feet; thence South 83° 26' West 158.32 feet; thence South 68° 06' West 1067.30 feet to the range line between Section 7 in Township 6 South, Range 1 West and Section 12 in Township 6 South, Range 2 West; thence South 59° 57' West 706.20 feet; thence South 53° 36' West 1584.00 feet; thence North 58° West 115.20 feet; thence north 40° 09' West 22.50 feet to the center line of little Pudding River; thence North 49° 06' East down the center line of said river 221.48 feet; thence North 42° 57' West 1122.55 feet; thence North 21° East 20.00 feet; thence South 78° 36' East 42.37 feet; thence North 81° 39' East 42.00 feet; thence North 63° 17' East 34.45 feet; thence North 55° East 162.20 feet; thence North 49° 34' East 357.09 feet; thence North 51° 44' East 158.07 feet; thence North 54° 44' East 361.90 feet; thence North 67° 56' East 182.60 feet; thence North 67° 24' East 605.83 feet; thence North 64° 28' East 464.90 feet; thence North 60° 18' East 273.00 feet; thence North 40° 54' East 142.85 feet; thence North 39° 20' East 259.40 feet to the place of beginning, being part of Hayes-Labish Farms Subdivision #4.

Also save and except the following conveyed to Vallier Wattier by deed recorded December 12, 1874, in Vol. 17, Page 514 Deed Records:

— and being twelve (12) feet on each side of all the Parkerville Mill races from the edges of the said races outward; said races, two beginning at Big Pudding River and two beginning at Little Pudding River—all four running towards the Parkerville saw and Grist Mills, the land, however, herein is deeded only so far as the said S. A. Douglas Parker owns the land being about up to a certain road near said Mills.

Also subject to the terms and conditions contained in deed recorded March 22, 1912 in Vol. 125, Page 303 Marion County Deed Records.

Also subject to the terms and conditions contained in deed recorded May 24, 1909 in Vol. 107, Page 296 Deed Records.

Also except a right of way easement described as follows: Beginning at an iron bar that is East 3.00 chains and North  $49^{\circ} 39'$  East 20.06 chains and South  $77^{\circ} 57'$  East 6.62 chains from the Westerly Southwest corner of Wm. Parker D. L. C. No. 49, in Section 7, Township 6 South, Range 1 West of the Willamette Meridian in Marion County, Oregon; thence North  $24^{\circ} 17'$  East 4.00 chains to the Southerly line of the County Road; thence South  $59^{\circ} 30'$  East 0.61 chains; thence South  $24^{\circ} 17'$  West 3.79 chains; thence North  $77^{\circ} 57'$  West to the place of beginning.

There is also hereby insured the following lands, to wit:

Lot Seven (7), Hayes Labish Farms Subdivision 4, Marion County, Oregon, (See Vol. 14, Page 24 Record of Town Plats for said County and State).

Save and except the rights reserved in deed from Jay Bowerman et ux to Orland O. Ogden, et ux, dated January 8, 1946 and recorded January 12, 1946 in Vol. 366, Page 355 Deed Records for Marion County, Oregon, for access to Little Pudding River along the West side of said Lot Seven (7).

Municipal or Domestic Supply—

10. (a) To supply the city of .....

..... County, having a present population of .....  
(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$...2500.00.....

12. Construction work will begin on or before ..... Have equipment on grounds.....

13. Construction work will be completed on or before ..... completed.....

14. The water will be completely applied to the proposed use on or before ...3 yrs. after approval.

(Sgd) Carlton J. McLeod

(Signature of applicant)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

Application No. 24439

Permit No. 19269

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15th day of February, 1950, at 11:05 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

June 30, 1950

Recorded in book No. 47 of

Permits on page 19269

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 38L

Fees Paid \$15.90

PERMIT

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.45 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Little Pudding River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 15, 1950

Actual construction work shall begin on or before June 30, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1953

WITNESS my hand this 30th day of June, 1950

CHAS. E. STRICKLIN

STATE ENGINEER