

CERTIFICATE NO. 28856

CERTIFICATE NO. 28650 ← correction cert.

\* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, T.R. Parker (Name of applicant)

of Central Point (Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Bear Creek (Name of stream)

a tributary of Rogue River

2. The amount of water which the applicant intends to apply to beneficial use is 5.52

cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

from

4. The point of diversion is located 1150 ft. S. and 985 ft. E. from the N. 1/4

corner of Section 20 to 1050 west and 262 south from same corner, (Section or subdivision)

being a progressive diversion between these points.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4, NE 1/4 and NE 1/4, NW 1/4 of Sec. 20, Tp. 36 S., (Give smallest legal subdivision) (N. or S.)

R. 2 W., W. M., in the county of Jackson (E. or W.)

5. The pipe line of sprinkler system to be 5000 feet (Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the SE 1/4, SE 1/4 Sec. 17, SE 1/4, NE 1/4 of Sec. 19, Tp. 36 S., (Smallest legal subdivision) (N. or S.)

R. 2 W., W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 5 feet, length on top 40 feet, length at bottom 30 feet; material to be used and character of construction dirt and rock (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate direct from stream (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 4" centrifugal pump powered 20 H.P. gas engine (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated.

\*\* Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 5000 ft.; size at intake, 4 in.; size at 2500 ft. from intake 4 in.; size at place of use 1. in.; difference in elevation between intake and place of use, 20 ft. Is grade uniform? yes Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use .....

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated	
36 S.	2 W.	17	SE $\frac{1}{4}$ SE $\frac{1}{4}$	8	
			SW $\frac{1}{4}$ SE $\frac{1}{4}$	20	
		19	SE $\frac{1}{4}$ SW $\frac{1}{4}$	19	
			NE $\frac{1}{4}$ NE $\frac{1}{4}$	40	
		20	NW $\frac{1}{4}$ NE $\frac{1}{4}$	15	
			SE $\frac{1}{4}$ NE $\frac{1}{4}$	18	
			NE $\frac{1}{4}$ NE $\frac{1}{4}$	10 supplemental	
			NW $\frac{1}{4}$ NE $\frac{1}{4}$	40	
			NE $\frac{1}{4}$ NW $\frac{1}{4}$	40	
			NW $\frac{1}{4}$ NW $\frac{1}{4}$	39	
			SW $\frac{1}{4}$ NW $\frac{1}{4}$	35	
			SE $\frac{1}{4}$ NW $\frac{1}{4}$	40	
				SW $\frac{1}{4}$ NE $\frac{1}{4}$	40 supplemental
				NE $\frac{1}{4}$ SW $\frac{1}{4}$	30
				NW $\frac{1}{4}$ SE $\frac{1}{4}$	40 supplemental
					NW $\frac{1}{4}$ SW $\frac{1}{4}$
				Total 442. acres	
(See separate sheet for legal description)					

(If more space required, attach separate sheet)

(a) Character of soil ..... bottom loam .....

(b) Kind of crops raised ..... diversified farm products .....

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....  
(Legal Subdivision)

Tp. ...., R. ...., W. M.  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M.  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

Property on which water is to be used is a part of that more explicitly described by applicant as follows:

The following described property was deeded to T. R. Parker and Florence G. Parker by the Gold Ray Realty Company on the 15th day of October 1949.

The deed was recorded on 21st day of October, 1949 Vol 325, Page 56, Deed Records for Jackson County, Oregon.

TRACT A: Blocks (1) to Twenty -two (22) inclusive, of the town of Tolo, Jackson County, Oregon, according to the official plat thereof now of record at Volume 17 at page 184 of the Deed Records of Jackson County, Oregon.

Tract B: Donation Land Claim No. 49, and Government Lot Three (3) of Section 20, all in Township 36 South, Range 2 West of the Willamette Meridian in Jackson County, Oregon. Excepting therefrom that portion lying within the boundries of the Town of Tolo, Oregon.

Tract C: Begining at the northwest corner of the Donation Land Claim No. 70 in Township 36 South, Range 2 West of the Willamette Meridian in Jackson County, Oregon; thence South along the west line of said Claim, a distance of 2.54 chains; thence East parallel with the north line of said Claim, a distance of 20.02 chains to a point 1.28 chains West of the east line of said Claim; thence North 2.54 chains to the north line of said Claim; and thence West 20.02 chains to the point of begining.

Tract D. Begining at the point of intersection of the northerly right-of-way line of the Oregon and California Railroad Company (now Southern Pacidic Company) with the west line of lot "G" of the Whiting Tract in Sections 20 and 29 in Township 36 South, Range 2 West of the Willamette Meridian in Jackson County, Oregon, according to the plat thereof now of record at Volume 20 page 172 of the Deed Records, Jackson County, Oregon; thence North 46.0 feet more or less, to the northwest corner of said Lot "G"; thence West 80.0 feet, more or less, to the said northerly right-of-way line of the Oregon and California Railroad Company (now Southern Pacific Company); thence in a southeasterly direction, along said right-of-way line, to the point of begining.

Tract E: All that portion of the East Half of the East Half of the Northeast quarter of Section 19, and the West Half of the Northwest Quarter of Section 20, in Township 36 South, Range 2 West of the Willamette Meridian, In Jackson County, Oregon, lying NORTHERLY of Town of Tolo, Oregon.

Tract F; All that portion of the West Half of the East Half of the Northeast Quarter of Section 19 in Township 36 South, Range 2 West of the Willamette Meridian in Jackson County, Oregon, lying Northerly of the Town of Tolo, Oregon, and NORTHERLY of the right-of-way line of the Oregon and California Railroad Company (now Southern Pacific Company).

Tract G; Beginning at a point on the easterly right-of-way line of the Oregon and California Railroad Company (now Southern Pacific Company), said point being 920.7 feet East of the quarter corner common to Sections 18 and 19 in Township 36 South, Range 2 West of the Willamette Meridian in Jackson County, Oregon; thence East along the north line of said Section 19, a distance of 405.0 feet to the Northeast corner of the Northwest Quarter of the Northeast Quarter of the said Section 19; thence South 425.0 feet, to a point 2239.5 feet North of the quarter-quarter corner on the East and West center line through said Section 19, thence North 71° 45' West 386.7 feet to a point on said easterly right-of-way line; thence North 6° 30' West 301.9 feet to the point of beginning.

Tract H; Lot Four (4) of Section 17; and the Southeast Quarter of the Southeast Quarter of Section 18; all in Township 36 South, Range 2 West of the Willamette Meridian in Jackson County, Oregon.

EXCEPTING AND RESERVING from the above described Tract "C" the following described portion thereof, to-wit:-

Beginning at the southeast corner of Tract "C" hereinabove described, thence North 0° 15' East 69.72 feet; thence West 208 feet; thence South 69.72 feet; thence East 208 feet to the point of beginning.

Municipal or Domestic Supply—

10. (a) To supply the city of .....

..... County, having a present population of .....

(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 6000.00.....

12. Construction work will begin on or before ..... one year from date of priority

13. Construction work will be completed on or before ..... two years from date of priority

14. The water will be completely applied to the proposed use on or before ..... three years from  
date of priority

(Sgd) T. R. Parker  
(Signature of applicant)

Central Point, Oregon

Remarks: Irrigation of certain lands of applicant are supplemental as shown  
by the following recorded permits:

Permit No. 407, NE 1/4 NE 1/4 Sec. 20, 30 ac.; Permit No. 2993, SW 1/4 NE 1/4 Sec.  
20, 25 ac. and Permit No. 4951, 30 ac.; Permit 2993, NW 1/4 SE 1/4 Sec. 20,  
40 ac. and Permit No. 4951, 40 ac.; Permit No. 4951, NW 1/4 SW 1/4 Sec. 20,  
5 ac. all in T. 36 S. R. 2 W. W. M. in Jackson County.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying  
maps and data, and return the same for ..... clarification

In order to retain its priority, this application must be returned to the State Engineer, with correc-  
tions on or before ..... April 10, 19 50.

WITNESS my hand this ..... April 17 10th ..... 1950  
..... 16th ..... day of ..... March ..... 19 50.  
..... March ..... 1950

CHAS. E. STRICKLIN  
STATE ENGINEER

By Ed K. Humphrey, Assistant

Vg EKH

Application No. 21161

Permit No. 19282

**PERMIT**  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

Division No. \_\_\_\_\_ District No. \_\_\_\_\_

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,  
on the 27th day of February,  
1950, at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

June 30, 1950

Recorded in book No. 47 of

Permits on page 19282

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 15 Page 17

Fees Paid 42.60

**PERMIT**

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same,  
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use  
and shall not exceed 5.52 cubic feet per second measured at the point of diversion from the  
stream, or its equivalent in case of rotation with other water users, from Bear Creek

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per  
second or its equivalent for each acre irrigated and shall be further limited to a  
diversion of not to exceed 1 1/2 acre feet per acre for each acre irrigated during the  
irrigation season from April 2, to October 31, of each year; provided further that  
the amount of water allowed herein, together with the amount secured under any other  
right existing for the same lands shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 27, 1950

Actual construction work shall begin on or before June 30, 1951 and shall  
thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1952 ~~Extend d to Oct. 1, 1955~~

Complete application of the water to the proposed use shall be made on or before

October 1, 1953 ~~Extend d to Oct. 1, 1955~~

WITNESS my hand this 30th day of June, 1950

CHAS. E. STRICKLIN

STATE ENGINEER