## \* APPLICATION FOR PERMIT

## To Appropriate the Public Waters of the State of Oregon

I,
of Route 1, Cornelius,
(Mailing address)  State of <u>Oregon</u> , do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is an unnamed creek (Name of stream)
r
, a tributary of East Dairy Creek
2. The amount of water which the applicant intends to apply to beneficial use isQ.62
cubic feet per second
**3. The use to which the water is to be applied isirrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4. The point of diversion is located ft. and ft. ft. from the from the
corner of(Section or subdivision)
S76°37'W 1194.9 feet from the east 1/2 corner of Section 22
May possibly dig a sump from which the water will be
distributed to the land to be invigated
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the NE1 of the SE1 of Sec. 22, Tp. 2N (Give smallest legal subdivision)
R. 3W, W. M., in the county ofWashington
5. The line to be line (Miles or feet)
in length, terminating in the both east & west of Sec. 22, Tp. (N. or S.)
R, W. M., the proposed location being shown throughout on the accompanying map.
DESCRIPTION OF WORKS
Diversion Works—
6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate(Timber, concrete, etc., number and size of openings)
(c) If water is to be pumped give general description Two 2" Centrifugal pumps
(Size and type of pump)
each with a 7½ HP Electric Motor.  (Size and type of engine or motor to be used, total head water is to be lifted, etc.)
Will use sprinklers — details not determined.

<sup>\*</sup> A different form of application is provided where storage works are contemplated.

<sup>\*\*</sup> Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

te: width o	n top (at water l	anal where materially chan	ged in size, stating miles from
; depth of ı	-	ine)	feet width on bottom
	vater		jeet, widen on occom
••••••		feet; grade	feet fall per one
	miles from hea	dgate: width on top (at wo	ater line)
t; width on	bottom	feet; depth of	water feet,
feet fo	ill per one thous	and feet.	
pipe, <b>1</b>	<u>1.00</u> ft.; s	ize at intake,5	in.; size at 600 ft.
in	.; size at place of	use in.; d	ifference in elevation between
se,150	) ft. Is	grade uniform?yes	Estimated capacity
sec. ft.			
area to be	irrigated, or pla	ce of use	·····
Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
3W	22	SW <sup>1</sup> of NE <sup>1</sup>	0.1
			0.2
			24.0
_			25.7
	to tu		50.0
		I O OCCL	,0,0
		<u> </u>	<u>;</u> ;
			•
	,		
			`
	(If more space re	quired, attach separate sheet)	
of soil	Sandy Loan	1	
rops raised	Beans - pa	sture - hay - seed	Cannery crops
poses			
mount of p	ower to be devel	oped	theoretical horsepower
ty of water	to be used for 1	power	. sec. ft.
all to be ut	ilized	feet.	
ture of the	_	· · · · · · · · · · · · · · · · · · ·	e developed
orks to be			of Sec.
, R(No.	, W. M	•	
		, , , , , , , , , , , , , , , , , , , ,	
	, Sec	, <i>Tp</i>	, R, W. M
	pipe,	pipe,	pipe, 1400 ft.; size at intake, 5 in.; dise, in.; size at place of use 3 in.; dise, 150 ft. Is grade uniform? 1985 sec. ft.  f area to be irrigated, or place of use 5 sec. ft.  f area to be irrigated, or place of use 5 sec. ft.  3W 22 SW2 of NE2 3W 22 SE2 of NE2 3W 22 NE2 of SE2 3W 22 NE2 of SE2 5 Total 5 soil 5 sandy Loam 5 rops raised 6 seans - pasture - hay - seed 6 sec. 1700ses—1700s

(i) The nature of the mines to be served .....

STATE ENGINEER

Municipal	or Domestic Supply—				
10.	(a) To supply the city of				
	imated population ofin 19 in 19				
(b) If for domestic use state number of families to be supplied					
	(Answer questions 11, 12, 13, and 14 in all cases)				
11.	Estimated cost of proposed works, \$.3000.				
12.	Construction work will begin on or before April 1st				
	Construction work will be completed on or before				
14.	The water will be completely applied to the proposed use on or before1952				
	(Sgd) Elmo F. Gardner (Signature of applicant)				
	Cornelius Ore R #1				
Rem	$arks$ : Legal Description: Lots 1, 2, and 3 and the $SE_4^{\frac{1}{4}}$ of the $NE_4^{\frac{1}{4}}$ of section 2				
	. W.M. containing 136.12 acres more or less; excepting therefrom that certain				
	described in deed book 112, page 8 of Deed Records of said county and state.				
	following portion of the D.L.C. of Wait Bronson in section 22, T2n, R3W,				
	d as beginning at a point 12.77 chains east of the southwest corner of said				
	thence N2°E 12.12 chains: thence M13°45'W 29.12 chains to the north boundary				
	D.L.C; thence east on said north line 32.72 chains to the northeast corner				
of said	D.L.C.; thence south 1:0.80 chains to the southeast corner of said D.L.C.;				
thence w	est on the south line of said D.L.C. 26.73 chains more or less to the place				
of begin	ning, containing 120.57 acres. Also commencing at the 1corner between section				
15 and 2	2, T2n,R3W, and running thence west on the $\frac{1}{4}$ section line 15.68 chains to a				
post in	the center of county road; thence S18°08'E 14.50 chains to a point in the				
center o	f main ditch; thence down ditch with all its meanderings to a point in the				
center o	f county road; thence S26°E 90 links; thence S7°E in said county road 11.25				
chains to	o a post on the north line of Wait Bronson D.L.C. #42; thence east on the				
north li	ne 11.98 chains; thence north 32.29 chains to the place of beginning.				
STATE O	F OREGON,				
County	of Marion, ss.				
This	s is to certify that I have examined the foregoing application, together with the accompanying				
maps and	data, and return the same for				
In o	order to retain its priority, this application must be returned to the State Engineer, with correc-				
	r before, 19				
tions on or	- · · · · · · · · · · · · · · · · · · ·				

Applicat	ion No.	24463	
Permit 1	۷o.	19283	

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

	This instrument was first received in the office of the State Engineer at Salem, Oregon,	
	on the 28th day of February,	•
	19.50, at 11:15. o'clock A. M.	
	Returned to applicant:	
	Corrected application received:	
·	Approved: June 30, 1950	
	Recorded in book No97	
	Permits on page 19283	
	CHAS. E. STRICKLIN STATE ENGINEER	
	Drainage Basin No. 2 Page 62 R Fees Paid 18.00	
		,
COM A STRUCTURE OF CONTROL OF CON	PERMIT .	
STATE OF OREGON, ss	<b>3.</b>	
County of Marion, )  This is to certify that SUBJECT TO EXISTING R	I have examined the foregoing application and do RIGHTS and the following limitations and conditions:	hereby grant the same,
.The right herein gran	ted is limited to the amount of water which can be a	pplied to beneficial use
and shall not exceed0.	.62 cubic feet per second measured at the poin	t of diversion from the
stream, or its equivalent in	case of rotation with other water users, fromunn	amed creek
	water is to be applied is <u>irrigation</u>	
second or its equivalent diversion of not to diversion season of	appropriation shall be limited to 1/80th nt for each acre irrigated and shall be fur exceed 2 acre feet per acre for each acre each year,	ther limited to a irrigated during the
second or its equivaler diversion of not to e irrigation season of and shall be subject to such	reasonable rotation system as may be ordered by the	ther limited to a irrigated during the
second or its equivaled diversion of not to exist in season of irrigation season of and shall be subject to such The priority date of the second or its equivalent to season of its equivalent to such the priority date of the second or its equivalent to second or its equivalent to season of its equivalent to season of the second or its equivalent to season of its eq	reasonable rotation system as may be ordered by the phis permit is February 28, 1950	of one cubic foot per ther limited to a irrigated during the
and shall be subject to such Actual construction u	reasonable rotation system as may be ordered by the phis permit is February 28, 1950  work shall begin on or before	of one cubic foot per ther limited to a irrigated during the
and shall be subject to such  Actual construction withereafter be prosecuted wi	reasonable rotation system as may be ordered by the phis permit is February 28, 1950	of one cubic foot per ther limited to a irrigated during the
and shall be subject to such  Actual construction u  thereafter be prosecuted wi  October 1, 1952	reasonable rotation system as may be ordered by the phis permit is February 28, 1950  work shall begin on or before	of one cubic foot per ther limited to a irrigated during the oroper state officer.  and shall
and shall be subject to such The priority date of th Actual construction u thereafter be prosecuted wi October 1, 1952 Complete application	reasonable rotation system as may be ordered by the phis permit is February 28, 1950  work shall begin on or before	of one cubic foot per ther limited to a irrigated during the oroper state officer.  and shall
and shall be subject to such The priority date of th Actual construction w thereafter be prosecuted wi October 1, 1952 Complete application October 1, 1953	reasonable rotation system as may be ordered by the phis permit is February 28, 1950  work shall begin on or before	of one cubic foot per ther limited to a irrigated during the coroper state officer.  and shall
and shall be subject to such The priority date of th Actual construction w thereafter be prosecuted wi October 1, 1952 Complete application October 1, 1953	reasonable rotation system as may be ordered by the phis permit is February 28, 1950  work shall begin on or before	of one cubic foot per ther limited to a irrigated during the coroper state officer.  and shall