

\* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, C. M. Bitikufer (Name of applicant) of Rt. 1, Box 479 Salem (Mailing address), State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is King Creek (Name of stream), a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.25 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of at any point where King Creek touches property described herein. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 SW 1/4 & NW 1/4 SW 1/4 of Sec. 8, Tp. 6 S., R. 3 W., W. M., in the county of Polk.

5. The to be in length, terminating in the of Sec., Tp., R., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 3 feet, length on top 6 feet, length at bottom 3 feet; material to be used and character of construction plank & dirt

(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1 1/2 in. portable pump (Size and type of pump)

LU John Deere motor - 12 HP (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

6 - 5 gpm sprinklers

\* A different form of application is provided where storage works are contemplated.

\*\* Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 400 ft.; size at intake, 3 in.; size at ..... ft. from intake ..... in.; size at place of use 2 in.; difference in elevation between intake and place of use, 3-4 ft. Is grade uniform? Yes Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use .....

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 6 S, 3 W., 8, NE 1/4 SW 1/4, 10. Row 2: NW 1/4 SW 1/4, 10. Row 3: (blank), (blank), (blank), (blank), 20. Below table: Property on which water is to be used is a part of that more explicitly described by applicant as follows: Beginning at the Northeast Corner of the Saml. King Donation Land Claim; thence South two chains (2); thence West one chain (1); thence South thirteen and eighty-four one hundredths chains (13.84); thence West twenty four and ninety three one hundredths chains (24.93); thence North four degrees (4°) East five and forty eight one hundredths (5.48) chains, along the County Road; thence North twelve degrees West (12°) ten & forty four one hundredths chains, (10.44) along County Road; thence East twenty six & eighty seven one hundredths chains (26.87) to place of beginning, containing Forty acres, more or less. Being a part of the Donation Land Claim of Samuel King Notification No. 1884, Claim No. 56 in Township 6 South of Range 3 West of the Willamette Meridian, in Polk County, Oregon.

(If more space required, attach separate sheet)

(a) Character of soil heavy black .....

(b) Kind of crops raised pasture berries .....

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet. (Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. .... (Legal Subdivision)

Tp. ...., R. ...., W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? ..... (Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

Application No. 24482

Permit No. 19293

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 8th day of March, 1950, at 4:40 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

June 30, 1950

Recorded in book No. 47 of

Permits on page 19293

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 76 X

Fees Paid 15.00

PERMIT

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.25 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from King Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 8, 1950

Actual construction work shall begin on or before June 30, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1953

WITNESS my hand this 30th day of June, 1950.

CHAS. E. STRICKLIN

STATE ENGINEER

Municipal or Domestic Supply—

10. (a) To supply the city of .....  
..... County, having a present population of .....  
(Name of)  
and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 800.00 .....
- 12. Construction work will begin on or before ~~One year after approval~~ .....
- 13. Construction work will be completed on or before two years " " .....
- 14. The water will be completely applied to the proposed use on or before 3 " " " .....

/s/ C. M. Bitikufer  
(Signature of applicant)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....