* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Lester Leach (Name of applicant)
of Dayton, Oregon R.F.D. 2
(Malling address) State of, do hereby make application for a permit to appropriate
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is Yamhill River
(Name of stream), a tributary of
2. The amount of water which the applicant intends to apply to beneficial use is O. 3141.
cubic feet per second. (If water is to be used from more than one source, give quantity from each)
(If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied isirrigation
4. The point of diversion is located 700f ft ft s and .2400f. ft E from the NW
corner of Section 18 Ths, R3W, W.M. (Section or subdivision)
(Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the $\frac{NE_{\overline{4}}^{1} \text{ of } NW_{\overline{4}}^{1}}{(Give smallest legal subdivision)}$ of Sec. 18 , Tp. US (N. or S.)
(Give smallest legal subdivision) (N. or S.) R3W, W. M., in the county ofYambill
5. The to be
(Main ditch, canal or pipe line) in length, terminating in the NW1 of NW1 of Sec. 18 , Tp. 4S (Smallest legal subdivision) (N. or S.)
R $3W$, W. M., the proposed location being shown throughout on the accompanying map.
DESCRIPTION OF WORKS
Diversion Works—
feet; material to be used and character of construction(Loose rock, concrete, mas
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate(Timber, concrete, etc., number and size of openings)
(c) If water is to be pumped give general description(Size and type of pump)
(Size and type of pump) 15 HP electric motor (Size and type of engine or motor to be used, total head water is to be lifted, etc.)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.) 24 - 12\frac{1}{2} gallon sprinklers

^{*} A different form of application is provided where storage works are contemplated.

^{**} Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer,

eadgate. At head				
ousand feet.			feet; grade	
			eadgate: width on top (at wat	
			feet; depth of t	vater feet,
ade		_		
_			size at intake,6	
			of usein.; di	
	•	Jt. 18	s grade uniform?Yes	Estimatea capacity
.300 gpm	•	mmigated on al	ace of use	
Township	Range	Section	Forty-acre Tract	Number Acres
				To Be Irrigated
<u> 4</u> 8	3W	18	NW1 of NW1	3 ac.
	3W	18	NET of NWT	24½ ac.
• •		is to be use	d is a part of that mor	e explicitly described
oy applicant		h:17 C	Dood Records	1
			Deed Records 18; Twp. 4 S. Range 3W,	Pont of Provein E7-1-1
			TO: IMO H O PANE N.	TERCE OF PRANCES PIECENE
eg. at SW co	of U.S.	Gov't Locks	property being 9.09 chs	s. S & 1.51 $\frac{1}{2}$ chs. W of N
Beg. at SW co	c. of U.S. 51 chs.; S 1 1s; S. 75° W	Gov't Locks	property being 9.09 chs. 47 chs; S 26° 31' W 3.6	s. S & 1.51 chs. W of N 56 chs.; S 39° 07' W. 2. 21° 15' W 17.72 chs; N.
Seg. at SW consd. clm; E 1.5	c. of U.S. 51 chs.; S 1 1s; S. 75° W	Gov't Locks 10 10 W 11 14.40 chs; chs. to be	property being 9.09 chs. 47 chs; S 26° 31' W 3.6 N. 85° W 6.40 chs; N. 2	s. S & 1.51 chs. W of N 56 chs.; S 39° 07' W. 2. 21° 15' W 17.72 chs; N.
Seg. at SW consid. clm; E 1.52 W. 2.40 et	c. of U.S. 51 chs.; S 1 ns; S, 75° w	Gov't Locks 10 10 W 11 14.10 chs; chs. to be	property being 9.09 chs 47 chs; S 26° 31' W 3.6 N. 85° W 6.40 chs; N. 2 Containing 33 acres.	s. S & 1.51 chs. W of N 56 chs.; S 39° 07' W. 2. 21° 15' W 17.72 chs; N.
Seg. at SW consd. clm; E 1. 2. W. 2.40 et 22! E. 24.03 (a) Charact	c. of U.S. 51 chs.; S 1 10s; S. 75° W 10hs; S. 1.08	Gov't Locks 10 10 W 11 11 10 chs; chs. to be	property being 9.09 chs. 47 chs; S 26° 31' W 3.6 N. 85° W 6.40 chs; N. 2 Containing 33 acres.	s. S & 1.51 chs. W of N 66 chs.; S 39° 07' W. 2. 21° 15' W 17.72 chs; N.
Beg. at SW consd. clm; E 1. 2. 40 et 22! E. 24.03 (a) Charact	c. of U.S. Sl chs.; Sl as; S. 75° W chs; S. 1.08	Gov't Locks 10 10 W 11 11 10 chs; chs. to be	property being 9.09 chs 47 chs; S 26° 31' W 3.6 N. 85° W 6.40 chs; N. 2 Containing 33 acres.	s. S & 1.51 chs. W of N 66 chs.; S 39° 07' W. 2. 21° 15' W 17.72 chs; N.
Geg. at SW consider clm; E 1. E 1	c. of U.S. fil chs.; S 1 hs; S. 75° w chs; S. 1.08 fer of soil	Gov't Locks 40 40 W 11 4.40 chs; chs. to beg (If more space: Willamette Hay and	property being 9.09 chs. 47 chs; S 26° 31' W 3.6 N. 85° W 6.40 chs; N. 2 Containing 33 acres.	s. S & 1.51\frac{1}{2} chs. W of N 66 chs.; S 39° 07' W. 2. 21° 15' W 17.72 chs; N.
(a) Charact (b) Kind of ower or Mining F	c. of U.S. cl chs.; S 1 chs; S. 75° w chs; S. 1.08 cer of soil	Gov't Locks 10 10 W 11 14.10 chs; chs. to beg (If more space) Willamette Hay and wer to be deve	property being 9.09 chs 47 chs; S 26° 31' W 3.6 N. 85° W 6.40 chs; N. 2 Containing 33 acres. required, attach separate sheet) and Wapato d pasture	5. S & 1.51 chs. W of 1 chs.; S 39° 07' W. 2. 21° 15' W 17.72 chs; N. 2. 21° theoretical horsepower
(a) Charact (b) Kind of ower or Mining F 9. (a) Quar	c. of U.S. Slehs; S. 75° weeks; S. 1.08 er of soil crops raised Purposes— l amount of po	Gov't Locks 10 10 W 11 14.40 chs; chs. to be (If more space) Willamette Hay and wer to be devel to be used for	property being 9.09 chs 47 chs; S 26° 31' W 3.6 N. 85° W 6.40 chs; N. 2 Containing 33 acres. required, attach separate sheet) and Wapato d pasture	5. S & 1.51 chs. W of 1 chs.; S 39° 07' W. 2. 21° 15' W 17.72 chs; N. 2. 21° theoretical horsepower
(a) Charact (b) Kind of ower or Mining F 9. (a) Tota (b) Quar (c) Tota	c. of U.S. 51 chs.; S.1 61 chs.; S.1 62 chs; S. 1.08 62 crops raised 63 crops raised 64 crops raised 65 crops raised 65 crops raised 66 crops raised 67 crops raised 68 crops raised 69 crops raised 60 crops raised 61 crops raised 62 crops raised 63 crops raised 64 crops raised 65 crops raised 66 crops raised 67 crops raised 67 crops raised 68 crops raised 69 crops raised 60 crops raised 60 crops raised 61 chs.; S.1.08	Gov't Locks 10 10 W 11 14.40 chs; chs. to be; Willamette Hay and wer to be devel to be used for ized	property being 9.09 chs 17 chs; S 26° 31' W 3.6 N. 85° W 6.40 chs; N. 2 g. Containing 33 acres. required, attach separate sheet) and Wapato d pasture eloped power	s. S & 1.51 chs. W of 1 66 chs.; S 39° 07' W. 2. 21° 15' W 17.72 chs; N
(a) Charact (b) Kind of ower or Mining F 9. (a) Tota (b) Tota (d) The	c. of U.S. cl chs.; S. 1 chs; S. 75° weeks; S. 1.08 cer of soil crops raised curposes— l amount of poentity of water l fall to be util nature of the u	Gov't Locks 4° 40' W 11 4.40 chs; chs. to be; (If more space) Willamette Hay and wer to be devel to be used for ized vorks by mean	property being 9.09 chs 47 chs; S 26° 31' W 3.6 N. 85° W 6.40 chs; N. 3 Containing 33 acres. required, attach separate sheet) and Wapato d pasture eloped power feet. (Head) s of which the power is to be	S. S. & 1.51\frac{1}{2} \text{ chs. W of } \frac{1}{2} \text{ 66 chs.; S 39° 07' W. 2.} \text{ 21° 15' W 17.72 chs; N.} \text{ theoretical horsepower sec. ft.}
(a) Charact (b) Kind of ower or Mining F 9. (a) Tota (b) Tota (d) The	c. of U.S. cl chs.; S. 1 chs; S. 75° weeks; S. 1.08 cer of soil crops raised curposes— l amount of poentity of water l fall to be util nature of the u	Gov't Locks 4° 40' W 11 4.40 chs; chs. to be; (If more space) Willamette Hay and wer to be devel to be used for ized vorks by mean	property being 9.09 chs 47 chs; S 26° 31' W 3.6 N. 85° W 6.40 chs; N. 3 Containing 33 acres. required, attach separate sheet) and Wapato d pasture eloped power feet. (Head) s of which the power is to be	S. S. & 1.51\frac{1}{2} \text{ chs. W of } \frac{1}{2} \text{ 66 chs.; S 39° 07' W. 2.} \text{ 21° 15' W 17.72 chs; N.} \text{ theoretical horsepower sec. ft.}
(a) Charact (b) Kind of ower or Mining F 9. (a) Tota (b) Tota (d) The	c. of U.S. Sl chs.; Sl as; S. 75° W chs; S. 1.08 er of soil crops raised Purposes— l amount of po ntity of water l fall to be util nature of the u works to be l	Gov't Locks 4° 40' W 11 4.40 chs; chs. to be; (If more space) Willamette Hay and wer to be devel to be used for ized vorks by mean ocated in	property being 9.09 chs 17 chs; S 26° 31' W 3.6 N. 85° W 6.40 chs; N. 6 Containing 33 acres. required, attach separate sheet) and Wapato d pasture eloped power (Head) s of which the power is to be (Legal Subdivision)	S. S. & 1.51\frac{1}{2} \text{ chs. W of } \frac{1}{2} \text{ 66 chs.; S 39° 07' W. 2.} \text{ 21° 15' W 17.72 chs; N.} \text{ theoretical horsepower sec. ft.}
(a) Charact (b) Kind of ower or Mining F 9. (a) Tota (b) Qua (c) Tota (d) The (e) Such p(No. N. or S.)	c. of U.S. Sl chs.; Sl Ss; S. 75° W chs; S. 1.08 crops raised crops raised crops raised crops raised full to be util nature of the u works to be l , R	Gov't Locks 4° 40' W 11 4.40 chs; chs. to be (If more space) Willamette Hay and wer to be deve to be used for ized vorks by mean ocated in or W.)	property being 9.09 chs 17 chs; S 26° 31' W 3.6 N. 85° W 6.40 chs; N. 6 Containing 33 acres. required, attach separate sheet) and Wapato d pasture eloped power (Head) s of which the power is to be (Legal Subdivision)	s. S & 1.51 chs. W of N 66 chs.; S 39° 07' W. 2. 21° 15' W 17.72 chs; N
(a) Charact (b) Kind of ower or Mining F 9. (a) Tota (b) Qua (c) Tota (d) The (e) Such p	c. of U. S. cl chs.; S. 1 chs; S. 75° weeks; S. 1.08 cer of soil crops raised curposes— l amount of poentity of water l fall to be util nature of the unit works to be l works to be l neter to be returned.	Gov't Locks 4° 40' W 11 4.40 chs; chs. to be; Willamette Hay and wer to be deve to be used for ized vorks by mean ocated in ocated in new, W. I	property being 9.09 chs 47 chs; S 26° 31' W 3.6 N. 85° W 6.40 chs; N. 3 Containing 33 acres. required, attach separate sheet) and Wapato d pasture eloped power (Head) s of which the power is to be (Legal Subdivision) M. ream?	s. S & 1.51\frac{1}{2} \text{ chs. W of } \frac{1}{2} \text{ 66 chs.; S 39° 07' W. 2.} \text{ 21° 15' W 17.72 chs; N.}
(a) Charact (b) Kind of ower or Mining F 9. (a) Tota (b) Qua (c) Tota (d) The (e) Such p	c. of U. S. clas; S. 75° Wens; S. 1.08 er of soil crops raised crops raised crops raised crops raised durposes— l amount of po ntity of water l fall to be util nature of the unit works to be l works to be l nature to be reture, name stream	Gov't Locks 4° 40' W 11 4.40 chs; chs. to be Willamette Hay and wer to be deve to be used for ized vorks by mean ocated in ocated in ned to any str and locate por	property being 9.09 chs 17 chs; S 26° 31' W 3.6 N. 85° W 6.40 chs; N. 2 Containing 33 acres. required, attach separate sheet) and Wapato d pasture eloped power (Head) s of which the power is to be (Legal Subdivision) M. ream? (Yes or No)	s. S & 1.51\frac{1}{2} \text{ chs. W of N of N of Chs.; S 39° 07' W. 2. 21° 15' W 17.72 \text{ chs; N.} theoretical horsepower sec. ft. developed

Application	No.	24505
-------------	-----	-------

Permit No. 19301

PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No District No	
	This instrument was first received in the office of the State Engineer at Salem, Oregon,	
	on the lith day of March	
	19 50., at 1:55. o'clock P. M.	
	Returned to applicant:	
	Corrected application received:	
	Approved:	
	June 30, 1950	
	Recorded in book No 47 of	
	Permits on page19301	
	CHAS, E, STRICKLIN STATE ENGINEER	
	Drainage Basin No2	
	Fees Paid \$15.00	
	PERMIT	,
STATE OF OREGON,	S.	
County of Marion,		
SUBJECT TO EXISTING R	t I have examined the foregoing application and do hereby grant the sorted and the following limitations and conditions:	зте,
The right herein gran	ated is limited to the amount of water which can be applied to beneficial	use
and shall not exceedO.	314 cubic feet per second measured at the point of diversion from	the
stream, or its equivalent in	case of rotation with other water users, from Yamhill River	
The use to which this	water is to be applied isirrigation	······································
	······································	
If for irrigation, this a	appropriation shall be limited tol/80th of one cubic foo	t per
second Or its equivale	nt for each acre irrigated and shall be further limited to	a
diversion of not to e	xceed $2\frac{1}{2}$ acre feet per acre for each acre irrigated during	the
irrigation season of	each year,	

		•••••
and shall be subject to such	reasonable rotation system as may be ordered by the proper state officer.	
· ·	his permit is March 14, 1950	
Actual construction i	work shall begin on or beforeJune 30, 1951 and	shall
thereafter be prosecuted wi	ith reasonable diligence and be completed on or before	
0-1-1 1 1000	· · · · · · · · · · · · · · · · · · ·	
	of the water to the proposed use shall be made on or before	
October 1, 1953	······································	
WITNESS my hand t	this 30th day of June ,19.50.	
	CHAS. E. STRICKLIN	

STATE ENGINEER
nt are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

County, havin	g a present population of	
(Name of) an estimated population of		
(b) If for domestic use state n		nlied
	questions 11, 12, 13, and 14 in all cases)	
11. Estimated cost of proposed wor		•
12. Construction work will begin on	or before May 1, 1950	
13. Construction work will be comp	oleted on or before	
14. The water will be completely ap	oplied to the proposed use or	or before
	······	
	(Sgd) Leste	r Leach
		(Signature of applicant)
Remarks:		
	. 4	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
		
		
	·	
·····		
TE OF ORECON)		
TE OF OREGON, ss.	·	
	nad the femalesing application	m togothom suith the accession
This is to certify that I have examinated as and data, and return the same for	1	· · · · ·
	•	
In order to retain its priority, this	application must be returned	d to the State Engineer, with co
s on or before	, 19	
WITNESS my hand this	day of	