* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I,(Name of	of applicant)
ofRoute 2 Aurora	,
State of, do here	by make application for a permit to appropriate the
following described public waters of the State of Oreg	gon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and po	lace of incorporation
1. The source of the proposed appropriation is	Willamette River (Name of stream)
, a tributo	rry of
2. The amount of water which the applicant inte	ends to apply to beneficial use is0.50
cubic feet per second. (If water is to be used	
**3. The use to which the water is to be applied is	irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
<u> </u>	
4. The point of diversion is located+	(N. or S.) (E. or W.)
corner of at any point where Willamette Rive	r touches property
described herein	
	<u>``</u>
(If preferable, give distance and	bearing to section corner)
(If there is more than one point of diversion, each mus	
being within the $SE_{4}^{\frac{1}{4}}SW_{4}^{\frac{1}{4}}$ & $SW_{4}^{\frac{1}{4}}SE_{4}^{\frac{1}{4}}$ (Give smallest legal subdivision) NE. R. IW., W. M., in the county of Clackary	$\frac{1}{4} \text{ NW}_{4}^{1}$ # 27 (N. or s.)
R. <u>IW</u> , W. M., in the county of <u>Clackam</u>	as
5. The	to be
(Main ditch, canal or pipe line) in length, terminating in the(Smallest legal subdivision	(Miles or feet) of Sec
(Smallest legal subdivision	(N. or S.)
R, W. M., the proposed location being	snown throughout on the accompanying map.
DESCRIPTION	OF WORKS
Diversion Works—	
6. (a) Height of dam <u>none</u> feet, let	-
feet; material to be used and character	of construction
rock and brush, timber crib, etc., wasteway over or around dam)	
(b) Description of neadgate	imber, concrete, etc., number and size of openings)
(c) If water is to be pumped give general descri	ption(Size and type of pump)
Dl4 tractor motor = 40 HP (Size and type of engine or motor to be used	(Size and type of pump)
Sprinklers - details not determined	

^{*} A different form of application is provided where storage works are contemplated.

^{**} Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Science Oregon

•	ipe Line— dimensions o	at each point of	canal where materially cho	anged in size, stating miles from
,		•	•	feet; width on bottom
ousand feet.				water line)
f	eet; width on	n bottom	feet; depth o	of water feet;
ade	feet fo	all per one thous	sand feet.	
(c) Length	of pipe,	ft.;	size at intake,6	in.; size at ft.
om intake	in	ı.; size at place o	f use5 in.;	difference in elevation between
take and place of	f use,	125 ft. Is	s grade uniform?¤o	Estimated capacity,
	sec. ft.			
8. Location	of area to be	irrigated, or pl	ace of use	:
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
38	1W	27	NW_{4}^{1} NE_{4}^{1}	7
			SW1 NE1	10
,			NE_{4}^{1} NW_{4}^{1}	4
			SE NW	3
			NW_4^1 SE $\frac{1}{4}$	12
			$SW^{\frac{1}{4}} SE^{\frac{1}{4}}$	
		.,		40
		<u>-</u>		
		DWODOWETE O	In which water is to 1	ne used is a part of that more
and Daw W M	Begi	explicitly	described by application corne	er between Sections 27 and 34,
the South bank down stream No of the Willame 19 deg. East 3 to an iron pip	Beging thence were of the William F2 degree River B16.34 feet on the S	explicitly maing at the rest 535.26 fer lamette River County to a point; outhurlamesper	described by application corner to a point; thence r; thence following the feet to a point; the forth 57 deg. East 265 thence East 198 feet 5000, 224, 255 shell, W.	ant as follows:
the South bank down stream No of the Willame 19 deg. East B to an iron pip point of begin (a) Charact	Beging thence we cof the William Street River B16.34 feet the conting, conting of soil	explicitly naing at the rest 535.26 fer all amette Rivers to a point; aining 130.81	described by application corner to a point; thence following the feet to a point; the forth 57 deg. East 200 thence East 198 feet Seed 224, 235, 252, 252, 253, 252, 253, 253, 254, 254, 254, 254, 254, 254, 254, 254	ant as follows: or between Sections 27 and 34, o North 4807.17 feet to a point the South bank of the Willamette ence continuing along the South 5.6 feet to a point; thence Sout to a point; thence South 5109.7 .M.; thence West 573.54 feet to
che South bank down stream No of the Willame 19 deg. East 3 to an iron pip point of begin (a) Charact (b) Kind of	Beging thence we cof the William Street River B16.34 feet the see on the Section of soil	explicitly naing at the rest 535.26 fer all amette Rivers to a point; aining 130.81	described by application corner to a point; thence following the feet to a point; the forth 57 deg. East 200 thence East 198 feet Seed 224, 235, 252, 252, 253, 252, 253, 253, 254, 254, 254, 254, 254, 254, 254, 254	ant as follows: or between Sections 27 and 34, o North 4807.17 feet to a point the South bank of the Willamette ence continuing along the South 5.6 feet to a point; thence Sout to a point; thence South 5109.7 M.; thence West 573.54 feet to
che South bank down stream No of the Willame 19 deg. East B to an iron pip point of begin (a) Charact (b) Kind of ower or Mining F	Beging thence we cof the William of the William of the Side of the Side on the Side on the Side of the	explicitly naing at the rest 535.26 fer a lamette River to a point; aining 130.81	described by application corner to a point; thence et to a point; thence or the feet to a point; the forth 57 deg. East 265 thence East 198 feet thence East 198 feet the feet to a point; the feet to a point; the feet thence East 198 feet thence East 198 feet thence East 198 feet feet feet feet feet feet feet fee	ant as follows: or between Sections 27 and 34, o North 4807.17 feet to a point the South bank of the Willamette ence continuing along the South 5.6 feet to a point; thence Sout to a point; thence South 5109.7 M.; thence West 573.54 feet to
the South bank down stream No of the Willame 19 deg. East 3 to an iron ply coint of begin (a) Charact (b) Kind of ower or Mining P	Beging thence were of the William Section 19 and 19	explicitly ming at the rest 535.26 fer lamette River is East 742.18 down stream is to a point; outhulimesper is aining 130.81 wills	described by application corner to a point; thence et to a point; thence or the feet to a point; the forth 57 deg. East 265 thence East 198 feet thence East 198 feet the feet to a point; the feet to a point; the feet thence East 198 feet thence East 198 feet thence East 198 feet feet feet feet feet feet feet fee	ant as follows: or between Sections 27 and 34, e North 4807.17 feet to a point the South bank of the Willamette ence continuing along the South 5.6 feet to a point; thence South to a point; thence South 5109.7 M.; thence West 573.54 feet to theoretical horsepower.
the South bank down stream No of the Willame 19 deg. East 3 to an iron pip point of begin (a) Charact (b) Kind of ower or Mining F 9. (a) Tota (b) Quan	Beging thence were of the William Sector River 316.34 feet the on the Sector of soil	explicitly naing at the rest 535.26 fer lamette River to a point; outhurlinesport aining 130.81 cower to be dever to be used for	described by application corner to a point; thence et to a point; thence r; thence following the feet to a point; the forth 57 deg. East 265 thence East 198 feet Sec. 224, 225, 225, 224, 225, 225, 225, 225,	ant as follows: or between Sections 27 and 34, e North 4807.17 feet to a point the South bank of the Willamette ence continuing along the South 5.6 feet to a point; thence South to a point; thence South 5109.7 M.; thence West 573.54 feet to theoretical horsepower.
the South bank down stream No of the Willame 19 deg. East 3 to an iron pip point of begin (a) Charact (b) Kind of ower or Mining F 9. (a) Tota (b) Quan (c) Total	Beging thence were of the William or the Section 1986. 34 feet the on the Section on the Section of soil	explicitly naing at the rest 535.26 fer liamette River to a point; outhalinesport aining 130.81 cower to be dever to be used for a filized	described by applicated a point; thence et to a point; thence r; thence following the feet to a point; the forth 57 deg. East 265 thence East 198 feet acres, more or less amette Loan lover hops eloped power feet. (Head)	ant as follows: or between Sections 27 and 34, e North 4807.17 feet to a point the South bank of the Willamette ence continuing along the South 5.6 feet to a point; thence South to a point; thence South 5109.7 M.; thence West 573.54 feet to theoretical horsepower.
the South bank down stream No of the Willame 19 deg. East 3 to an iron pip point of begin (a) Charact (b) Kind of ower or Mining F 9. (a) Tota (b) Quan (c) Total	Beging thence were of the William or the Section 1986. 34 feet the on the Section on the Section of soil	explicitly naing at the rest 535.26 fer liamette River to a point; outhalinesport aining 130.81 cower to be dever to be used for a filized	described by applicated a point; thence et to a point; thence r; thence following the feet to a point; the forth 57 deg. East 265 thence East 198 feet acres, more or less amette Loan lover hops eloped power feet. (Head)	ant as follows: or between Sections 27 and 34, e North 4807.17 feet to a point the South bank of the Willamette ence continuing along the South 5.6 feet to a point; thence South to a point; thence South 5109.7 M.; thence West 573.54 feet to theoretical horsepower. sec.ft.
the South bank down stream No of the Willame 19 deg. East 3 to an iron pip point of begin (a) Charact (b) Kind of ower or Mining F 9. (a) Tota (b) Quan (c) Total (d) The (e) Such	Beging thence were of the Wind orth 52 degree River 816.34 feet be on the Saming, conting of soil	explicitly raing at the rest 535.26 fer set 535.26 fer set 742.18 down stream to a point; southwhimesperficial ining 130.81 cower to be dever to be used for silized works by mean selected in	described by applicated a point; thence et to a point; thence et to a point; thence et; thence following the feet to a point; the forth 57 deg. East 265 thence East 198 feet thence East 198 feet thence East 198 feet thence et al., which is acres, more or less ametts for the power to the feet. (Head) (Legal Subdivision) (Legal Subdivision)	ant as follows: or between Sections 27 and 34, or North 4807.17 feet to a point the South bank of the Willamette ence continuing along the South 5.6 feet to a point; thence South to a point; thence South 5109.7 M.; thence West 573.54 feet to the oretical horsepower. theoretical horsepower. of Sec. of Sec.
the South bank down stream No of the Willame 19 deg. East 3 to an iron pip point of begin (a) Charact (b) Kind of ower or Mining F 9. (a) Total (b) Quan (c) Total (d) The (e) Such	Beging thence were of the Wind orth 52 degree River 816.34 feet be on the Saming, conting of soil	explicitly raing at the rest 535.26 fer set 535.26 fer set 742.18 down stream to a point; southwhimesperficial ining 130.81 cower to be dever to be used for silized works by mean selected in	described by application corner to a point; thence et to a point; thence r; thence following the feet to a point; the forth 57 deg. East 265 thence East 198 feet. Sec. alt, selling, medw, W, acres, more or less amette Loam. Lover hops cloped power (Head) s of which the power is to	ant as follows: or between Sections 27 and 34, or North 4807.17 feet to a point the South bank of the Willamette ence continuing along the South 5.6 feet to a point; thence South to a point; thence South 5109.7 M.; thence West 573.54 feet to the oretical horsepower. theoretical horsepower. of Sec. of Sec.
the South bank down stream No of the Willame 19 deg. East 3 to an iron pip point of begin (a) Charact (b) Kind of cower or Mining F 9. (a) Tota (b) Quan (c) Tota (d) The (e) Such (f) Is wa (g) If so	Beging thence we cof the Will orth 52 degree River 816.34 feet to e on the Somming, continuer of soil	explicitly raing at the rest 535.26 fer the rest 535.26 fer the rest 742.18 down stream for the a point; airing 130.81 wills works by mean are located in	described by applicated and the section corner to a point; thence it to a point; thence it to a point; the section of the sect	ant as follows: or between Sections 27 and 34, o North 4807.17 feet to a point the South bank of the Willamette ence continuing along the South 5.6 feet to a point; thence South to a point; thence South 5109.7 M.; thence West 573.54 feet to
the South bank down stream No of the Willame 19 deg. East 3 to an iron pip point of begin	Beging thence we cof the Will orth 52 degree River 816.34 feet to e on the Somming, continuer of soil	explicitly raing at the rest 535.26 fer the rest 535.26 fer the rest 742.18 down stream for the a point; airing 130.81 wills works by mean are located in	described by applicated and the section corner to a point; thence it to a point; thence it to a point; the section of the sect	ant as follows: or between Sections 27 and 34, o North 4807.17 feet to a point the South bank of the Willamette ence continuing along the South 5.6 feet to a point; thence South to a point; thence South 5109.7 M.; thence West 573.54 feet to
the South bank down stream No of the Willame 19 deg. East 3 to an iron pip point of begin	Beging thence were of the William of the William of the River B16.34 feet on the Standard of the River of soil	explicitly naing at the rest 535.26 fer a section of the section o	described by applicate quarter section corner to a point; thence et to a point; thence it thence following to feet to a point; the forth 57 deg. East 265 thence East 198 feet. Sec. 226, sec. 326, sec. 36, sec.	ant as follows: or between Sections 27 and 34, e North 4807.17 feet to a point the South bank of the Willamette ence continuing along the South 5.6 feet to a point; thence South to a point; thence South 5109.7 M.; thence West 573.54 feet to theoretical horsepower. sec.ft. be developed

STATE ENGINEER

		unty, having a pre	esent population of
-	Name of) mated population o	f	in 19
	(b) If for domestic	use state number	of families to be supplied
		(Answer questions	11, 12, 13, and 14 in all cases)
11.	Estimated cost of pr	oposed works, \$	6000,00
12.	Construction work u	vill begin on or bej	foreOne year after approval
13.	Construction work i	vill be completed	on or before two years after approval
14.	The water will be co	mpletely applied t	to the proposed use on or before3. years. after ap
			(Sgd) Elmer H, Crisell (Signature of applicant)
Rom	arks:		
100111	w; 1994		
			-
		·	
	·	•••••	
	•		
******			· · · · · · · · · · · · · · · · · · ·
TE O	F OREGON,		
County	of $Marion$, $ss.$		
This	is to certify that I l	have examined the	e foregoing application, together with the accompany
In o	rder to retain its pr	iority, this applica	ation must be returned to the State Engineer, with corr
			, 19

Application	No. 24512
Permit No.	19305

PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

	This instrument was first recei office of the State Engineer at Sale	
	on the 16th day of March	
	19 50, at 1:42 o'clock P.	•
	Returned to applicant:	
	Corrected application received:	
	Approved:	•
	June 30, 1950	
	Recorded in book No47	of
	Permits on page19305	························
	CHAS. E. STRICKLIN	ENGINEER
	Drainage Basin No2	=
	Fees Paid \$16.50	
	PERMIT	
STATE OF OREGON, \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		
The right herein gran and shall not exceed9	IGHTS and the following limitations ted is limited to the amount of water	r which can be applied to beneficial use sured at the point of diversion from the
The use to which this	water is to be applied isi	rigation
second or its equivaled diversion of not to ex	at for each acre irrigated and ceed $2\frac{1}{3}$ acre feet per acre for	L/80th of one cubic foot per is shall be further limited to a or each acre irrigated during the
and shall be subject to such	reasonable rotation system as may be is permit isMarch 16, 1950	e ordered by the proper state officer.
Actual construction u	ork shall begin on or before Jun	ne 30, 1951 and shall
thereafter be prosecuted wi	h reasonable diligence and be comp	leted on or before
·		
	· ·	ill be made on or before
October 1, 1953		
WITNESS my hand to	nis 30th day of June	
Permits for power developmen	,	E. STRICKIIN STATE ENGINEER ovided in sections 1 and 2, chapter 74, Oregon Laws 1933.