

* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Charley Carr (Name of applicant) of Dayton Box 55 (Mailing address) State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Palmer Creek (Name of stream), a tributary of Yamhill River

2. The amount of water which the applicant intends to apply to beneficial use is 0.38 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of at any point where Palmer Creek touches property described herein (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 SW 1/4 of Sec. 8, Tp. 5S (Give smallest legal subdivision) (N. or S.)

R. 3W, W. M., in the county of Yamhill (E. or W.)

5. The to be in length, terminating in the of Sec. , Tp. (Main ditch, canal or pipe line) (Miles or feet) (Smallest legal subdivision) (N. or S.)

R. , W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam none feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 3 in. cent. pump (Size and type of pump)

electric 15 HP motor (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

26 10 gpm sprinklers

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 2500 ft.; size at intake, 6 in.; size at ft. from intake 5 in.; size at place of use 3 in.; difference in elevation between intake and place of use, 52 ft. Is grade uniform? YES Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
5S	3W	8	SW $\frac{1}{4}$ NW $\frac{1}{4}$	5
			NW $\frac{1}{4}$ SW $\frac{1}{4}$	25
				30

Property on which water is to be used is a part of that more explicitly described by applicant as follows:
~~Being a part of the John Odell D.L.C. Notification No. 1631 Claim No. 45 and part of lot No. 1 in Section No. 8 in T5S, R3W of the Willamette Meridian, in Yamhill County, Oregon, and beginning at an iron pipe set on the North line of said claim at a point N 87° W 16.40 chains from the NE corner and at the intersection of County roads, also the NE corner of Lot No. 1 of County Survey No. 2493; thence S 15° 52' West along center of County road 18.35 chains to iron pipe; thence S 87° E parallel with North line of Claim 19.47 chains to center of Palmer Creek; thence following down the center of said creek in a Northeasterly course to the North line of Lot No. 1, in Section No. 8, and the South line of the Kimsey Claim; thence North 87° W. 4.27 chains to a stone NW corner Lot No. 1 and angle in Kimsey Claim; thence N 68° 26' W along road and south line of Peery Lot 9.23 chains to angle; thence North 44° W 3.00 chains to North line of Odell Claim and NW corner of Peery lot; thence N 87° W along Claim line and County road 5.65 chains to place of beginning, containing 30 acres, more or less.~~

(If more space required, attach separate sheet) (continued under REMARKS)

(a) Character of soil Willamette

(b) Kind of crops raised Peaches berries

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal Subdivision)

Tp., R., W. M.

(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 4000.00
- 12. Construction work will begin on or before one year after approval
- 13. Construction work will be completed on or before two years after approval
- 14. The water will be completely applied to the proposed use on or before 3 yrs. after approval

(Sgd) Charley Carr
(Signature of applicant)

Remarks: (Continued) Also, being a part of the John Odell D.L. C. Notification

No. 1631, Claim No. 45 in T5S, R3W of the Willamette Meridian, in Oregon, and beginning at iron pipe in the center of the County road at the SE corner of Lot No. 1 of County Survey No. 2493 said point being N 87° W 16.40 chains and S 15° 52' W 20.53 chains from the Northeast corner of said Claim; thence S 70° 20' E 9.40 chains to stake; thence S 23° 30' W. At 28 links a 30" leaning ash tree on the bank of Palmer Creek .40 chains to center of Palmer Creek; thence following down the center of Palmer Creek Northeasterly to the Southeast corner of County Survey No. 2493 "A"; thence N 87° West 19.47 chains to iron pipe at the SW Corner of County Survey No. 2493 "A"; thence South 15° 52' W along center of county road 2.18 chains to place of beginning, containing 7.40 acres, more or less.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

Application No. 24526

Permit No. 19312

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th day of March 1950, at 10:55 o'clock AM.

Returned to applicant:

Corrected application received:

Approved:

June 30, 1950

Recorded in book No. 47 of

Permits on page 19312

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 90P

Fees Paid \$15.00

PERMIT

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.375 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Palmer Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 20, 1950

Actual construction work shall begin on or before June 30, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

Complete application of the water to the proposed use shall be made on or before October 1, 1953

WITNESS my hand this 30th day of June, 1950

CHAS. E. STRICKLIN STATE ENGINEER