

CERTIFICATE NO. 23471

\* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Richard S. Jossy (Name of applicant) of Rt 2 Box 389 Portland 10 (Mailing address) State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation Individual

1. The source of the proposed appropriation is Rock Creek (Name of stream), a tributary of Tualatin River

2. The amount of water which the applicant intends to apply to beneficial use is 0.125 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of Portable pumping along creek in a direction generally Southwest from the described Iron Pipe Monuments. East Monument is Located E 21°10'S 210 Ft from NW corner Sec 18 West Monument is Located E 56°15'S 2021 Ft from NW corner Sec 18 (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SW 1/4 N W 1/4 and NW 1/4 SW 1/4 of Sec. 18, Tp. 1N (Give smallest legal subdivision) (N. or S.)

R. 1 W., W. M., in the county of Washington (E. or W.)

5. The Pipe Line to be 450 Ft in length, terminating in the Portable of Sec. , Tp. (Main ditch, canal or pipe line) (Miles or feet) (Smallest legal subdivision) (N. or S.)

R. , W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 2 inch centrifugal pump powered by 6 HP Gasoline motor. Rated capacity of pump: 60 gal per min at 35 lbs (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

Pressure. Approximately 10 ft lift to point of use.

\* A different form of application is provided where storage works are contemplated.

\*\* Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe,  $450 + 90$  ..... ft.; size at intake,  $3$  ..... in.; size at .....  $90$  ..... ft. from intake .....  $2$  ..... in.; size at place of use .....  $2$  ..... in.; difference in elevation between intake and place of use, .....  $10$  ..... ft. Is grade uniform? ..... **yes** ..... Estimated capacity, .....  $0.04$  ..... sec. ft.

8. Location of area to be irrigated, or place of use .....

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 N	1 W	18	SW $\frac{1}{4}$ NW $\frac{1}{4}$	6.3
1 N	1 W	18	NW $\frac{1}{4}$ SW $\frac{1}{4}$	<u>3.7</u>
			TOTAL	10.0 Acres

(If more space required, attach separate sheet)

(a) Character of soil ..... Chehalis Silt Loam and Wapato Silty Clay Loam .....

(b) Kind of crops raised ..... Pasture and Seed Crops .....

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....  
(Legal Subdivision)

Tp. ...., R. ...., W. M.  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M.  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

Municipal or Domestic Supply—

10. (a) To supply the city of .....

..... County, having a present population of .....  
(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$750.00.....

12. Construction work will begin on or before ..... June 1 1951.....

13. Construction work will be completed on or before ..... June 1 1952.....

14. The water will be completely applied to the proposed use on or before ..... Oct 1 1953.....

(Sgd) Richard S. Jossy

(Signature of applicant)

Remarks: Legal Description as follows: Beginning on the west line of Sec. 18, township north, range 1 west, Willamette Meridian, Washington County, Oregon. Said beginning point being 1435.5 feet, south of the northwest corner of said section 18, running thence south 89 degree, 54 min. east 116.26 feet thence S. 0 deg. 53 min, east, 214.5 feet. thence N. 89 deg. 51 min. east 200.6 feet. Thence S. 0deg. 18 min. E. 1288.0 feet; thence N. 89 deg. 21 min. W. 1332.1 feet to the west line of said sec. 18 thence north 1488.7 feet to the place of beginning, containing 44.586 acres more or less and the northeast quarter of the northeast quarter of section 18 and commencing at the Northwest corner of section 18, running thence east on the section line 20.65 chains, more or less, to the northeast corner of the west half of the west half of said section 18 thence south on the east line of the said west half of the west half of said section 25 chains; thence west 3.04 chains; thence north 3.25 chains; thence west 17.61 chains to the west line of said section 18 more or less; thence north on said section line 21.75 chains to the place of beginning containing 86 acres, more or less all in section 18, township 1 north range 1 west of the Willamette Meridian, containing in all 86 acres more or less.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

Application No. 24571

Permit No. 19323

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 3rd day of April, 1950, at 1:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

June 30, 1950

Recorded in book No. 47 of Permits on page 19323

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 62 R

Fees Paid 15.00

PERMIT

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.125 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Rock Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 3, 1950

Actual construction work shall begin on or before June 30, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

Complete application of the water to the proposed use shall be made on or before October 1, 1953

WITNESS my hand this 30th day of June, 1950

CHAS. E. STRICKLIN STATE ENGINEER