

* APPLICATION FOR PERMIT

CERTIFICATE NO. 20543

To Appropriate the Public Waters of the State of Oregon

I, V. E. and J. S. Walters (Name of applicant) of 12815 S. E. Powell Blvd. Portland 66, Ore. (Mailing address) State of do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Kellogg Creek (Name of stream), a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.13 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Sprinkler Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 600 ft. N. and 300 ft. W. from the Intersection corner of Southern Pacific R.R. and the Section Line (or this point is being on the section line between section 4 and 5, T. 2 S., R. 2 E. of the W.M. a distance of 425.10 ft. north of the intersection of said section line with the north line of W. T. Matlock D.L.C. (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the of Sec. Tp. (Give smallest legal subdivision) (N. or S.)

R. W. M., in the county of Clackamas (E. or W.)

5. The 3" portable aluminum pipe (Main ditch, canal or pipe line) to be 900 ft. (Miles or feet) in length, terminating in the of Sec. Tp. (Smallest legal subdivision) (N. or S.)

R. W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam none feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry,

From a hole in the creek bed. rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description: 1 1/2" "Wyss" Centrifugal pump (Size and type of pump) driven by 3 H.P. 1 1/2 Electric motor. (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

There will be 8 to 10 sprinkles in operation; each 5.5 gal. per min.

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1280' ft.; size at intake, 3" in.; size at 10' ft. from intake 3" in.; size at place of use 3" and 2" in.; difference in elevation between intake and place of use, 15' ft. Is grade uniform? uniform Estimated capacity, 0.13 sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
2 south	2 east	5		
	of the Willamette Meridian		NE ¹ / ₄ NE ¹ / ₄	1
			SE ¹ / ₄ NE ¹ / ₄	8

Property on which water is to be used is a part of that more explicitly described by applicant as follows:

Point being on the section line between sections 4 & 5, T. 2 S. R. 2 E. of the W.M. a distance of 425.10 feet north of the intersection of said Section line with the north line of the W. T. Matlock D.L.C., thence North 72° 10' West along the South line of said schleiger tract a distance 333.08 ft. to an iron pipe, thence north 28° 35' east 436.06 ft. to an iron pipe, thence North 60° 50' West 196.0 ft. to an iron pipe, thence north 41° 51' East 374.24 ft. to an iron pipe, thence east 30 ft. to the section line between sections 4 & 5 aforesaid, thence south to the place of beginning, in the County of Clackamas & State of Oregon. in section 5, T. 2 S. R. 2 E. of the W.M. County of Clackamas, state of Oregon Beginning point (from other title on our land) north 425.10 ft. & north 72°10' west 333.08 ft. from the intersection of the north line of the W.T. Matlock D.L.C. & the section line between sections 4 & 5, T. 2 S., R. 2 E., of the W.M. & running thence north 28° 35' east 227.56 ft., thence north 76° 59' west 156.00 ft., thence north 08° 28' east 70.70 ft., thence north 21° 21' east 175.00 ft., thence south 60° 50' east 198.50 ft.,

(If more space required, attach separate sheet)

(CONTINUED UNDER REMARKS)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....

12. Construction work will begin on or before

13. Construction work will be completed on or before

14. The water will be completely applied to the proposed use on or before

(Sgd) J. S. Walters

(Sgd) V E Walters

(Signature of applicant)

Remarks: (Continued from Item 8)

thence north 28° 35' east 10.00 ft., thence north 60° 50' west 196.00 ft., thence north 41° 51' east 374.24 feet, thence north & parallel to said section line 5.49 ft. to a point that is 20.00 ft. south of the south line of Morning side, thence North 86° 30' west parallel and 20.00 ft. distant from said south line of Morning side, 513.94 ft. thence south & parallel with said section line 740.00 ft. to a point 20.00 ft distant from the north property line of the Oregon & California Railroad when measured at right angles, thence south 72° 10' east parallel and 20.00 ft distant from said north property line of said railroad 235.72 feet to the place of beginning.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

Application No. 24586

Permit No. 19328

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 10th day of April 1950, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

June 30, 1950

Recorded in book No. 47 of

Permits on page 19328

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 76 Y

Fees Paid \$15.00

PERMIT

STATE OF OREGON,

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.113 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Kellogg Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 10, 1950

Actual construction work shall begin on or before June 30, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1953

WITNESS my hand this 30th day of June, 1950

CHAS. E. STRICKLIN

STATE ENGINEER