

CERTIFICATE NO. 22590

* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, F. Meng (Name of applicant)
of Rt. 1, Box 2655 Portland 66 (Mailing address),
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is an unnamed stream & reservoir (Name of stream)
trib. Mt. Scott Cr., a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.35
cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 300 ft. S and 1150 ft. W from the NE
corner of Sec. 35, T. 1 S., R. 2 E., W. M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 NE 1/4 of Sec. 35, Tp. 1 S.
(Give smallest legal subdivision) (N. or S.)
R. 2 E., W. M., in the county of Clackamas
(E. or W.)

5. The _____ to be _____
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the _____ of Sec. _____, Tp. _____
(Smallest legal subdivision) (N. or S.)
R. _____, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 6 feet, length on top 150 feet, length at bottom
100 feet; material to be used and character of construction dirt
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 4 in. cent. pump
(Size and type of pump)
10 HP electric motor
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)
6 - 17 gpm sprinklers

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, 10 ft. Is grade uniform? yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 S.	2 E.	35	NE $\frac{1}{4}$ NE $\frac{1}{4}$	25
			SE $\frac{1}{4}$ NE $\frac{1}{4}$	3
				28
(See attached sheet for legal description)				

(If more space required, attach separate sheet)

(a) Character of soil Powell silt

(b) Kind of crops raised Pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Property on which water is to be used is a part of that more explicitly described by applicant as follows:

"Beginning at a stone 16 x 12 x 12 marked with 1 notch on the East and South faces and X on top and set at the corner of Sections 25, 26, 35 and 36, and the same being a point in the North boundary of Section 36, T.1 S.R. 2 E. of the W.M., and running thence South 89° 16' East 648.57 feet to an iron pipe on line between Sections 25 and 26, thence South 10° 59' West tracing the westerly side line of the established County road 503.85 feet to an iron bar, thence South 4° 11' East tracing the Westerly side line of the aforesaid County Road 463.25 feet to an iron pipe, thence West 162.28 feet to an iron pipe, thence South 816.00 feet to an iron pipe, thence West 1136.85 feet to an iron pipe on the Easterly side of a 33 foot roadway, said point being 33 feet distant from and measured at right angles to the Easterly boundary of the Tyler tract recorded in Book #115 at Page #287, record of Deeds of Clackamas County, thence North parallel to the Easterly boundary of said Tyler tract to an iron pipe driven in the established County Road and in the North boundary line of Section 35, said point being South 88° 57' East 33 feet distant from an iron pipe driven at the North-east corner of the aforesaid Tyler tract, thence South 88° 57' E tracing the North boundary of Section 35 712.73 feet to the place beginning, containing 50 acres, more or less."

"Beginning at a point in the South boundary line of the John M. Deardorff D.L.C. being claim No. 63, Notification No. 5842 in T.1 S. R. 2 E. of the W.M. where is driven a rusty iron pipe, about sixteen and one-half inches in length by seven-eighths of an inch in diameter, flattened on the lower end, vertically on end, about thirty-two and one-half inches in depth; over which is driven another rusty iron pipe, with a wooden plug between about sixteen inches in length by seven-eighths of an inch in diameter, vertically on end, about sixteen inches in depth, distant Easterly twenty-two hundred twenty-seven and five tenths (2227.5) feet from the Southwest corner of said D. L. C.; thence North sixty-five and sixty-one hundredths (65.61) feet to the Southeast corner of that certain tract of land containing seventeen and one-half acres, more or less, conveyed by William A. Deardorff, and Rosetta A. Deardorff his wife, to Mrs. Emma B. Berg, on July 5, 1904, deed to which is found of record in Book 93, at page 132, Deed Records of said County; thence north tracing the East Boundary line of said Berg tract sixty-six (66) feet to a corner thereof; thence north leaving said Berg tract one hundred thirty-one and thirty-eight hundredths (131.38) feet to a point, where is driven a galvanized iron pipe, about twelve and three fourths inches in length by seven-eighths of an inch in diameter, vertically on end, about thirty-two and three fourths inches in depth, over which, with a wooden plug between, is driven another galvanized pipe, about eighteen inches in length, by seven eighths of an inch in diameter, vertically on end, about twenty inches in depth; thence Westerly tracing a line parallel to the South boundary line of said D.L.C. eighty-two and five-tenths (82.5) feet to a point in the East boundary line of said Berg Tract, where is driven a rusty iron pipe about seventeen and three-fourths inches in length by one and one-fourth inches in diameter, vertically on end, about thirty-eight inches in depth, over which with a wooden plug between, is driven another rusty iron pipe about twenty inches in length, by one and one-fourth inches in diameter, vertically on end, about twenty and one-fourth inches in depth; thence North tracing the East boundary line of said Berg tract, two thousand three hundred and fifty (2350) feet to a point in the North boundary line of Section 35, of said Township, where is driven a rusty iron pipe about nineteen and three-fourths inches in length by one and three-eighths inches in diameter, vertically on end, about forty and one-fourth inches in depth, over which with a wooden plug between, is driven another rusty iron pipe, about twenty and one-half inches in length by one and three-eighths inches in diameter, vertically on end, about twenty and one-half inches in depth, thence Easterly tracing the North boundary line of said Section 35, Five hundred ninety-three and four hundredths (593.04) feet to a point where is driven a rusty iron pipe about nineteen and one-half inches in length, by one and three eighths inches in diameter, vertically on end, about thirty-nine inches in depth, over which, with a wooden plug between, is driven another rusty iron pipe, about nineteen and one-half inches in length by one and three-eighths inches in diameter, vertically on end, about nineteen and one-half inches in depth, from which the Northeast corner of said Section 35, bears Easterly seven hundred forty-five and ninety-hundredths (745.90) feet distant, thence South twenty-six hundred one and eight-tenths (2601.08) feet to a point in the South boundary line of said D.L.C. where is driven a galvanized iron pipe about twenty-one and three fourths inches in length by seven-eighths inches in diameter, vertically on end, about forty-four inches in depth, over which, with a wooden plug between, is driven another galvanized iron pipe, about twenty-two and one fourth inches in length by seven-eighths of an inch in diameter vertically on end, about twenty-two and one-fourth inches in depth, from which the point of intersection of the South boundary line of said D.L.C. with the East boundary line of said Section 35, bears Easterly seven hundred thirty-one and seventy-two hundredths (731.72) feet distant; thence westerly tracing the South boundary line of said D.L.C. five hundred ten and fifty-one hundredths (510.51) feet to the place of beginning, containing 35 acres of land; a strip of which thirty (30) feet in width along the North end, lies in the County Road, with the tenements, hereditaments and appurtenances thereunto belonging or in anywise appertaining; situated in Clackamas County, State of Oregon."

Municipal or Domestic Supply—

10. (a) To supply the city of

(Name of)

County, having a present population of

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 3500.00

12. Construction work will begin on or before One year after approval

13. Construction work will be completed on or before two years " "

14. The water will be completely applied to the proposed use on or before 3 " " "

(Sgd) F. Meng

(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

Application No. 24310

Permit No. 19340

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2nd day of December, 1949, at 11:41 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

June 30, 1950

Recorded in book No. 47 of Permits on page 19340

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 76 X

Fees Paid 15.00

PERMIT

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.35 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream and reservoir to be constructed under Application No. R-24309, Permit No. R-1020

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year from direct flow and storage from reservoir to be constructed under Permit No. R-1020.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 2, 1949

Actual construction work shall begin on or before June 30, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1952 Extended to Oct. 1, 1953 Extended to Oct. 1, 1954 Extended to Oct. 1, 1955

Complete application of the water to the proposed use shall be made on or before

October 1, 1953 Extended to Oct. 1, 1954 Extended to Oct. 1, 1955

WITNESS my hand this 30th day of June, 1950

CHAS. E. STRICKLIN

STATE ENGINEER