CERTIFICATE NO. 21406

## \* APPLICATION FOR PERMIT

Ceron. 31722

## To Appropriate the Public Waters of the State of Oregon

I,	Kenneth L. Ric			
of	Rt. 2 Box 200	(Name of applicar  O Monmouth	•	
•	(Mailing address)			
State of	oregon	, ао петеоу так	e application for d	permit to appropriate the
following desc	cribed public waters of th	he State of Oregon, SU	JBJECT TO EXIS	TING RIGHTS:
If the ap	pplicant is a corporation,	give date and place of	incorporation	
1 The	source of the proposed ap	propriation is Luc	kiamute River	
			(Maine p.	f stream)
		, a tributary of	Willamett	e Kiver
2. The	amount of water which th	ne applicant intends to	apply to beneficia	l use is 0.37
cubic feet per	second.	A B A .		
**3. The	use to which the water is	to be applied is(Irrig	gation, power, mining, man	ufacturing, domestic supplies, etc.)
4 /	1		•••••••	
4. The	point of diversion is loca	ted	s.)	(E, or W.)
corner of	S. 37° W. 1500 ft.	from the S.E. cor (Section or subdi		
the	e Ira A. Hooker DLC			
	. *		-	4 4 6 6
	•			•••••••••••••••••••••••••••••••••••••••
	(If prefer	able, give distance and bearing t	o section corner)	,
	(If there is more than one point	of diversion, each must be descri	ibed. Use separate sheet if	necessary)
being within t	the $NW_{4}^{1}$ SE $_{4}^{1}$		of Sec 24	, Tp9. S.
	Give smallest 1, W. M., in the county o	legal subdivision)		(N. or S.)
(E. or W.)				
5. The	(Main ditch, car	nal or pipe line)	to be	(Miles or feet)
				, Tp,
R	, sm W. M., the proposed	allest legal subdivision) d location being shown	throughout on th	e accompanying map.
<b>(</b> =,		DESCRIPTION OF W		
T			. 0 - 12 - 12	
Diversion Wor				
				feet, length at bottom
				(Loose rock, concrete, masonry,
	per crib, etc., wasteway over or arour			
(b) Des	scription of headgate	(Timber cor	ncrete, etc number and si-	ze of openings)
(c) If a	vater is to be numned ain	e general description	5 in, disc	narge pump
7				harge pump nd type of pump)
	(Size and type of eng	line or motor to be used, total he	ead water is to be lifted, etc	
<u> </u>	18 - 8 gpm sprinkle	ers		

<sup>\*</sup> A different form of application is provided where storage works are contemplated.

<sup>\*\*</sup> Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

		•				
Canal System or F	-					
7. (a) Give	e dimensions at	each point of o	canal where materially chang	ged in size, stating miles from		
headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.  (b) At miles from headgate: width on top (at water line)						
grade				www jeev,		
				. in.; size at ft.		
•			1	fference in elevation between		
		1		Estimated capacity,		
		i.I j.b. 18	grade unijorm:	Estimated capacity,		
G. T. and in	•					
	1			Number Acres		
Township	Range	Section	Forty-acre Tract	To Be Irrigated		
9 S.	6 W.	214	NW¼ SE¼	29		
Property on whapplicant as f		to be used	is a part of that more	explicitly described by		
No. 58 in T9S, thence West 97 23.06 chains; North 20.45 ch Also beginni No. 49, Not.50 line of the sa with the South 15° 30' East 4 D.L.C. No.58, Hooker D.L.C. Range 6 West i Save and exc No.58 in T9S, 4.50 chains to	R6W of the links; there thence South ains; thence ng at a stor 76, in T95, id Zumwalt I boundary of .39 chains the Section 2l ept, beginning R6W of the center ter of soil	Will. Mer., see South 15 22.27 chair North 88°4; se which is Rów of the D.L.C. No.49 the Ira A. o a point or sence North to the planet the So fill. Mer.; of ditch; the (If more space at the So Willamette	in Polk County, State 230' West 4.39 chains; hs; thence North 82°30' West 3.33 chains to the Northeast corner of Will. Mer.; thence Sout, 4.23 chains; thence S Hooker D.L.C. No.58, 2 h the South boundary of 39° West with the South ace of beginning, all in the South 89° West 7 hence North 89° West 7 hence down said ditch to (CONTINUED UNDER REMARK equired, attach separate sheet)	thence North 89° West East 28.90 chains; thence the place of beginning. the J. M. Zumwalt D.L.C. h on the East boundary outh 89° East parallel 3.06 chains; thence North the said Ira A. Hooker boundary of the said in Township 9 South of  A. Hooker, D.L.C.; Claim 64 chains; thence South of a point which is South		
•	-	wer to be deve	loped	theoretical horsepower.		
(b) Quo	intity of water	to be used for	power	sec. ft.		
(c) Tota	ıl fall to be util	ized	feet.			
			(	developed		
(e) Suc	h works to be l	ocated in	(Legal Subdivision)	of Sec,		
Tp(No. N. or S.)	R	, W. N	Л.			
	(No. E	01 11.7				
			eam?(Yes or No)			
(f) Is w	ater to be retu	rned to any str	eam?(Yes or No)			

(i) The nature of the mines to be served .....

Municipal or Domestic Supply—	•
10. (a) To supply the city of	
	f
and an estimated population ofin 19 in 19	
(b) If for domestic use state number of families to be	supplied
(Answer questions 11, 12, 13, and 14 in all cas	ses)
11. Estimated cost of proposed works, \$ 1500 °°	
12. Construction work will begin on or before	One year after approval
13. Construction work will be completed on or before	two years " "
14. The water will be completely applied to the proposed us	e on or before3" """
(Sgd) Ke	enneth L. Richards (Signature of applicant)
Remarks: (Continued from Item 8)	
89° East of the place of beginning; thence North 89 ginning, in the County of Polk, State of Oregon.	
Beginning at the Southeast corner of Ira A. Hooke No. 48 in Township 9 South, Range 6 West of the Wil County, Oregon, thence North 89° West .81 chains to way, which is 20 feet in width; thence South 4.50 c in the County of Polk and State of Oregon.	lamette Meridian, Polk center of the right of chains the length of the road,
$egin{array}{c}  ext{STATE OF OREGON,} \  ext{County of Marion,} \end{array}  ight. \  ext{This is to certify that I have examined the foregoing applic} \end{array}$	
maps and data, and return the same for	
In order to retain its priority, this application must be retu	rned to the State Engineer, with correc
tions on or before,19,	
WITNESS my hand thisday of	, 19
	STATE ENGINEER

Application I	No. 211178
Permit No.	19349

## **PERMIT**

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No D	istrict No			
	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the8th day ofMarch				
	19 50 , at 2:25 o'clock	P• M.			
	Returned to applicant:				
	Corrected application rec	eived:			
	Approved:	······			
	0	1950			
	Recorded in book No.	47of			
	Permits on page1	9349			
	CHAS. E. S				
	Drainage Basin No. 2				
•	Fees Paid15•Q0				
	PERM	IT .	•		
STATE OF OREGON, Sss. County of Marion,					
and shall not exceed	1		point of diversion from the Luckiamute River		
The use to which this	vater is to be applied is	irrigation			
second or its equivalent	for each acre irrig	ated and shall be	further limited to a		
irrigation season of ea					
and shall be subject to such	easonable rotation system	as may be ordered by			
Actual construction w	ork shall begin on or befo	re June 30,	1951 and shall		
thereafter be prosecuted wit	h reasonable diligence and		pefore		
Complete application	1952  of the water to the propos  1953	ed use shall be made (	on or before		
	is day of	June	, 19 <u>50</u>		
	. •	CHAS. E. STE	RICKLIN		