## \* APPLICATION FOR PERMIT

## To Appropriate the Public Waters of the State of Oregon

I, Chester H. Rooklidge	Warra of angles-A
•	Name of applicant) Portland, 2,
State of, do l	hereby make application for a permit to appropriate the
following described public waters of the State of	Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date a	nd place of incorporation
1. The source of the proposed appropriation	is Pudding River
, a tr	ibutary of
	t intends to apply to beneficial use is
cubic feet per second. (If water is to be	and from the Advance of the second of the form
o. The use to which the water w to be appu	ed is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4. The point of diversion is located	(N. or S.) (E. or W.)
corner of at any point where Pudding river	
corner nj	(Section or subdivision)
	, s
(If preferable, give distan	ce and bearing to section corner)
(If there is more than one point of diversion, each	th must be described. Use separate sheet if necessary)
	of Sec. 12 , Tp. 4 S (N. or S.)
R. 1 W , W. M., in the county of Clack	
•	to be
	to be
in length, terminating in the(Smallest legal subd	of Sec. , Tp. (N. or S.)
R, W. M., the proposed location be	eing shown throughout on the accompanying map.
DESCRIPT	TION OF WORKS
Diversion Works—	
6. (a) Height of damnone fee	t, length on top feet, length at bottom
feet; material to be used and char	acter of construction(Loose rock, concrete, masonry,
	(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)	
(b) Description of headgate	(Timber, concrete, etc., number and size of openings)
	escription 3" - 250 gpm (Size and type of pump)
(c) If water is to be pumped give general a	(Size and type of pump)
gasoline - 1 3/4 - 2 1/2 H.P (Size and type of engine or motor to )	Srpinkler and flood be used, total head water is to be lifted, etc.)

<sup>\*</sup> A different form of application is provided where storage works are contemplated.

lgate. At head	gate: width on	top (at water l	ine)	feet; width on bottom
f				feet fall per one
usand feet.			_	ter line)
f	eet; width on	bottom	feet; depth of	water feet;
de	feet fal	ll per one thouse	and feet.	
(c) Length	of pipe, <u>1000</u>	) ft.; s	ize at intake,3	in.; size at ft.
m intake	in.	; size at place of	usein.; di	ifference in elevation between
ake and place o	f use, <u>12</u>	ft. Is	grade uniform?no	Estimated capacity,
	sec. ft.			
8. Location	of area to be	irrigated, or pla	ce of use	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
4 S	l W.	12	$NE_{-}^{1}SE_{-}^{1}$	14
	- · · · · · ·		$NW_{4}^{1}SE_{4}^{1}$	5
r			$SW_{4}^{1}SE_{4}^{1}$	1
	,		· ·	10
onertir on i	high water	le to be used	lia a nort of that	ce explicitly described by
plicant as		rs to be used	I IS a part of that mor	e explicitly described by
1	TOTTOMS:			
ackamas Cou part of Sec ginning at the Northe	nty: tion 12, T. a point in ast one-quan	the one-sixte	enth sec. line 1367.9 boutheast one-quarter of	ed and described as follow feet south of the Northwe of said Section 12 and in of said road 72 degr ees
lackamas Coupart of Secential Secent Sec	nty: tion 12, T. a point in ast one-quar county road et; thence 1 st 374.9 fee lace of beginty: tion 12. T.	the one-sixter of the 3 is running to the aforming.	eenth sec. line 1367.9 Southeast one-quarter of the center the center than the	feet south of the Northwe of said Section 12 and in of said road 72 degrees 00.0 feet; thence North 80 section line; thence South
lackamas Coupart of Secential Part of Secential Part of the Ast 378.2 fe of minutes We set to the plackamas Coupart of Secential Part of S	nty: tion 12, T. a point in ast one-quar county road et; thence st 374.9 fee lace of beginty: tion 12, T. 4 degrees	the one-sixter of the 3 degree to the aforming.  4 S., R. 1 West 45 fee to the space re	senth sec. line 1367.9 Southeast one-quarter of the center of the center des 45 minutes E ast 16 presaid one-sixteenth second one-sixte	feet south of the Northwe of said Section 12 and in of said road 72 degrees thence North 80 section line; thence South and the description in Margrees East 4.56 chains from INUED UNDER REMARKS)
lackamas Coupart of Sec eginning at f the Norther enter of the ast 378.2 fe o minutes We eet to the p lackamas Coupart of Sec t apoint 5 3	nty: tion 12, T. a point in ast one-quar county road et; thence I st 374.9 fee lace of beginty: tion 12, T4 degrees I ser of soil	the one-sixter of the 3 degree to the aforming.  4 S., R. 1 West 45 fee to the space results and y lo	eenth sec. line 1367.9 Southeast one-quarter of the center of the center des 45 minutes E ast 16 presaid one-sixteenth south and North 73 l - 2 degrand one-sixteenth south attach separate sheet)  (CONT.)	feet south of the Northwe of said Section 12 and in of said road 72 degrees 50.0 feet; thence North 80 section line; thence South and the description in Margrees East 4.56 chains from TINUED UNDER REMARKS)
lackamas Coupart of Secential Part of Secential Part of the Ast 3/8.2 fe of the part of the part of Secential Part of Secondary Part of Se	nty: tion 12, T. a point in ast one-quar county road et; thence I st 374.9 fee lace of beginty: tion 12, T4 degrees I ser of soil	the one-sixter of the 3 degree to the aforming.  4 S., R. 1 West 45 fee to the space results and y lo	eenth sec. line 1367.9 Southeast one-quarter of the center of the center des 45 minutes E ast 16 presaid one-sixteenth south and North 73 l - 2 degrand one-sixteenth south attach separate sheet)  (CONT.)	feet south of the Northwe of said Section 12 and in of said road 72 degrees thence North 80 section line; thence South and the description in Margrees East 4.56 chains from INUED UNDER REMARKS)
Lackamas Coupart of Seceptinning at Fithe Northern the Inter of Seceptin Inter of Secupin Inter of Sec	nty: tion 12, T. a point in ast one-quar county road et; thence I st 374.9 fee lace of begin nty: tion 12, T. degrees I fer of soil crops raised Purposes—	the one-sixter of the 3 degree to the aforming.  4 S., R. 1 West 45 fee to the space results and y lo	senth sec. line 1367.9 Southeast one-quarter of the center of the center of the ses 45 minutes E ast 16 presaid one-sixteenth second on	feet south of the Northwe of said Section 12 and in of said road 72 degrees thence North 80 section line; thence South and the description in Margrees East 4.56 chains from INUED UNDER REMARKS)
lackamas Coupart of Secential Part of Secent Part of the American Secent Part of Secent Apoint 5 3  (a) Charact (b) Kind of Secent Part of Secund Part of Se	nty: tion 12, T. a point in ast one-quar county road et; thence I st 374.9 fee lace of begin nty: tion 12, T. degrees I fer of soil crops raised Purposes— I amount of po	the one-sixter of the 3 decreter of the 3 decrete to the aforming.  4 S., R. 1 West 45 feet (If more space respectively)  wer to be development to be development.	centh sec. line 1367.9 Southeast one—quarter of the center of the center of the ses 45 minutes E ast 16 presaid one—sixteenth second one—sixteenth sequired, attach separate sheet)  (CONT cam general	feet south of the Northwe of said Section 12 and in of said road 72 degrees 0.0 feet; thence North 80 section line; thence South and the description in Margrees East 4.56 chains from INUED UNDER REMARKS)  theoretical horsepower.
lackamas Coupart of See eginning at fine Norther of the ast 378.2 fe of minutes We eet to the plackamas Coupart of Sec tapoint 5 3  (a) Charact (b) Kind of wer or Mining Fine (a) Total	nty: tion 12, T. a point in ast one-quar county road et; thence I st 374.9 fee lace of begin nty: tion 12, T. degrees fer of soil crops raised curposes lamount of po- ntity of water	the one-sixter ter of the 3 decrease to the aforming.  4 S., R. 1 West 45 feet (11 more space respectively)  wer to be developed to be used for part of the 3 decrease to the aforming.	senth sec. line 1367.9 Southeast one-quarter of the center of the center of the ses 45 minutes E ast 16 presaid one-sixteenth second on	feet south of the Northwe of said Section 12 and in of said road 72 degrees 0.0 feet; thence North 80 section line; thence South and the description in Margrees East 4.56 chains from INUED UNDER REMARKS)  theoretical horsepower.
lackamas Coupart of See eginning at fine Norther of the ast 378.2 fe of minutes We eet to the plackamas Coupart of Sec tapoint 5 3  (a) Charact (b) Kind of wer or Mining Fine (a) Total	nty: tion 12, T. a point in ast one-quar county road et; thence I st 374.9 fee lace of begin nty: tion 12, T. degrees fer of soil crops raised curposes lamount of po- ntity of water	the one-sixter ter of the 3 decrease to the aforming.  4 S., R. 1 West 45 feet (11 more space respectively)  wer to be developed to be used for part of the 3 decrease to the aforming.	centh sec. line 1367.9 Southeast one—quarter of the center of the center of the ses 45 minutes E ast 16 presaid one—sixteenth second one—sixteenth sequired, attach separate sheet)  (CONT cam general	feet south of the Northwe of said Section 12 and in of said road 72 degrees 0.0 feet; thence North 80 section line; thence South and the description in Margrees East 4.56 chains from INUED UNDER REMARKS)  theoretical horsepower.
lackamas Coupart of See eginning at fine Norther enter of the ast 378.2 fe minutes We eet to the plackamas Coupart of Sec tapoint 5 3  (a) Charact (b) Kind of wer or Mining Fig. (a) Tota (b) Qua (c) Tota	nty: tion 12, T. a point in ast one-quan county road et; thence of st 374.9 fee lace of begin nty: tion 12, T. degrees of ter of soil crops raised crops raised ntity of water lifall to be util	the one-sixter of the 3 degree to the aforming.  4 S., R. 1 West 45 feet (If more space respectively)  were to be developed to be used for particled.	centh sec. line 1367.9  Southeast one-quarter of the center of the center of the center of the sec 45 minutes E ast 16 presaid one-sixteenth sec 45 presaid one-sixteenth sec	feet south of the Northwe of said Section 12 and in of said road 72 degrees 0.0 feet; thence North 80 section line; thence South and the description in Margrees East 4.56 chains from INUED UNDER REMARKS)  theoretical horsepower.
lackamas Coupart of See eginning at fine Norther enter of the ast 3/8.2 fe minutes We eet to the plackamas Coupart of Sectapoint 5 3  (a) Charact (b) Kind of wer or Mining Fine 19. (a) Tota (b) Qua (c) Tota (d) The	nty: tion 12, T. a point in ast one-quar county road et; thence I st 374.9 fee lace of begin nty: tion 12, T. degrees I ser of soil er of soil er of soil ntity of water I fall to be util nature of the re	the one-sixter of the 3 degree to the aforming.  4 S., R. 1 West 45 feet (If more space research to be developed to be used for placed works by means	centh sec. line 1367.9 Southeast one—quarter of the center of the center of the sec 45 minutes E ast 16 presaid one—sixteenth sec 45 presaid one—sixte	feet south of the Northwe of said Section 12 and in of said road 72 degr ees thence North 80 section line; thence South and the description in Margrees East 4.56 chains from INUED UNDER REMARKS)  theoretical horsepower.  sec. ft.
lackamas Coupart of See eginning at fine Norther enter of the ast 3/8.2 fe minutes We est to the plackamas Coupart of Sec tapoint 5.3  (a) Charact (b) Kind of wer or Mining Fig. (a) Tota (b) Qua (c) Tota (d) The	nty: tion 12, T. a point in ast one-quan county road et; thence of st 374.9 fee lace of begin nty: tion 12, T. degrees of ter of soil crops raised curposes— d amount of pointity of water l fall to be util nature of the re- a works to be in	the one-sixter of the 3 degree to the aforming.  4 S., R. 1 West 45 feet (If more space research to be developed to be used for placed works by means	centh sec. line 1367.9  coutheast one-quarter of the center of the center of the ses 45 minutes E ast 16 presaid one-sixteenth second o	feet south of the Northwent said Section 12 and in of said road 72 degrees thence North 80 section line; thence South and the description in Margrees East 4.56 chains from INUED UNDER REMARKS)  theoretical horsepower.  sec. ft.
lackamas Coupart of See eginning at f the Northe enter of the ast 3/8.2 fe minutes We est to the plackamas Coupart of Sec tapoint 5.3  (a) Charact (b) Kind of wer or Mining Fe (a) Tota (b) Qua (c) Tota (d) The (e) Such	nty: tion 12, T. a point in ast one-quar county road et; thence st 374.9 fee lace of begin nty: tion 12, T. degrees fer of soil crops raised Purposes— l amount of pointity of water l fall to be util nature of the re works to be imposed.	the one-sixter ter of the 3 degree to the aforming.  4 S., R. 1 West 45 fee to the space result of the space result of the space result of the space result of the search	centh sec. line 1367.9  coutheast one-quarter of the center of the center of the ses 45 minutes E ast 16 presaid one-sixteenth second o	feet south of the Northwe of said Section 12 and in of said road 72 degr ees thence North 80 section line; thence South and the description in Margrees East 4.56 chains from INUED UNDER REMARKS)  theoretical horsepower.  sec. ft.
lackamas Coupart of See eginning at f the Northe enter of the ast 3/8.2 fe minutes We est to the plackamas Coupart of Sec tapoint 5.3  (a) Charact (b) Kind of wer or Mining Fe (a) Tota (b) Qua (c) Tota (d) The (e) Such (f) Is we feel to the plackamas Coupart of Sec tapoint 5.3  (a) Charact (b) Kind of Charact (c) Tota (d) The (e) Such (f) Is we feel to the plackamas Coupart of Sec tapoint 5.3  (b) Kind of Charact (c) Tota (d) The (e) Such (f) Is we feel to the plackamas Coupart of Sec tapoint 5.3	nty: tion 12, T. a point in ast one-quar county road et; thence st 374.9 fee lace of begin nty: tion 12, T. degrees fer of soil crops raised curposes— l amount of pointity of water l fall to be util nature of the read a works to be interested attention be returned.	the one-sixter ter of the 3 degree to the aforming.  4 S., R. 1 West 45 fee to the space result of the space result of the space result of the space result of the second	centh sec. line 1367.9 Southeast one—quarter of chence along the center of the center of the ses 45 minutes E ast 16 presaid one—sixteenth second one—sixteenth second one—sixteenth second of the W. M. beginnity and North 73 l - 2 degendered, attach separate sheet) (CONT team general doped feet.  (Head) feet.  (Head) feet.  (Head) feet.  (Legal Subdivision)	feet south of the Northwe of said Section 12 and in of said road 72 degr ees thence North 80 section line; thence South and the description in Margrees East 4.56 chains from INUED UNDER REMARKS)  theoretical horsepower.  sec. ft.
lackamas Coupart of See eginning at f the Northe enter of the ast 3/8.2 fe minutes We est to the plackamas Coupart of Sectapoint 5.3  (a) Charact (b) Kind of wer or Mining Fe (a) Tota (b) Qua (c) Tota (d) The  (e) Such (No. N. or S.)  (f) Is we (g) If so	nty: tion 12, T. a point in ast one-quar county road et; thence st 374.9 fee lace of begin nty: tion 12, T. degrees fer of soil crops raised curposes— l amount of pointity of water l fall to be util nature of the re works to be a works to be atter to be return name stream	the one-sixter ter of the 3 degree to the aforming.  4 S., R. 1 West 45 fee to the space result of the space result of the space result of the space result of the second	centh sec. line 1367.9  coutheast one—quarter of the center of the sec. line the sec.	feet south of the Northwent said Section 12 and in of said road 72 degrees to of feet; thence North 80 section line; thence South and the description in Margrees East 4.56 chains from INUED UNDER REMARKS)  theoretical horsepower.  sec. ft.  developed

STATE ENGINEER

	10. (a) To supply the city of
	and an estimated population ofin 19
	(b) If for domestic use state number of families to be supplied
	(Answer questions 11, 12, 13, and 14 in all cases)
	11. Estimated cost of proposed works, \$ 300.00
	12. Construction work will begin on or before one year after approval.
	13. Construction work will be completed on or before2""
	14. The water will be completely applied to the proposed use on or before
	14. The water will be completely applied to the proposed use on or before
	(Sgd) Chester H. Rooklidge (Signature of applicant)
chains when 6.00 chains river 10;50 chains to in T. 48.,	Remarks: (continued from item 8) Northeast corner of Block 5, in the town of Aurora, Oregon, at which point is a stake from which a cedar 8 inches in diameter the 43-1-2 degrees West 27 links distant; thence North 53-4 degrees West 3.93 are a quart bottle is deposited 10 inches deep: thence North 73 1-2 degrees East to the left bank of Pudding River; thence North 53-4 degrees West down said 0 chains to the center of the Railroad track; thence North 57 1-2 degrees East 11.00 the East boundary of the West one-half of the Southeast one-quarter of Section 12, R. 1 W; thence Sou th 18.00 chains to the Martin Giesey's Northeast corner; thence -2 degrees West 13 chains to the place of beginning.
	STATE OF ORECON )
	County of Marion,  ss.
	This is to certify that I have examined the foregoing application, together with the accompanying
	των το το υντίμες τωρί ε ματρέ επατρέπερα την ποτρασίπα αποίκεστιση. Τοαρτήρη 1997, την αρκορμοσίωση
	maps and data, and return the same for
	maps and data, and return the same for
	maps and data, and return the same for

Application No.	24570
Permit No	19369

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

	Division No	Dist	rict No			
	This instru	ment was fir				
	on the 3rd		_			
	19.50 , at 11			,		
	Returned to ap					
	***************************************					
	Corrected app	lication receiv	ved:			
	Approved:	•				
	June	30 <b>,</b> 1950				
	Recorded in	n book No	47	of		
	Permits on pa	ge 19	9369			
	CHAS	S. E. STRIC	KLIN STATE EN	GINEER		
r	Drainage Basi	n No2	Page	34 A		,
	Fees Paid	15.00				
•		PERMIT				
STATE OF OREGON,		1 1316191111		•		
County of Marion, S  This is to certify that	t I have examine	ed the forego	ing applica	tion and do	hereby grant	the same,
SUBJECT TO EXISTĪNG I The right herein gran		•				eficial use
and shall not exceed O.						
stream, or its equivalent in					_	
			•	•		
The use to which this	water is to be ap	oplied is	irrigat	ion		
						•••••
If for irrigation, this o	annronriation she	 Ill he limited	to 1/80	 Oth	of one cub	ic foot ner
second or its equival						
diversion of not to						
irrigation season of	each year,					
and shall be subject to such	reasonable rotat	ion system as	may be or	dered by the	proper state of	ficer.
The priority date of t		_	_	_		=
Actual construction v	vork shall begin	on or before	June ;	30 <b>,</b> 1951		and shall
thereafter be prosecuted w	ith reasonable di	ligence and b	: e complete	d on or befor	e	
October 1, 1952						
Complete application	•		use shall t	e made on or	· before	
October 1, 1953			_			
WITNESS my hand t	his 30th	day of				
				CHAS. E. ST	STATE	ENGINEER
Permits for power developme:	-	ayment of annual te Printing Dept. 2	-	ed in sections 1 and	i 2, chapter 74, Oreg	on Laws 1933.