

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Walter S. Skiff (Name of applicant) of 2006 N.E. Broadway (Mailing address), Portland Oregon, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed spring (Name of stream), a tributary of none

2. The amount of water which the applicant intends to apply to beneficial use is 0.02 cubic cubic feet per second. being entire output of spring (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic supply for (Irrigation, power, mining, manufacturing, domestic supplies, etc.) 3 houses

4. The point of diversion is located ft. and ft. from the corner of (N. or S.) (E. or W.) (Section or subdivision) Commencing at meander corner between Sec. 7 & 8 Tws. 1 S R. 10 W. W.M. N 46° 53' E 533.4 feet; thence S 14° 52' E 585 feet more or less to spring which is point of diversion (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the Gov Lot 1 (Give smallest legal subdivision) of Sec. 8, Tp. 1 S, R. 10 W W' (E. or W.), W. M., in the county of Tillamook (N. or S.)

5. The pipe line (Main ditch, canal or pipe line) to be 650 (Miles or feet) in length, terminating in the said Govt Lot 1 (Smallest legal subdivision) of Sec. 8, Tp. 1 S, R. 10 W (N. or S.), W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 5 feet, length on top 4 feet, length at bottom feet; material to be used and character of construction Rock - and Barrel type construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate overflow from container Timber (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. ** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 650 ft.; size at intake, 3/4 inch in.; size at 600 ft. from intake 3/4 in. in.; size at place of use 3/4 inch in.; difference in elevation between intake and place of use, 250 ft. Is grade uniform? Yes Estimated capacity, 0.02 cubic sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
Starting at a point North 550.28 feet and East 738.38 feet from the Meander Corner between Sections 7 and 8, Township 1 south of Range 10 west of the Willamette Meridian, which point is the northeast corner of a 1 acre tract of land deeded to James Carson and wife by J. A. Biggs on April 16, 1912, recorded in Book 16, page 488 deed records of Tillamook County; and running thence North 80° 26' East 322.3 feet to a point on the Meander line of Tillamook Bay; thence along said Meander line South 47° 30' East 1320.0 feet; thence South 47° 00' East approximately 448.6 feet to the southeast corner of Govt. Lot 1, Section 8, Township 1 south of Range 10 west of the Willamette Meridian; thence along the south line of said Lot 1, west 1855.7 feet to the southeast corner of a tract of land deeded to Robert Silknitter et ux, recorded in Book 91 of deeds page 618; thence north 496 feet to the northeast corner of Silknitter tract; thence North 73° 08' West 165.6 feet; thence South 78° 12' West 184.6 feet to Northwest corner of Emerick tract (see Book 108 of deeds, page 204); thence north 203.81 feet to a point in center of County Road; thence North 50° 34' East 310.4 feet to Northwest corner of Eggleston tract; thence South 14° 52' East 394.4 feet; thence North 89° 45' East 346.2 feet; thence North 54° 48' East 150.0 feet; thence North 35° 12' West 350.0 feet; thence North 54° 48' East 111.2 feet; thence North 35° 12' West 208.7 feet to the place of beginning, ALSO a 16 ft. strip lying between the Silknitter and Emerick tract; subject to agreement for right of way recorded at Book 94 of deeds, page 92; Less County Road right of way, but also including any land in Govt. Lot 1 which may lie between the County Road and the Meander line of Tillamook Bay. All in Lot 1, Section 8, Township 1, Range 10 W. W. M.				

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal Subdivision)

Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 3

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 200⁰⁰.....
- 12. Construction work will begin on or before Now completed.....
- 13. Construction work will be completed on or before Now completed.....
- 14. The water will be completely applied to the proposed use on or before Now in use.....

(Sgd) Walter S. Skiff
(Signature of applicant)

Remarks: It is the desire of applicant to apply all the waters from this
spring for domestic use and for yard and lawn sprinkling.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before, 19.....

WITNESS my hand this day of, 19.....

Application No. 24573

Permit No. 19370

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 5 day of April 1950, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

June 30, 1950

Recorded in book No. 47 of

Permits on page 19370

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 1 Page 6 F

Fees Paid 20.00

PERMIT

STATE OF OREGON,

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed spring

The use to which this water is to be applied is domestic, including the irrigation of not to exceed 1/2 acre for each family

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 5, 1950

Actual construction work shall begin on or before June 30, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

Complete application of the water to the proposed use shall be made on or before October 1, 1953

WITNESS my hand this 30th day of June, 1950

CHAS. E. STRICKLIN

STATE ENGINEER