

CERTIFICATE NO. 23473

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, C. L. Robinson (Name of applicant) of Route 2, Box 309, Tigard, Oregon (Mailing address), do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Fanno Creek (Name of stream), a tributary of Tualatin River

2. The amount of water which the applicant intends to apply to beneficial use is 0.68 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of (N. or S.) (E. or W.) (Section or subdivision)

Monument "A" is S56° 19' E 882.4 feet from the N 1/4 corner of sec. 34 and is in the NW 1/4 of NE 1/4 sec. 34; Monument "B" is S56° 19' E 2120.1 feet from the N 1/4 corner of sec. 34 and is in the NE 1/4 of the NE 1/4 sec. 34; Monument "C" is S47° 55' E 3320.2 feet from the N 1/4 cor. of sec. 34 and is in the SE 1/4 of NE 1/4 of sec. 34 (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the of Sec. 1 S (Give smallest legal subdivision) (N. or S.)

R. 1 W (E. or W.), W. M., in the county of Washington

5. The 1200 feet pipe line (Main ditch, canal or pipe line) to be 1200 feet (Miles or feet) in length, terminating in the SE 1/4 of NE 1/4 sec. 34 T1S, R1WWM SW 1/4 of the SE 1/4 sec. 27 T1S, R1WWM (Smallest legal subdivision) (N. or S.)

R. W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 7 1/2 hp electric motor 2" centrifugal pump 15' lift. (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. ** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1200 ft.; size at intake, 4 in.; size at 600 ft. from intake 3 in.; size at place of use 3 in.; difference in elevation between intake and place of use, 15 ft. Is grade uniform? Yes Estimated capacity, 250 gpm ~~.....~~.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 S	1 W	27	SW $\frac{1}{4}$ of SE $\frac{1}{4}$	17.6
1 S	1 W	34	NW $\frac{1}{4}$ of NE $\frac{1}{4}$	6.9
1 S	1 W	34	NE $\frac{1}{4}$ of NE $\frac{1}{4}$	6.8
1 S	1 W	34	SE $\frac{1}{4}$ of NE $\frac{1}{4}$	23.6
			Total	54.9

(If more space required, attach separate sheet)

(a) Character of soil Willamette and Wapato

(b) Kind of crops raised pasture and general farm crops

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 2,500.00

12. Construction work will begin on or before June 1950

13. Construction work will be completed on or before August 1953

14. The water will be completely applied to the proposed use on or before August 1953

(Sgd) C. L. Robinson
(Signature of applicant)

Remarks: Beginning at a point on the east boundary of section 27, T1S, R1W, W.M., 10 chains north of the southeast corner of said section, this being the north-east corner of a tract willed by Wm. J. Robinson to Florence I. Robinson, and thence west on the north boundary of the Southeast quarter of said section 27; thence north on said west boundary 9 chains to a post 1 chain south of the southwest corner; thence N 88° 48' E 1.70 chains to a stone set on the east bank of Fanno Creek; thence N15° 20' E 1 chain to a stone set on the south boundary of R. S. Robinson tract; thence east 36 chains more or less to the center of the Scholls Ferry road; thence S20° 00' W with same 3.80 chains more or less to the southwest corner of a tract conveyed by Wm J . Robinson to Pete Olson and Gust Olsson recorded in Vol. 127, p. 47, Washington Co., Ore. Deed Records; thence east 3.61 chains to the south-east corner of said Olsson tract on the section line and; thence south 6.40 chains to the place of beginning. Also the southwest quarter of the southeast quarter of Section 27 / T1S, R1W, W.M.; also, the southeast quarter of section 34, T1S, R1W, W.M. with the exception of that tract of land described in volume 282, page 363, Washington county, Oregon, Deed Records.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

Application No. 24523

Permit No. 19376

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 12th day of April, 1950, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

June 30, 1950

Recorded in book No. 47 of Permits on page 19376

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 62R

Fees Paid 18.75

PERMIT

STATE OF OREGON, County of Marion, ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.68 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Fanno Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, and shall be still further limited to a diversion of not to exceed 0.68 c.f.s.,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 12, 1950

Actual construction work shall begin on or before June 30, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

Complete application of the water to the proposed use shall be made on or before October 1, 1953

WITNESS my hand this 30th day of June, 1950

CHAS. E. STRICKLIN

STATE ENGINEER