

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Marven Coon (Name of applicant) of Rt. 3, Box 370 Corvallis (Mailing address), State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Willamette River (Name of stream), a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.25 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of (N. or S.) (E. or W.) (Section or subdivision) portable pumping at any point where river touches property described herein (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NE 1/4 NE 1/4 & SE 1/4 NE 1/4 of Sec. 14, Tp. 12 S., R. 5 W., W. M., in the county of Benton (Give smallest legal subdivision) (N. or S.)

5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. , Tp. (N. or S.) R. , W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam none feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)

7 1/2 hp electric motor (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

24 - 7 gpm sprinklers

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 2000 ft.; size at intake, 4 in.; size at 1000 ft. from intake in.; size at place of use 3 in.; difference in elevation between intake and place of use, 46 ft. Is grade uniform? no Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
12 S	5 W	11	NE $\frac{1}{4}$ NE $\frac{1}{4}$	12.5
			SE $\frac{1}{4}$ NE $\frac{1}{4}$	7.5
				<u>20.0</u>

Property on which water is to be used is a part of that more explicitly described by applicant as follows:

Part of the David Butterfield Donation Land Claim No. 47, Township No. Twelve (12), South Range Five (5) West, Willamette Meridian, Benton County, Oregon, described as follows:

Beginning at the southeast corner of said claim and running on the south line of said claim N. 89 deg. 32' W. 44.88 chains, to an iron pipe in the center of the State Road, thence following said road N. 5 deg., 39' E. 21.086 chains, to an iron pipe in center of same, thence S. 89 deg. 32' E. 31.667 chains, to an iron plow share, thence N. 13 deg. 44' E. 3.433 chains, to an iron pipe, thence S. 89 deg. 32' E. 23.42 chains, to an iron plow share, thence N. 29° 6' E. 2.38 chains, N. 52 deg. 13' E. 9.945 chains, to an iron plow share, thence S. 62 deg. 25' E. 2.85 chains, to the right bank of the Willamette River, thence following the meanders of said right bank S. 30 deg. 26' W. 3.687 chains, S. 34 deg. 10' W. 8.149 chains, S. 33 deg. 47' W. 5.00 chains, S. 40 deg., 50' W. 5.00 chains, thence S. 35 deg., W. 5.746 chains, S. 49 deg. 15' W. 5.00 chains, S. 78° 41' W. 1.449 chains, S. 36 deg. 49' W. 6.201 chains, to the place of beginning, containing 126.558 acres.

(If more space required, attach separate sheet)

(a) Character of soil Willamette sandy

(b) Kind of crops raised clover garden pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1800.00

12. Construction work will begin on or before

13. Construction work will be completed on or before Construction completed

14. The water will be completely applied to the proposed use on or before 3 yrs after approval

(Sgd) Marven Coon
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

Application No. 24705

Permit No. 19415

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 12th day of May 1950, at 1:20 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

June 30, 1950

Recorded in book No. 47 of

Permits on page 19415

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 64-C

Fees Paid 15.00

PERMIT

STATE OF OREGON,

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.25 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Willamette River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 12, 1950

Actual construction work shall begin on or before June 30, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1953

WITNESS my hand this 30th day of June, 1950

CHAS. E. S. TRICKLIN

STATE ENGINEER