

* APPLICATION FOR A PERMIT

CERTIFICATE NO. 24205

To appropriate the Public Waters of the State of Oregon

I, Frank L. Farmer (Name of applicant) of Box - 305, Hebo (Post office), County of Tillamook, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Spring - No. stream is in evidence, swampy ground, a tributary of drains into Farmer Cr.

2. The amount of water which the applicant intends to apply to beneficial use is 0.01 cubic feet per second.

**3. The use to which the water is to be applied is Domestic Supplies (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 3080 ft. S and 1300 ft. W from the N.E. corner of Section-1- (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the N.E. 1/4 of the S.E. 1/4 of Sec. 1, Tp. 4-S, R. 10 W, W. M., in the county of Tillamook

5. The Pipe line to be 415 feet in length, terminating in the N.W. 1/4 of N.E. 1/4 of S.E. 1/4 of Sec. 1, Tp. 4 S, R. 10 W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 3 feet, length on top 10 feet, length at bottom 8 feet; material to be used and character of construction Timber Crib (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate One opening for 1" iron pipe (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied one family

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 150.00

12. Construction work will begin on or before June 1st 1950

13. Construction work will be completed on or before Aug. 1-1950

14. The water will be completely applied to the proposed use on or before Sept. 1-1950

(S) Frank L. Farmer
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

Application No. 24716

Permit No. 19421

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 16th day of May, 1950, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

June 30, 1950

Recorded in book No. 47 of

Permits on page 19421

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 1 Page 16 C

Fees Paid 20.00

PERMIT

STATE OF OREGON, County of Marion, ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring

The use to which this water is to be applied is domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 16, 1950

Actual construction work shall begin on or before June 30, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

Complete application of the water to the proposed use shall be made on or before October 1, 1953

WITNESS my hand this 30th day of June, 1950

CHAS. E. STRICKLIN

STATE ENGINEER