

\* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Henry Wilmes (Name of applicant) of Rt 1 Woodburn (Mailing address), State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Case Creek (Name of stream) trib. of Champoeg Creek, a tributary of Willamette River and unnamed gulch

2. The amount of water which the applicant intends to apply to beneficial use is 0.38 + 0.40 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is irrigation and fish culture (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of (N. or S.) (E. or W.) (Section or subdivision)

N. 15° 31' E 300 ft and W. 750 ft from SE corner DLC No. 48

N. 15° 31' E 1636.8 ft. and N. 72° 08' W. 450 ft. from SE " " " " (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 SW 1/4 & SW 1/4 SW 1/4 of Sec. 24, Tp. 4 S (Give smallest legal subdivision) (N. or S.)

R. 2 W., W. M., in the county of Marion (E. or W.)

5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. (N. or S.)

R. (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 2 feet, length on top 20 feet, length at bottom feet; material to be used and character of construction earth (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 2 1/2 in cent pump (Size and type of pump)

tractor 25 HP (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

20 sprinklers

\* A different form of application is provided where storage works are contemplated.

\*\* Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



Municipal or Domestic Supply—

10. (a) To supply the city of .....  
..... County, having a present population of .....  
(Name of)  
and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 2000<sup>00</sup>.....
- 12. Construction work will begin on or before ..... One year after approval.....
- 13. Construction work will be completed on or before Two yrs " ".....
- 14. The water will be completely applied to the proposed use on or before 3 " " ".....

(Sgd) Henry Wilmes  
(Signature of applicant)

Remarks: .....

Property on which water is to be used is a part of that more explicitly described by applicant as follows:

That portion of the following described tract which lies East of the center line of the Champoeg-St. Louis County Road; said road being County Road #416.

Beginning at the Southwest corner of the Donation Land Claim of Barney Kennedy and wife in Township 4 South, Range 2 West of the Willamette Meridian, Marion County, Oregon; thence North 23 deg. 17' East 26.45 chains along the West line of the Barney Kennedy Claim to a point 8.75 chains South 23 deg. 17' West from the Northwest corner of the South half of said claim; thence South 70 deg. 50' East 90.21 chains to the East line of the Barney Kennedy Claim and 8.75 chains South 15 deg. 31' West from the Northeast corner of the South half of said claim; thence South 15 deg. 31' West 24.80 chains to the Southeast corner of the Barney Kennedy Claim; thence North 71 deg. 50' West 93.70 chains along the South line of the Barney Kennedy Claim to the place of beginning, being situated in Marion County, Oregon.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ..... completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 2, 19 50.

WITNESS my hand this 2nd day of May, 19 50.

CHAS. E. STRICKLIN  
STATE ENGINEER

By Ed K. Humphrey, Assistant  
dh

Application No. 24045

Permit No. 19440

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 23rd day of August, 1949, at 11:37 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

September 29, 1950

Recorded in book No. 47 of

Permits on page 19440

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 76 W

Fees Paid 25.00

PERMIT

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.69 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Case Creek and unnamed gulch and reservoir to be constructed under Application No. R-24044, Permit No. R-1032.

The use to which this water is to be applied is irrigation and fish culture, being 0.29 c.f.s. from Case Creek for irrigation and 0.40 c.f.s. from unnamed gulch and reservoir for fish culture.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 23, 1949 for 0.38 cfs & May 23, 1950 for 0.31 cfs

Actual construction work shall begin on or before September 29, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1953

WITNESS my hand this 29th day of September, 1950.

CHAS. E. STRICKLIN

STATE ENGINEER