

ASSIGNED, See Misc. Rec. Vol. 3 Page 253

CERTIFICATE NO. 21410

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Robert Girven of Tidewater State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is a spring tributary of unnamed stream, a tributary of Alsea River

2. The amount of water which the applicant intends to apply to beneficial use is 0.01 cubic feet per second.

**3. The use to which the water is to be applied is domestic, including the irrigation of not to exceed 1/2 acre

4. The point of diversion is located 127 ft. N and 60 ft. E from the SW corner of the NE 1/4 NW 1/4

being within the NE 1/4 NW 1/4 of Sec. 28, Tp. 13 S., R. 10 W., W. M., in the county of Lincoln

5. The ... to be ... in length, terminating in the ... of Sec. ... Tp. ... R. ... W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam ... feet, length on top ... feet, length at bottom ... feet; material to be used and character of construction ... have a sump with pipe into reception tank

(b) Description of headgate ... (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description ... gravity flow ... (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. ** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 240 ft.; size at intake, 3/4 in.; size at ft. from intake in.; size at place of use 3/4 in.; difference in elevation between intake and place of use, 30 ft. Is grade uniform? no Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
13 S.	10 W.	28	NE 1/4 NW 1/4	
Property on which water is to be used is a part of that more explicitly described by applicant as follows:				
NW 1/4 of NE 1/4 of SE 1/4 of NW 1/4 & W 1/2 of NE 1/4 of NW 1/4 & N 1/2 of NW 1/4 of SE 1/4 of NW 1/4 & W 1/2 of E 1/2 of NE 1/4 of NW 1/4 of Section 28, T13 S, R10 W. W.M.				
Cont. 37.50 Acres.				

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal Subdivision)

Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Application No. 24513

Permit No. 19458

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 17th day of March

1950, at 1:45 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

September 29, 1950

Recorded in book No. 47 of

Permits on page 19458

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 18 Page 12 A

Fees Paid 20.00

PERMIT

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring

The use to which this water is to be applied is domestic, including the irrigation of not to exceed 1/2 acre.

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 17, 1950

Actual construction work shall begin on or before September 29, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1953

WITNESS my hand this 29th day of September, 1950

CHAS. E. STRICKLIN STATE ENGINEER