## \* APPLICATION FOR PERMIT

## To Appropriate the Public Waters of the State of Oregon

I, EIRIH F. SCHRIDURE (Name of applicant)
of Sherwood, Route 3, Box 30 (Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is Rock Creek and unnamed stream, (Name of stream)  trib. of Rock Cr., a tributary of Tualatin River
and res. to be constructed  2. The amount of water which the applicant intends to apply to beneficial use is .0.38 + 0.25
cubic feet per second. (If water is to be used from more than one source, give quantity from each)
**3. The use to which the water is to be applied isirrigation(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4. The point of diversion is located $(670   ft.   S   and   1440   ft.   E   from the   S_4^1$
corner of Sec. 4, T. 3 S., R. 1 W., W. M. (Section or subdivision)
(If preferable, give distance and bearing to section corner)
9
being within the SW SE & SE Sec. 4 & NE & NE & Sec. 9 Tp. 3.8  (Give smallest legal subdivision)
R. 1 W , W. M., in the county of Clackanas
5. Theto be
in length, terminating in the of Sec, Tp
R, W. M., the proposed location being shown throughout on the accompanying map.  (E. or W.)
DESCRIPTION OF WORKS
Diversion Works— 2 dams —
both  6. (a) Height of dam
150 feet; material to be used and character of construction dirt and concrete (Loose rock, concrete, masonry
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate 1 - concrete (Timber, concrete, etc., number and size of openings)
(c) If water is to be pumped give general description his gas or diesel - pump (Size and type of pump)
15 - 10 gpm sprinklers. (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

<sup>\*</sup> A different form of application is provided where storage works are contemplated.

<sup>\*\*</sup> Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

	a dim anaiana	at and maint of		iged in size, stating miles from
7. (a) Giv	e annensions	ai each poini oj	canai where materially chan	
eadgate. At hea	dgate: width o	on top (at water	r line)	feet; width on bottom
	feet; depth of	water	feet; grade	feet fall per one
ousand feet. (b) At	*********************	miles from h	readgate: width on top (at wo	ater line)
			•	
				water feet;
ade	feet f	all per one thou	usand feet. 1600' of mai	inline
(c) Length	ı of pipe,	ft.	; size at intake,4	in.; size at ft.
om intake	น้า	n.; size at place	of use3	lifference in elevation between
take and place	of use,5	50 ft.	Is grade uniform?No	Estimated capacity,
***************************************				
	•		June of man	
		<del></del>		Number Acres
Township WILLAN	ETTE MERIDIAN	Section	Forty-acre Tract	To Be Irrigated
3 S	1 W	1 4	SW <sup>1</sup> / <sub>4</sub> SE <sup>1</sup> / <sub>4</sub>	8
	+	9	SEA SEA	20
			NW NE	7
				50
roperty on wl oplicant as	hich water	is to be use	d is a part of that mor	e explicitly described by
<del>-</del>		Clackamas	County Record of Deeds	Book 357, Page 515
red W. Scham	hurg and Ti	7 7 2 A MI 1		
Beginning hich stone is ownship 3 Son t said quarte	g at a stone distant for th Range 1 er section	e in the cen rom the quar , West of the	ter of the Sherwood and ter section corner betwee Willamette Meridian as ce North 0° 15' East 14.	of Sherwood, Oregon  Wilsonville County road, een Sections h and 9, in s follows: Commencing 1.9 feet to a stone in the
Beginning hich stone is ownship 3 Sout said quarter aid County Read to said point arked "X", the outh 89° 15'	g at a stone distant for th Range 1 er section ad marked of beginning ence running West 2776.	e in the centrum the quart, West of the corner, then a.F.G."; then a.F.G	Description ter of the Sherwood and ter section corner betwee Willamette Meridian as ce North 0° 15' East 14; ence North 49° 18' West thence North 89° 45' East 36' East 1002.7 feet to stone in the center of	of Sherwood, Oregon  Wilsonville County road, een Sections 4 and 9, in s follows: Commencing 1.9 feet to a stone in the 1380.4 feet to said stone st 2182.2 feet to a stone a stone marked "X", thence said Sherwood and Wilsonvi
Beginning hich stone is ownship 3 Sout said quarter aid County Read County Read "X", thouth 89° 15' ounty Road, in	at a stone distant from the Range 1 of beginning the more running west 2776.	e in the centrom the quart, West of the corner, thence F.G."; thence F.G	Description ter of the Sherwood and ter section corner betwee Willamette Meridian as ce North 0° 15' East 14, ence North 49° 18' West thence North 89° 45' East 36' East 1002.7 feet to stone in the center of second the center of second attach separate sheet)	of Sherwood, Oregon  Wilsonville County road, een Sections 4 and 9, in s follows: Commencing 1.9 feet to a stone in the 1380.4 feet to said stone st 2182.2 feet to a stone a stone marked "X", thence said Sherwood and Wilsonvi d road South 14° 53! East
Beginning hich stone is ownship 3 Son t said quarter aid County Rest said point arked "X", thouth 89° 15' ounty Road, in Character (a) Character (a) Character (b)	at a stone distant from the Range 1 of beginning the running west 2776.	e in the centrum the quart, West of the corner, then the running ng North 0° 9 feet to a string along the (W more space)	Description ter of the Sherwood and ter section corner betwee Willamette Meridian as ce North 0° 15' East 14; ence North 49° 18' West thence North 89° 45' Eas 36' East 1002.7 feet to stone in the center of serequired, attach separate sheet) — shot	of Sherwood, Oregon  Wilsonville County road, een Sections 4 and 9, in s follows: Commencing 1.9 feet to a stone in the 1380.4 feet to said stone st 2182.2 feet to a stone a stone marked "X", thence said Sherwood and Wilsonvi d road South 14.º 53! East
Beginning mich stone is ownship 3 Son t said quarte aid County Re t said point arked "X", th outh 89° 15' ounty Road, i	at a stone distant from the Range 1 of beginning the running west 2776.	e in the centrum the quart, West of the corner, then the running ng North 0° 9 feet to a string along the (W more space)	Description ter of the Sherwood and ter section corner betwee Willamette Meridian as ce North 0° 15' East 14; ence North 49° 18' West thence North 89° 45' Eas 36' East 1002.7 feet to stone in the center of serequired, attach separate sheet) — shot	of Sherwood, Oregon  Wilsonville County road, een Sections 4 and 9, in s follows: Commencing 1.9 feet to a stone in the 1380.4 feet to said stone st 2182.2 feet to a stone a stone marked "X", thence said Sherwood and Wilsonvi d road South 14° 53! East
Beginning mich stone is ownship 3 Son t said quarte aid County Re t said point arked "X", th outh 89° 15' ounty Road, i  (a) Charac (b) Kind o	at a stone distant from the Range 1 of beginning the running west 2776. The running the running the running ter of soil	e in the centrum the quart, West of the corner, then the running ng North 0° 9 feet to a string along the (W more space)	Description ter of the Sherwood and ter section corner betwee Willamette Meridian as ce North 0° 15' East 14; ence North 49° 18' West thence North 89° 45' Eas 36' East 1002.7 feet to stone in the center of serequired, attach separate sheet) — shot	of Sherwood, Oregon  Wilsonville County road, een Sections 4 and 9, in s follows: Commencing 1.9 feet to a stone in the 1380.4 feet to said stone st 2182.2 feet to a stone a stone marked "X", thence said Sherwood and Wilsonvi d road South 14. 53! East
Beginning mich stone is ownship 3 Son t said quarte aid County Re t said point arked "X", th outh 89° 15' ounty Road, i  (a) Charac (b) Kind of	at a stone distant from the Range 1 of beginning the control of th	e in the centrum the quart, West of the corner, then the corner, the corner, the corner of the corner	Description ter of the Sherwood and ter section corner betwee Willamette Meridian as ce North 0° 15' East 14 ence North 49° 18' West thence North 89° 45' Eas 36' East 1002.7 feet to stone in the center of serviced, attach separate sheet) — shot a - clover seed - potate	of Sherwood, Oregon  Wilsonville County road, een Sections 4 and 9, in s follows: Commencing 1.9 feet to a stone in the 1380.4 feet to said stone st 2182.2 feet to a stone a stone marked "X", thence said Sherwood and Wilsonvi d road South 14. 53! East
Beginning hich stone is ownship 3 Son t said quarte aid County Re t said point arked "X", th outh 89° 15' ounty Road, i  (a) Charac (b) Kind of ower or Mining 9. (a) Tot	at a stone distant from the Range 1 of section of beginning the control of crops raised amount of a section of a soil	e in the centrum the quart, West of the corner, then the corner, the corner of the co	Description ter of the Sherwood and ter section corner betwee Willamette Meridian as ce North 0° 15' East 14 ence North 49° 18' West thence North 89° 45' Eas 36' East 1002.7 feet to stone in the center of serviced, attach separate sheet) — shot a - clover seed - potate	of Sherwood, Oregon  Wilsonville County road, een Sections 4 and 9, in s follows: Commencing 1.9 feet to a stone in the 1380.4 feet to said stone st 2182.2 feet to a stone a stone marked "X", thence said Sherwood and Wilsonvid d road South 14° 53! East  oes - strawberries.  theoretical horsepower.
Beginning hich stone is ownship 3 Son t said quarte aid County Re aid County Re t said point arked "X", th outh 89° 15' ounty Road,  (a) Charac  (b) Kind of ower or Mining 9. (a) Tot  (b) Qua	at a stone distant from the Range 1 of beginning the rection where the running the rection of crops raised anount of the rection of the recti	e in the centrum the quart, West of the corner, then one, running of the corner of the	Description ter of the Sherwood and ter section corner betwee Willamette Meridian as ce North 0° 15' East 14 ence North 49° 18' West thence North 89° 45' Eas 36' East 1002.7 feet to stone in the center of said erequired, attach separate sheet) — shot  a - clover seed - potate  veloped  r power	of Sherwood, Oregon  Wilsonville County road, een Sections 4 and 9, in s follows: Commencing 1.9 feet to a stone in the 1380.4 feet to said stone st 2182.2 feet to a stone a stone marked "X", thenc said Sherwood and Wilsonvi d road South 14° 53! East  oes - strawberries.  theoretical horsepower.
Beginning hich stone is ownship 3 Son t said quarte aid County Re aid County Re t said point arked "X", th outh 89° 15' ounty Road,  (a) Charac  (b) Kind of ower or Mining 9. (a) Tot  (b) Que  (c) Tot	at a stone distant from the Range 1 of beginning the rection was 2776. The rection of crops raised anount of antity of water al fall to be used the rection of the rection	e in the centrum the quart, West of the corner, thence in F.G."; thence in North O. 9 feet to a sing along the corner space Newberg alfalfor power to be decent to be used for the corner in the corne	Description ter of the Sherwood and ter section corner betwee e Willamette Meridian as ce North 0° 15' East 14 ence North 49° 18' West thence North 89° 45' Eas 36' East 1002.7 feet to stone in the center of said e required, attach separate sheet)  — shot  a - clover seed - potate  veloped  r power  (Head)	of Sherwood, Oregon  Wilsonville County road, een Sections 4 and 9, in s follows: Commencing 1.9 feet to a stone in the 1380.4 feet to said stone st 2182.2 feet to a stone a stone marked "X", thence said Sherwood and Wilsonvid d road South 14. 53! East  oes - strawberries.  theoretical horsepower.  sec. ft.
Beginning hich stone is ownship 3 Son t said quarte aid County Re t said point arked "X", th outh 89° 15' ounty Road,  (a) Charac  (b) Kind of ower or Mining 9. (a) Tot  (b) Que  (c) Tot	at a stone distant from the Range 1 of beginning the rection was 2776. The rection of crops raised anount of antity of water al fall to be used the rection of the rection	e in the centrum the quart, West of the corner, thence in F.G."; thence in North O. 9 feet to a sing along the corner space Newberg alfalfor power to be decent to be used for the corner in the corne	Description ter of the Sherwood and ter section corner betwee e Willamette Meridian as ce North 0° 15' East 14 ence North 49° 18' West thence North 89° 45' Eas 36' East 1002.7 feet to stone in the center of secured, attach separate sheet) —— shot  a — clover seed — potate  weloped  r power  feet.  (Head)  ns of which the power is to be	of Sherwood, Oregon  Wilsonville County road, een Sections 4 and 9, in s follows: Commencing 1.9 feet to a stone in the 1380.4 feet to said stone st 2182.2 feet to a stone a stone marked "X", theno said Sherwood and Wilsonvi d road South 14. 53! East  oes - strawberries.  theoretical horsepower.  sec. ft.
Beginning hich stone is ownship 3 Son t said quarte aid County Re t said point arked "X", th outh 89° 15' ounty Road, i  (a) Charac (b) Kind c ower or Mining 9. (a) Tot (b) Qua (c) Tot (d) The	at a stone distant from the Range 1 of beginning the rection of beginning the rection of the rec	e in the centrom the quart, West of the corner, then a.F.G."; then me north 0° 9 feet to a sing along the (u more space) Newberg alfalf:  power to be decent to be used for the corner, then alfalf:  Newberg alfalf:  power to be decent to be used for the corner to be used for the	Description ter of the Sherwood and ter section corner betwee e Willamette Meridian as ce North 0° 15' East 14 ence North 49° 18' West thence North 89° 45' Eas 36' East 1002.7 feet to stone in the center of said a required, attach separate sheet)  — shot  a — clover seed — potate  weloped  r power  feet.  (Head)  ns of which the power is to be	of Sherwood, Oregon  Wilsonville County road, een Sections 4 and 9, in s follows: Commencing 1.9 feet to a stone in the 1380.4 feet to said stone st 2182.2 feet to a stone a stone marked "X", theno said Sherwood and Wilsonvi d road South 14. 53! East  oes - strawberries.  theoretical horsepower.  sec. ft.
Beginning mich stone is ownship 3 Son t said quarte aid County Re t said point arked "X", th outh 89° 15' ounty Road, i  (a) Charac (b) Kind c ower or Mining 9. (a) Tot (b) Qua (c) Tot (d) The  (e) Suc	at a stone distant from the Range 1 of beginning the rection of beginning the rection of the rec	e in the centrom the quart, West of the corner, then a.F.G."; then mg, running mg North O. 9 feet to a sing along the (u more space)  Newberg  alfalf:  power to be decent to be used for the best of the control of the	Description ter of the Sherwood and ter section corner betwee e Willamette Meridian as ce North 0° 15' East 14, ence North 49° 18' West thence North 89° 45' Eas 36' East 1002.7 feet to stone in the center of secured, attach separate sheet) —— shot  a — clover seed — potate  weloped  "r power  (Head)  ns of which the power is to be  (Legal Subdivision)	of Sherwood, Oregon  Wilsonville County road, een Sections 4 and 9, in s follows: Commencing 1.9 feet to a stone in the 1380.4 feet to said stone st 2182.2 feet to a stone a stone marked "X", thence said Sherwood and Wilsonvi d road South 14. 53! East  oes - strawberries.  theoretical horsepower.  sec. ft.
Beginning mich stone is ownship 3 Son t said quarte aid County Re t said point arked "X", th outh 89° 15' ounty Road, i  (a) Charac (b) Kind c ower or Mining 9. (a) Tot (b) Qua (c) Tot (d) The  (e) Suc	at a stone distant from the Range 1 of beginning the rection of beginning the rection of the rec	e in the centrom the quart, West of the corner, then a.F.G."; then mg, running mg North O. 9 feet to a sing along the (u more space)  Newberg  alfalf:  power to be decent to be used for the best of the control of the	Description ter of the Sherwood and ter section corner betwee e Willamette Meridian as ce North 0° 15' East 14, ence North 49° 18' West thence North 89° 45' Eas 36' East 1002.7 feet to stone in the center of secured, attach separate sheet) —— shot  a — clover seed — potate  weloped  "r power  (Head)  ns of which the power is to be  (Legal Subdivision)	of Sherwood, Oregon  Wilsonville County road, een Sections 4 and 9, in s follows: Commencing 1.9 feet to a stone in the 1380.4 feet to said stone st 2182.2 feet to a stone a stone marked "X", thence said Sherwood and Wilsonvi d road South 14. 53! East  oes - strawberries.  theoretical horsepower.  sec. ft.
Beginning hich stone is ownship 3 Son t said quarte aid County Re t said point arked "X", th outh 89° 15' ounty Road,  (a) Charac (b) Kind c ower or Mining 9. (a) Tot (b) Que (c) Tot (d) The  (e) Suc p	at a stone distant from the Range 1 of beginning the rection of beginning the rection of the running the rection of crops raised and amount of pantity of water al fall to be used to the running the rection of the running t	e in the centrum the quarty, West of the corner, then the F.G."; then shorth of the corner was not	Description ter of the Sherwood and ter section corner betwee e Willamette Meridian as ce North 0° 15' East 14 ence North 49° 18' West thence North 89° 45' Eas 36' East 1002.7 feet to stone in the center of serough the center of serough the center of said e required, attach separate sheet)  — shot  a — clover seed — potate  weloped  feet.  (Head)  ns of which the power is to be  (Legal Subdivision)  M.	of Sherwood, Oregon  Wilsonville County road, een Sections 4 and 9, in s follows: Commencing 1.9 feet to a stone in the 1380.4 feet to said stone st 2182.2 feet to a stone a stone marked "X", thence said Sherwood and Wilsonvi d road South 14. 53! East  oes - strawberries.  theoretical horsepower.  sec. ft.
Beginning hich stone is ownship 3 Son t said quarte aid County Re t said point arked "X", th outh 89° 15' ounty Road,  (a) Charac (b) Kind c ower or Mining 9. (a) Tot (b) Que (c) Tot (d) The  (e) Suc p. (No. N. or S.) (f) Is u	at a stone distant from the Range 1 of beginning the rection of beginning the rection of the rection of crops raised and amount of pantity of water al fall to be used to be mature of the rection of the	e in the centrum the quart, West of the corner, then the F.G."; then shows a ling along the current be decreted in the corner of	Description ter of the Sherwood and ter of the Sherwood and ter section corner betwee e Willamette Meridian as ce North 0° 15' East 14 ence North 49° 18' West thence North 89° 45' Eas 36' East 1002.7 feet to stone in the center of secured, attach separate sheet) — shot a — clover seed — potate  weloped  r power  (Head)  ns of which the power is to be  (Legal Subdivision)  M.  (ream?  (Yes or No)	of Sherwood, Oregon  Wilsonville County road, een Sections 4 and 9, in s follows: Commencing  1.9 feet to a stone in the 1380.4 feet to said stone at 2182.2 feet to a stone a stone marked "X", then said Sherwood and Wilsonvid road South 14. 53! East  oes - strawberries.  theoretical horsepower.  sec. ft.  e developed
Beginning hich stone is ownship 3 Son t said quarte aid County Re t said point arked "X", th outh 89° 15' ounty Road,  (a) Charac (b) Kind c ower or Mining 9. (a) Tot (b) Qua (c) Tot (d) The  (e) Suc p.  (No. N. or S.) (f) Is u (g) If s	at a stone distant from the Range 1 of beginning the control of th	e in the centrum the quar , West of the corner, thence "A.F.G."; thence, running of the corner of th	Description ter of the Sherwood and ter section corner betwee e Willamette Meridian as ce North 0° 15' East 14 ence North 49° 18' West thence North 89° 45' Eas 36' East 1002.7 feet to stone in the center of secured, attach separate sheet) — shot  a - clover seed - potate  weloped  "rower feet.  (Head)  ns of which the power is to be  (Legal Subdivision)  M.  "ream? (Yes or No) oint of return	of Sherwood, Oregon  Wilsonville County road, een Sections 4 and 9, in s follows: Commencing 1.9 feet to a stone in the 1380.4 feet to said stone st 2182.2 feet to a stone a stone marked "X", thence said Sherwood and Wilsonvid road South 14. 53! East  oes - strawberries.  theoretical horsepower.  sec. ft.  e developed
Beginning hich stone is ownship 3 Son t said quarte aid County Re t said point arked "X", th outh 89° 15' ounty Road, i  (a) Charac (b) Kind c ower or Mining 9. (a) Tot (b) Qua (c) Tot (d) The  (e) Suc p.  (No. N. or S.) (f) Is u (g) If s	at a stone distant from the Range 1 of beginning the rection of beginning the rection of the rec	e in the centrum the quart, West of the corner, then in F.G."; the	Description ter of the Sherwood and ter section corner betwee e Willamette Meridian as ce North 0° 15' East 14; ence North 49° 18' West thence North 89° 45' Eas 36' East 1002.7 feet to stone in the center of said required, attach separate sheet)  — shot a — clover seed — potate  weloped  r power  (Head)  ns of which the power is to be  (Legal Subdivision)  M.  tream?  (Yes or No) oint of return  (No. N. or S.)	of Sherwood, Oregon  Wilsonville County road, een Sections 4 and 9, in s follows: Commencing 1.9 feet to a stone in the 1380.4 feet to said stone st 2182.2 feet to a stone a stone marked "X", thence said Sherwood and Wilsonvid road South 14. 53! East coes - strawberries.  theoretical horsepower.  sec. ft.  de developed
Beginning hich stone is ownship 3 Son t said quarte aid County Re aid County Re t said point arked "X", th outh 89° 15' ounty Road,  (a) Charac (b) Kind c ower or Mining 9. (a) Tot (b) Qua (c) Tot (d) The  (e) Suc p.  (No. N. or S.) (f) Is u (g) If s	at a stone distant from the Range 1 of beginning the rection of beginning the rection of the rec	e in the centrum the quart, West of the corner, then in F.G."; the	Description ter of the Sherwood and ter section corner betwee e Willamette Meridian as ce North 0° 15' East 14; ence North 49° 18' West thence North 89° 45' Eas 36' East 1002.7 feet to stone in the center of said required, attach separate sheet)  — shot a — clover seed — potate  weloped  r power  (Head)  ns of which the power is to be  (Legal Subdivision)  M.  tream?  (Yes or No) oint of return  (No. N. or S.)	of Sherwood, Oregon  Wilsonville County road, een Sections 4 and 9, in s follows: Commencing 1.9 feet to a stone in the 1380.4 feet to said stone st 2182.2 feet to a stone a stone marked "X", thence said Sherwood and Wilsonvid d road South 14. 53! East  oes - strawberries.  theoretical horsepower.  sec. ft.  e developed
Beginning hich stone is ownship 3 Son t said quarte aid County Re t said point arked "X", th outh 89° 15' ounty Road, i  (a) Charac (b) Kind c ower or Mining 9. (a) Tot (b) Qua (c) Tot (d) The  (e) Suc p.  (No. N. or S.) (f) Is u (g) If s	at a stone distant from the Range 1 of beginning the rection of beginning the rection of the rec	e in the centrum the quart, West of the corner, then in F.G."; the	Description ter of the Sherwood and ter section corner betwee e Willamette Meridian as ce North 0° 15' East 14; ence North 49° 18' West thence North 89° 45' Eas 36' East 1002.7 feet to stone in the center of said required, attach separate sheet)  — shot a — clover seed — potate  weloped  r power  (Head)  ns of which the power is to be  (Legal Subdivision)  M.  tream?  (Yes or No) oint of return  (No. N. or S.)	of Sherwood, Oregon  Wilsonville County road, een Sections 4 and 9, in s follows: Commencing 1.9 feet to a stone in the 1380.4 feet to said stone st 2182.2 feet to a stone a stone marked "X", thence said Sherwood and Wilsonvid road South 14. 53! East oes - strawberries.  theoretical horsepower.  sec. ft.  e developed

10 (a) To supply the city of	
10. (a) 10 supply like city of	
	opulation of
and an estimated population of	in 19
(b) If for domestic use state number of far	nilies to be supplied
(Answer questions 11, 12, 13	, and 14 in all cases)
11. Estimated cost of proposed works, \$.1500.0	00
•	
	One year after approval.
	before 2 " " "
14. The water will be completely applied to the	proposed use on or before 3. " " "
····	(Sgd) Elgin F. Schamburg (Signature of applicant)
Remarks:	
	1 of the 50 acres.
	,
Continued from Item 8)	······································
	•
· · · · · · · · · · · · · · · · · · ·	
STATE OF OREGON, Sss.  County of Marion,	
STATE OF OREGON, $\left. \begin{array}{c} \\ \text{Ss.} \end{array} \right.$ County of Marion, $\left. \begin{array}{c} \\ \text{This is to certify that I have examined the foregon} \end{array} \right.$	Joing application, together with the accompanying
STATE OF OREGON, \\ ss.\\ County of Marion, \\ This is to certify that I have examined the foregonaps and data, and return the same for	going application, together with the accompanying ation
STATE OF OREGON, \\ ss.  County of Marion, \\ This is to certify that I have examined the foregonaps and data, and return the same for	going application, together with the accompanying tion rust be returned to the State Engineer, with corre
STATE OF OREGON, \\ ss.  County of Marion, \\ This is to certify that I have examined the foregonaps and data, and return the same for	joing application, together with the accompanying tion rust be returned to the State Engineer, with corre
STATE OF OREGON, ss.  County of Marion,  This is to certify that I have examined the foregonaps and data, and return the same for completion in order to retain its priority, this application make ions on or before august 7.  WITNESS my hand this 5th day of	joing application, together with the accompanying tion rust be returned to the State Engineer, with corre

Application	No.	24515
Permit No.		<b>1</b> 9461

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. ..... District No. .....

	This instrument was first received in the office of the State Engineer at Salem, Oregon,
	on the17th. day ofMarch,
	19.50., at .11:05. o'clock A. M.
	Returned to applicant:
	Corrected application received:
	Approved:
	September 29, 1950
	Recorded in book No47 of
	Permits on page 19461
	CHAS. E. STRICKLIN STATE ENGINEER
	Drainage Basin No
	PERMIT
STATE OF OREGON, S	
County of Marion, \ This is to certify that SUBJECT TO EXISTING R The right herein gran	I have examined the foregoing application and do hereby grant the same, alGHTS and the following limitations and conditions:  ted is limited to the amount of water which can be applied to beneficial use
	5 cubic feet per second measured at the point of diversion from the
	case of rotation with other water users, from unmamed stream and Rock
	o be constructed under Application No. R-24514, Permit No. R-1038
The use to which this	water is to be applied isirrigation
	appropriation shall be limited to1/80th of one cubic foot per each acre irrigated from direct flow and shall be further
	of not to exceed 21 acre feet per acre for each acre irrigated
	season of each year from direct flow and storage from reservoir
	r Permit No. R-1038,
•	reasonable rotation system as may be ordered by the proper state officer.
	his permit is March 17, 1950 for 0.38 cfs & July 12, 1950 for 0.245 cf
	work shall begin on or before September 29, 1951 and shall
	th reasonable diligence and be completed on or before
•	of the water to the proposed use shall be made on or before
	his 29th day of September ,19 50
	CHAS. E. STRICKLIN
Permits for power developmen	STATE ENGINEER at are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

State Printing Dept. 28175