

\* APPLICATION FOR PERMIT

SUPERSEDED by 50333 50878

To appropriate the Public Waters of the State of Oregon

I, Dean Ross, Harmony Farm of Brockway Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Ollalla Creek, a tributary of South Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is .45 cubic feet per second.

\*\*3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located N 41° 04' W 6309.8 ft. from the Sec. Cor. 2-3-34-35 corner of N 44° 50' W 5920.4 ft. N 50° 52' W 5082.5 ft.

being within the NW 1/4 and SW 1/4 of Sec. 34, Tp. 28 S, R. 7 W, Douglas

5. The pipe line to be 1200 feet in length, terminating in the NW 1/4 and SW 1/4 of the NW 1/4 of Sec. 34, Tp. 28 S, R. 7 W

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description 3" Fairbanks-Morse Centrif.

McCormick Deering Tractor Elevation 20' 240 Gals. per minute at 165 feet T. D. H.

\* A different form of application is provided where storage works are contemplated. \*\* Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... 1200 ..... ft.; size at intake, ..... 4" ..... in.; size at ..... 500' ..... ft. from intake ..... 3" ..... in.; size at place of use ..... 3" ..... in.; difference in elevation between intake and place of use, ..... 10' To 20' ..... ft. Is grade uniform? ..... yes ..... Estimated capacity, ..... 1/2 ..... sec. ft.

8. Location of area to be irrigated, or place of use .....

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
	WILLAMETTE MERIDIAN			
28 S	7 W	34	NE 1/4 NW 1/4	1.7
"	"	"	NW 1/4 NW 1/4	9.5
"	"	"	SE 1/4 NW 1/4	8.0
"	"	"	SW 1/4 NW 1/4	16.6
				35.8
Beginning at the Northwest corner of Lot 3 of Section Thirty-Three, Township Twenty-eight South, Range Seven West of the Willamette Meridian, thence South 28.09 chains, Thence East 66.92 chains, thence North 28.09 chains, thence West 66.92 chains to the place of beginning.				

(If more space required, attach separate sheet)

(a) Character of soil ..... Creek Bottom .....

(b) Kind of crops raised ..... Irrigated Pasture and Forage .....

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....  
(Legal Subdivision)

Tp. ...., R. ...., W. M.  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return .....  
....., Sec. ...., Tp. ...., R. ...., W. M.  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

Municipal or Domestic Supply—

10. (a) To supply the city of .....  
..... County, having a present population of .....  
(Name of)  
and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1500.00 .....

12. Construction work will begin on or before March 1, 1951 .....

13. Construction work will be completed on or before March 1, 1955 .....

14. The water will be completely applied to the proposed use on or before March 1, 1955 .....

(Sgd) Dean Ross  
(Signature of applicant)

Harmony Farm

Remarks: Brockway, Ore.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ..... signature .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 26, 19 50.

WITNESS my hand this 25th day of May, 19 50.

CHAS. E. STRICKLIN  
STATE ENGINEER

By Ed K. Humphrey, Assistant

Application No. 24734

Permit No. 19503

**PERMIT**  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

Division No. \_\_\_\_\_ District No. \_\_\_\_\_

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,

on the 18th day of May,

19 50, at 3:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

September 29, 1950

Recorded in book No. 48 of

Permits on page 19503

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 16 Page 36-C

Fees Paid 15.90

**PERMIT**

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same,  
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use  
and shall not exceed 0.448 cubic feet per second measured at the point of diversion from the  
stream, or its equivalent in case of rotation with other water users, from Oilalla Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per  
second or its equivalent for each acre irrigated and shall be further limited to a  
diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the  
irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 18, 1950

Actual construction work shall begin on or before September 29, 1951 and shall  
thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1953

WITNESS my hand this 29th day of September, 1950

CHAS. E. STRICKLIN

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.