1078-79

* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Earl Bisel
of Rt. 3, Box 15h Tillamook ,
(Mailing address)
State ofOregon, do hereby make application for a permit to appropriate th
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The service of the proposed appropriation is Simmons Creek
1. The source of the proposed appropriation is Simmons Creek (Name of stream)
, a tributary of Tillamook River
2. The amount of water which the applicant intends to apply to beneficial use is0-30
cubic feet per second
**3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4. The point of diversion is located 740 ft. N and 410 ft. E from the SW (N. or S.)
corner of Sec. 21, T. 2 S., R. 9 W., W. M. (Section or subdivision)
(Section or subdivision)
(24 and and a dec Malana and banks to sentent and a
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the SW2 SW2 of Sec. 21 , Tp. 2 S. (N. or S.)
R. 9 W., W. M., in the county of Tillamook
5. The
in length, terminating in the
R, W. M., the proposed location being shown throughout on the accompanying map.
DESCRIPTION OF WORKS
Diversion Works—
6. (a) Height of dam none feet, length on top feet, length at bottom
feet; material to be used and character of construction
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate(Timber, concrete, etc., number and size of openings)
<u></u>
(c) If water is to be pumped give general description. 3 in cent. pump (Size and type of pump)
5 hp electric motor (Size and type of engine or motor to be used, total head water is to be lifted, etc.)
16 — sprinklers

[•] A different form of application is provided where storage works are contemplated

^{••} Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

				nged in size, stating miles fro
thousand feet.			-	feet fall per o
				ater line)
	feet; width on	bottom	feet; depth o	f water fe
grade	feet fal	l per one thous	and feet. 620 latera	
(c) Length	of pipe,	ft.;	size at intake,l	in.; size at
from intake	in.;	size at place o	f use in.; (difference in elevation betwe
intake and place	of use, 15	ft. Is	grade uniform?yes	Estimated capaci
·	sec. ft.	1		
8. Location	n of area to be i	irrigated, or pl	ace of use	
Township Willam		Section	Forty-acre Tract	Number Acres To Be Irrigated
		07	cont cont	
2 S.	9 W.	21	SWa SWa	214
			 -	
Property on wi		to be used	is a part of that mor	e explicitly described
All of the	South West	warter of th	e South West quarter	of Section twenty one (
in Township tw	to (2) South reof sold to	of Range nii James L. S	ne (9) West of Willame Immons by deed record e	ette Meridian, except to
			County, Oregon.	
			D • D b 6	e e
			<u></u>	
		470		
· () (II			equired, attach separate sheet)	
	-			. •
(b) Kind o	of crops raised .	grass	•••••	
Power or Mining	-			
9. (a) Tot	al amount of po	wer to be deve	loped	theoretical horsepow
(b) Qu	antity of water	to be used for	power	sec. ft.
(c) Tot	al fall to be util	ized	feet.	
				e developed
(e) Suc	ph anorbs to he l	ocated in		of Sec
				of Sec
Tp(No. N. or S.)				
(f) Is u	vater to be retur	rned to any str	eam?(Yes or No)	
(g) If s	o, name stream	and locate poi	nt of return	
		~ .	$T_{\mathcal{D}}$, R, W. (No. E. or W.)
		, Sec	1 P1	(NTO 20 0- TTT)
) (No. E. or W.)

	for Domestic Supply—
10.	(a) To supply the city of
and an es	timated population of in 19
	(b) If for domestic use state number of families to be supplied
	(Answer questions 11, 12, 13, and 14 in all cases)
1 1.	Estimated cost of proposed works, \$ 1175 **
	Construction work will begin on or beforeOneyear_after_approval
	Construction work will be completed on or before
	The water will be completely applied to the proposed use on or before 3. " "
¥T.	The water will be completely applied to the proposed use on or before z
	(Sgd) Earl Bisel (Signature of applicant)
Ren	narks:
•••••	
	*
••••••••••••	
	<u> </u>
•••••	
	<u> </u>
·	
•••••	
STATE (OF OREGON, ss.
Count	y of $Marion$, $\begin{cases} ss. \end{cases}$
Thi	s is to certify that I have examined the foregoing application, together with the accompanyin
	data, and return the same for
	order to retain its priority, this application must be returned to the State Engineer, with correc
	TNESS 141:
W1	TNESS my hand thisday of19,19

Application	No.	24761	
Permit No		19519	

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No District No						
	This instrument was first received in the office of the State Engineer at Salem, Oregon,						
	on the2lith day of May,						
	1950, at1:32 o'clockPa M.						
	Returned to applicant:						
	Corrected application received:						
	Approved:						
	September 29, 1950						
	Recorded in book No. 48 of						
	Permits on page 19519						
	CHAS. E. STRICKLIN STATE ENGINEER						
	Drainage Basin No. 1 Page 18 A						
	Fees Paid 15.00						
	PERMIT						
STATE OF OREGON, ss.		0					
County of Marion, \ This is to certify that SUBJECT TO EXISTING R	I have examined the foregoing application an GHTS and the following limitations and condi	d do hereby grant the same, tions:					
The right herein grant	ed is limited to the amount of water which can	ı be applied to beneficial use					
and shall not exceed0.30	cubic feet per second measured at th	e point of diversion from the					
stream, or its equivalent in o	ase of rotation with other water users, from	Simmons Creek					
mt							
The use to which this	water is to be applied isirrigation						
	opropriation shall be limited to1/80th	• • •					
	nt for each acre irrigated and shall h						
	ceed 21 acre feet per acre for each ac						
irrigation season of e	ach year,						
•	reasonable rotation system as may be ordered by	• • •					
The priority date of th	is permit is May 24, 1950						
Actual construction w	ork shall begin on or beforeSeptember	29, 1951 and shall					
thereafter be prosecuted wit	h reasonable diligence and be completed on or	before					
•							
	of the water to the proposed use shall be made	on or before					
October 1, 1953	,	<u>. د</u>					
WITNESS my hand th	is 29th day of September	, 19 50					
	CHAS. E.	STRICKLIN STATE ENGINEER					