

* APPLICATION FOR PERMIT

CERTIFICATE NO. 22762

To appropriate the Public Waters of the State of Oregon

I, James H. Redden (Name of applicant) of Box 246 Hubbard (Mailing address), State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is 3 unnamed springs & Brandy Creek (Name of stream), a tributary of Pudding River

2. The amount of water which the applicant intends to apply to beneficial use is 0.25 + 0.225 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 2590 ft. S and 1525 ft. E from the NW corner of the A. R. Dimmick D.L.G. No. 64 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 SW 1/4 (Give smallest legal subdivision) of Sec. 35, Tp. 4S, R. 1W, W. M., in the county of Marion (E. or W.)

5. The Pipe line (Main ditch, canal or pipe line) to be 400 - 500 ft. (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. 35, Tp. 4S, R. 1W, W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 3 feet, length on top 75 feet, length at bottom 60 feet; material to be used and character of construction Cement (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 3" Electric Pump 10 H.P. (Size and type of pump) 8 App. 10 gpm Sprinklers (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 400 to 500 ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
4S	1W	35	NW $\frac{1}{4}$ SW $\frac{1}{4}$	11
			SW $\frac{1}{4}$ SW $\frac{1}{4}$	27
				38
Property on which water is to be used is a part of that more explicitly described by applicant as follows:				
"Beginning at a point in the North boundary line of the A. R. Dimick Donation Land Claim 30.57 chains East of the Northwest corner of said claim; thence South 1° 6' West, 40.19 chains; thence West 15.93 chains; thence North 1° 6' East 24.30 chains; thence East 15.63 chains; thence North 1° 6' East 16 chains; thence East .30 chain to the place of beginning, situated in Section 35, Township 4 South, Range 1 West of the Willamette Meridian in Marion County, Oregon.				

(If more space required, attach separate sheet)

(a) Character of soil Red Willamette (Sandy loam)

(b) Kind of crops raised Hay & Grain & pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal Subdivision)

Tp., R., W. M.

(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$1000.00.....
- 12. Construction work will begin on or before One year after approval.....
- 13. Construction work will be completed on or before two yrs. after approval.....
- 14. The water will be completely applied to the proposed use on or before 3 yrs. after approval.....

(Sgd) James H. Redden.....
(Signature of applicant)

Remarks: Diversion dam may be built if necessary. Details unknown at this time.

18 ac to be irrigated from springs
20 ac " " " " creek

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

Application No. 24828

Permit No. 19549

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 7th day of June

1950, at 10:50 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

September 29, 1950

Recorded in book No. 48 of

Permits on page 19549

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 38 M

Fees Paid 16.20

PERMIT

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.475 cubic feet per second measured at the point of diversion from the stream; or its equivalent in case of rotation with other water users, from 3 unnamed springs and Brandy Creek, being 0.225 cfs from springs and 0.25 cfs from creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 7, 1950 for 0.25 cfs & July 13, 1950 for 0.225 cfs

Actual construction work shall begin on or before September 29, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1953

WITNESS my hand this 29th day of September, 1950

CHAS. E. STRICKLIN

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.