

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Chester Rydell, of Drain, Oregon, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Elk Creek, a tributary of Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 0.831 cubic feet per second.

**3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 1890 ft. from the corner of S5° 30' E 1890 ft. from the corner on the North side of Section 21, Tp. 22 S. R. 7 W.W.M.

The point of diversion is located: S 16° 30' E 1110 feet from the Northwest corner of Section 22, T. 22 S. R. 7 W.W.M. being within the NW 1/4 of Section 22, T. 22 S. R. 7 W.W.M., in the County of Douglas.

The pipe line to be 1600 feet in length, terminating in the NE 1/4 NE 1/4 of Section 21, T. 22 S. R. 7 W.W.M., the proposed location being shown throughout on the accompanying map.

being within the SW 1/4 NE 1/4 of Sec. 21, Tp. 22 S. R. 7 W. W. M., in the county of Douglas

5. The Pipe line to be 1600 feet in length, terminating in the NE 1/4 NW 1/4 of Sec. 21, Tp. 22 S. R. 7 W. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)

* A different form of application is provided where storage works are contemplated. ** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
WILLAMETTE MERIDIAN				
22 S.	7 W.	21	NE $\frac{1}{4}$ NW $\frac{1}{4}$	28
"	"	"	SE $\frac{1}{4}$ NW $\frac{1}{4}$	20
"	"	"	NW $\frac{1}{4}$ NE $\frac{1}{4}$	4
"	"	"	NE $\frac{1}{4}$ NE $\frac{1}{4}$	15
"	"	22	NW $\frac{1}{4}$ NW $\frac{1}{4}$	8.5
"	"	"	NE $\frac{1}{4}$ NW $\frac{1}{4}$	1.
				<u>76.5</u>
Chester Rydell Deed description.				
The SW $\frac{1}{4}$ NW $\frac{1}{4}$ and Lot one of Section 22 and the NW $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SW $\frac{1}{4}$ and Lot one of Section 15 all in T. 22 S. R. 7 W. W. M. also;				
All that part of the William Hancock D.L.C. No. 45 which is in Sections 15-16-21 and 22, T. 22 S. R. 7 W. W. M. lying and being on the North side of Elk Creek as the same runs thru the said lands.				
Also: Lots 1-2-and 3 and the North half of the South half of Section 16. All in T. 22 S. R. 7 W. W. M. in Douglas County, Oregon.				

(If more space required, attach separate sheet)

(a) Character of soil Sandy Loam

(b) Kind of crops raised Clover- some Bulbs

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal Subdivision)

Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return;

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of) and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 3500.00.....
- 12. Construction work will begin on or before 1st August 1950.....
- 13. Construction work will be completed on or before 31st December 1951.....
- 14. The water will be completely applied to the proposed use on or before June 1952.....

(Sgd) Chester Rydell
(Signature of applicant)

Remarks:

(continued from Item 4.)

Also from the above point of diversion a pipe line to be 1000 feet in length, terminating in the NW $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 22, T.22 S. R. 7W.W.M., the proposed location being shown throughout on the accompanying map.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

Application No. 24836

Permit No. 19551

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 8th day of June

1950, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

September 29, 1950

Recorded in book No. 48 of

Permits on page 19551

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 16 Page 17

Fees Paid 22.05

PERMIT

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.831 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Elk Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, and shall be still further limited to a diversion of not to exceed 0.831 c.f.s.,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 8, 1950

Actual construction work shall begin on or before September 29, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

Complete application of the water to the proposed use shall be made on or before October 1, 1953

WITNESS my hand this 29th day of September, 1950.

CHAS. E. STRICKLIN STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.