

CERTIFICATE NO. ~~20200~~

\* APPLICATION FOR PERMIT

*Correction* CERTIFICATE NO. ~~21695~~ 51339

# To appropriate the Public Waters of the State of Oregon

I, C. R. Coles (Name of applicant)  
of Selma (Mailing address),  
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Crooks Creek (Name of stream),  
a tributary of Deer Creek

2. The amount of water which the applicant intends to apply to beneficial use is 1.24  
cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 230 ft. N and 1230 ft. E from the W 1/4  
corner of section 9 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 NW 1/4 of Sec. 9, Tp. 38 S  
(Give smallest legal subdivision) (N. or S.)  
R. 7 W, W. M., in the county of Josephine  
(E. or W.)

5. The Main ditches to be 1/2 mile  
(Main ditch, canal or pipe line) (Miles or feet)  
in length, terminating in the SW 1/4 SW 1/4 Sec 9 and NE 1/4 SE 1/4  
(Smallest legal subdivision) of Sec. 8, Tp. 38 S  
R. 7 W, W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.) (N. or S.)

## DESCRIPTION OF WORKS

### Diversion Works—

6. (a) Height of dam 4 feet, length on top 30 feet, length at bottom  
20 feet; material to be used and character of construction  
Earth dam/ Wasteway around. (Loose rock, concrete, masonry,  
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Wooden gate. 1'x1'  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 3" centrifugal pump  
(Size and type of pump)  
5 H. P. Gas motor. 15 foot lift  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated.

\*\* Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... 3 ..... feet; width on bottom ..... 1 ..... feet; depth of water ..... 1 ..... feet; grade ..... 4 ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... 300 ..... ft.; size at intake, ..... 3 ..... in.; size at ..... 300 ..... ft. from intake ..... 3 ..... in.; size at place of use ..... 3 ..... in.; difference in elevation between intake and place of use, ..... 15 ..... ft. Is grade uniform? ..... yes ..... Estimated capacity, ..... 0.5 ..... sec. ft.

8. Location of area to be irrigated, or place of use .....

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
38 S	7 W	8	NE 1/4 SE 1/4	14.0
38 S	7 W	8	SE 1/4 SE 1/4	21.0
38 S	7 W	9	SW 1/4 NW 1/4	6.0
38 S	7 W	9	NW 1/4 SW 1/4	10.0
38 S	7 W	9	SW 1/4 SW 1/4	9.0
				60
Description:				
That part of the Southwest quarter of the Northwest quarter Sec. 9, lying South of the County Road, in Township 38 South, Range 7 West of the Willamette Meridian. Also Gov. Lot 10 in Section 9 of said Township and Range. Also the West half of Donation Land Claim #42 in said Section 9. and section 8 of said Township and Range.				
That part of of Gov. Lot No. 7, lying southerly and easterly of the County Road in Section 8, Township 38 South Range 7 West of the Willamette Meridian.				

(If more space required, attach separate sheet)

(a) Character of soil ..... Kerby loam .....

(b) Kind of crops raised ..... Alfalfa, pasture .....

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....  
(Legal Subdivision)

Tp. ...., R. ...., W. M.  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return .....  
....., Sec. ...., Tp. ...., R. ...., W. M.  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

Application No. 21845

Permit No. 19557

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 8th day of June, 1950, at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

September 29, 1950

Recorded in book No. 48 of

Permits on page 19557

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 15 Page 56 E

Fees Paid 19.50

PERMIT

STATE OF OREGON, County of Marion, ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.20 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Crooks Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/50th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 8, 1950

Actual construction work shall begin on or before September 29, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1953

WITNESS my hand this 29th day of September, 1950

CHAS. E. STRICKLIN

STATE ENGINEER

Municipal or Domestic Supply—

10. (a) To supply the city of .....  
..... County, having a present population of .....  
(Name of) and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 1000 .....
- 12. Construction work will begin on or before June 1, 1951 .....
- 13. Construction work will be completed on or before June 1, 1952 .....
- 14. The water will be completely applied to the proposed use on or before June 1, 1953 .....

(Sgd) C. R. Colee  
.....  
(Signature of applicant)

Selma, Oregon.

Remarks: .....

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER