CERTIFICATE NO. 19917

* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

| I, CHARLES E. SITTON (Name of applicant) |
|---|
| of McMinnville RFD 2, Box 199. (Mailing address) |
| State ofQregon , do hereby make application for a permit to appropriate th |
| following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: |
| If the applicant is a corporation, give date and place of incorporation |
| 1. The source of the proposed appropriation is North Yamhill River (Name of stream) |
| , a tributary of Willamette River |
| 2. The amount of water which the applicant intends to apply to beneficial use is |
| cubic feet per second. 220 G.P.M. (If water is to be used from more than one source, give quantity from each) |
| **3. The use to which the water is to be applied isIrrigation |
| 4. The point of diversion is located 1300 ± ft. N and 1075 ± ft. E from the S. W. (N. or S.) corner of Section 33: T,3S: R 4W. W.M. (Section or subdivision) |
| (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the N Line of SW4 of SW4 Sec. 33 of Sec. 33 , Tp. 35 (Give smallest legal subdivision) (N. or S.) |
| R |
| 5. The to be (Miles or feet) |
| in length, terminating in the of Sec, Tp(Smallest legal subdivision) (N. or S.) |
| R, W. M., the proposed location being shown throughout on the accompanying map. (E. or W.) |
| DESCRIPTION OF WORKS |
| Diversion Works— |
| 6. (a) Height of dam feet, length on top feet, length at bottom |
| feet; material to be used and character of construction |
| rock and brush, timber crib, etc., wasteway over or around dam) |
| (b) Description of headgate |
| (c) If water is to be pumped give general description 2" Centrifugal Hercules 16.9/10. H |
| (Size and type of engine or motor to be used, total head water is to be lifted, etc.) |

[•] A different form of application is provided where storage works are contemplated.

^{**} Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer,

| neadgate. At head | lgate: width o | on top (at water) | line) | feet; width on bottom |
|---|---|--|--|---|
| | | | | feet fall per one |
| housand feet. | | | | ter line) |
| | feet; width or | n bottom | feet; depth of | water feet; |
| rade | feet f | all per one thous | and feet. | |
| (c) Length | of pipe,320! | Main Line ft.; | size at intake,4" | in.; size at320! ft. |
| rom intake3 | li1 | n.; size at place o | f usein.; d | ifference in elevation between |
| ntake and place (| of use,60 | ft. Is | grade uniform? No | Estimated capacity, |
| 220 GPM | | · | | |
| | | e irrigated or pla | ace of use | |
| Township | Range | Section | Forty-acre Tract | Number Acres |
| WILLAMETTE MEM | _ | | | To Be Irrigated |
| <u>3\$</u> | <u>14W</u> | 33 | NW4 of SW4 SW4 of SW4 | 1 ac 3 ac |
| | <u>lı</u> | 33 | SE ¹ of SW ¹ | l ac |
| | | | | |
| Section 33 | | Township 3 | Range 4 | |
| | | | | · · · · · · · · · · · · · · · · · · · |
| | | | | |
| | | | or. J. B. Pennington D. | |
| | ll chs. E. | \$ chs. S. 16 |) W. 9.70 chs. S. 2.30 Lu chs. to Co. Rd. N. 6 | chs. S. 80° W. 2.30 58° W. 9.57 chs. to beg. |
| S. 50° E. | ll chs. E. | \$ chs. S. 16 |)° W. 9.70 chs. S. 2.30 | chs. S. 80° W. 2.30 58° W. 9.57 chs. to beg. |
| | ll chs. E. | \$ chs. S. 16 |) W. 9.70 chs. S. 2.30 Lu chs. to Co. Rd. N. 6 | chs. S. 80° W. 2.30 58° W. 9.57 chs. to beg. |
| S. 50° E. | ll chs. E. | \$ chs. S. 16 |) W. 9.70 chs. S. 2.30 Lu chs. to Co. Rd. N. 6 | chs. S. 80° W. 2.30 58° W. 9.57 chs. to beg. |
| S. 50° E. | ll chs. E. | \$ chs. S. 16 |) W. 9.70 chs. S. 2.30 Lu chs. to Co. Rd. N. 6 | chs. S. 80° W. 2.30 58° W. 9.57 chs. to beg. |
| S. 50° E. | ll chs. E. | \$ chs. S. 16 |) W. 9.70 chs. S. 2.30 Lu chs. to Co. Rd. N. 6 | chs. S. 80° W. 2.30 58° W. 9.57 chs. to beg. |
| S. 50° E. | ll chs. E. | s chs. S. 10. S 15° W. 6. | O. W. 9.70 chs. S. 2.30 L4 chs. to Co. Rd. N. 6 Containing 25. | chs. S. 80° W. 2.30 58° W. 9.57 chs. to beg. |
| S. 50° E. chs. S. 25 Pro. A1329 | 11 chs. E. | (If more space re | O. W. 9.70 chs. S. 2.30 L4 chs. to Co. Rd. N. 6 Containing 25. | chs. S. 80° W. 2.30 68° W. 9.57 chs. to beg. 63 Acres |
| S. 50° E. chs. S. 25 Pro. A1329 | ter of soil | (If more space re Willamette S | equired, attach separate sheet) | chs. S. 80° W. 2.30 68° W. 9.57 chs. to beg. 63 Acres |
| S. 50° E. chs. S. 25 Pro. Al329 (a) Charac | ter of soil | (If more space rewards willamette S | O. W. 9.70 chs. S. 2.30 L4 chs. to Co. Rd. N. 6 Containing 25. | chs. S. 80° W. 2.30 68° W. 9.57 chs. to beg. 63 Acres |
| chs. S. 25 Pro. A1329 (a) Charace (b) Kind of Power or Mining | ter of soil f crops raised Purposes— | (If more space rewards willamette S | equired, attach separate sheet) | chs. S. 80° W. 2.30 68° W. 9.57 chs. to beg. 63 Acres |
| (a) Charace (b) Kind of Power or Mining 9. (a) Total | ter of soil f crops raised Purposes— al amount of p | (If more space rewards willamette State Pasture power to be deve | containing 25. ly chs. to Co. Rd. N. 6 Containing 25. Containing 25. Containing 25. | chs. S. 80° W. 2.30 68° W. 9.57 chs. to beg. 63 Acres theoretical horsepower. |
| (a) Charace (b) Kind of Power or Mining 9. (a) Total | ter of soil f crops raised Purposes— al amount of p | (If more space rewards willamette State Pasture power to be deve | equired, attach separate sheet) | chs. S. 80° W. 2.30 68° W. 9.57 chs. to beg. 63 Acres theoretical horsepower. |
| (a) Charace (b) Kind of Power or Mining 9. (a) Total | ter of soil f crops raised Purposes— al amount of puntity of wate | (If more space rewards willamette State Pasture power to be deve | containing 25. ly chs. to Co. Rd. N. 6 Containing 25. Containing 25. Containing 25. | chs. S. 80° W. 2.30 68° W. 9.57 chs. to beg. 63 Acres theoretical horsepower. |
| chs. S. 25 Pro. A1329 (a) Charace (b) Kind of Power or Mining 9. (a) Total (b) Qual (c) Total | ter of soil f crops raised Purposes— al amount of puntity of wate | (If more space rewards willamette State Pasture power to be dever to be used for tilized | containing 25. li chs. to Co. Rd. N. 6 Containing 25. Bilt Loam loped power (Head) | chs. S. 80° W. 2.30 68° W. 9.57 chs. to beg. 63 Acres theoretical horsepower. |
| chs. S. 25 Pro. A1329 (a) Charace (b) Kind of Power or Mining 9. (a) Total (b) Qual (c) Total | ter of soil f crops raised Purposes— al amount of puntity of wate | (If more space rewards willamette State Pasture power to be dever to be used for tilized | loped | chs. S. 80° W. 2.30 68° W. 9.57 chs. to beg. 63 Acres theoretical horsepower. sec. ft. |
| chs. S. 25 Pro. A1329 (a) Charace (b) Kind of Power or Mining 9. (a) Total (b) Qual (c) Total (d) The | ter of soil f crops raised Purposes— al amount of puntity of wate al fall to be un nature of the | (If more space rewards to be used for tilized works by means | loped | chs. S. 80° W. 2.30 68° W. 9.57 chs. to beg. 63 Acres theoretical horsepower. sec. ft. developed |
| chs. S. 25 Pro. A1329 (a) Charace (b) Kind of the control of the | ter of soil f crops raised Purposes— al amount of puntity of wate al fall to be un nature of the | Willamette S Pasture Power to be deveed for the tilized second with the second secon | loped power (Head) (Legal Subdivision) | chs. S. 80° W. 2.30 68° W. 9.57 chs. to beg. 63 Acres theoretical horsepower. sec. ft. |
| (a) Charace (b) Kind of Cower or Mining (c) Tote (d) The (e) Suc | ter of soil f crops raised Purposes— al amount of puntity of wate al fall to be un nature of the | Willamette S Pasture Pasture power to be deve to be used for tilized works by means c located in E or W.) | loped | chs. S. 80° W. 2.30 68° W. 9.57 chs. to beg. 63 Acres theoretical horsepower. sec. ft. developed |
| chs. S. 25 Pro. A1329 (a) Charace (b) Kind of the control of the | ter of soil f crops raised Purposes— al amount of p intity of wate al fall to be un nature of the h works to be ater to be ret | Willamette S Pasture Pasture power to be deve to be used for tilized works by means c located in E. or W.) urned to any streen | containing 25. li chs. to Co. Rd. N. 6 Containing 25. Conta | chs. S. 80° W. 2.30 68° W. 9.57 chs. to beg. 63 Acres theoretical horsepower. sec. ft. developed |
| (a) Charace (b) Kind of Power or Mining 9. (a) Tota (b) Qua (c) Tota (d) The (e) Suc (f) Is w (g) If so | ter of soil f crops raised Purposes— al amount of p intity of wate al fall to be un nature of the h works to be ater to be ret o, name stream | Willamette S Pasture Pasture Power to be deve to be used for tilized works by means clocated in E. or W.) urned to any streem and locate poin | containing 25. li chs. to Co. Rd. N. 6 Containing 25. Conta | chs. S. 80° W. 2.30 68° W. 9.57 chs. to beg. 63 Acres theoretical horsepower. sec. ft. developed |
| (a) Charace (b) Kind of Power or Mining 9. (a) Tota (b) Qua (c) Tota (d) The (e) Suc (f) Is w (g) If so | ter of soil f crops raised Purposes— al amount of p intity of wate al fall to be un nature of the h works to be ater to be ret o, name stream | Willamette S Pasture Pasture Power to be deve to be used for tilized works by means clocated in E. or W.) urned to any streem and locate poin | containing 25. li chs. to Co. Rd. N. 6 Containing 25. Conta | chs. S. 80° W. 2.30 68° W. 9.57 chs. to beg. 63 Acres theoretical horsepower. sec. ft. developed |

(i) The nature of the mines to be served

STATE ENGINEER

| wunicipal or Domestic S | supply— | · | | | |
|-------------------------|---|---|---|---|----------------------|
| 10. (a) To supply | y the city of | | | | |
| (Name of) | County, having | g a presen | t population of . | | |
| and an estimated popul | ation of | | in 19 | | |
| (b) If for do | mestic use state n | umber of | families to be su | pplied | |
| | (Answer | questions 11, 12 | , 13, and 14 in all cases) | | |
| 11 Fotimental ac | st of proposed wor | | | | |
| | | | | | |
| | | - | | | |
| | - | - | - | | |
| 14. The water wi | Il be completely ap | oplied to th | ie proposed use o | on or before | June 13, 1950 |
| | | | (Sgd) Char | les E. Sitto | on Silventi |
| | | i | • | (organization of ap) | , |
| | | | | | |
| Remarks: | | | | | |
| | | | | ·;··· | |
| | | | 4-44444 | ** | |
| | | | • | | |
| | | | | | |
| | | **************** | ***************************** | *************************************** | · |
| | | *************************************** | | *************************************** | |
| | | | • | | |
| | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | *************************************** | a. a.a a a a a a a. | | |
| | | | ************************************** | | |
| | | | | · | |
| | | *************************************** | ************* | ************************* | |
| | | | | | |
| | | | *************************************** | | |
| | | | | *************************************** | |
| | | | | | |
| | | | | | |
| | | | , | | |
| | | | P | ******************* | |
| | | | | | |
| | | | | | |
| STATE OF OREGON, | ss. | _ | | | |
| County of Marion, | , | | | | |
| This is to certify | that I have examin | ned the for | regoing applicati | ion, together i | vith the accompanyir |
| and and data and note | urn the same for | | | | |
| naps ana aara, ana reri | | | | | |
| | | application | n must be returne | ed to the State | Engineer, with corre |
| | n its priority, this | | , | ed to the State | Engineer, with corre |

| Application | No. | 24857 |
|-------------|-----|-------|
| | | |

Permit No. 19562

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. _____ District No. ____

| | This instrument was first received in the office of the State Engineer at Salem, Oregon, |
|--|---|
| | on the 12th day of, |
| | 1950 , at 8:00 o'clock A. M. |
| | Returned to applicant: |
| | Corrected application received: |
| | Approved: |
| | September 29, 1950 |
| | Recorded in book No48 |
| | Permits on page19562 |
| | CHAS. E. STRICKLIN STATE ENGINEER |
| | Drainage Basin No. 2 Page 90-P |
| | Fees Paid 15.00 |
| | PERMIT |
| STATE OF OREGON, \ | 9 |
| SUBJECT TO EXISTING I The right herein gran | t I have examined the foregoing application and do hereby grant the sam RIGHTS and the following limitations and conditions: nted is limited to the amount of water which can be applied to beneficial u. 263 |
| stream, or its equivalent in | case of rotation with other water users, from North Yamhill River |
| The use to which this | water is to be applied is irrigation |
| • | appropriation shall be limited to $1/80	ext{th}$ of one cubic foot p ent for each acre irrigated and shall be further limited to a |
| | exceed $2\frac{1}{2}$ acre feet per acre for each acre irrigated during t |
| irrigation season of | each year, |
| | · |
| | <u> </u> |
| | |
| | |
| and shall be subject to such | reasonable rotation system as may be ordered by the proper state officer. |
| · | his permit is June 12, 1950 |
| Actual construction v | work shall begin on or before September 29, 1951 and sha |
| thereafter be prosecuted w | ith reasonable diligence and be completed on or before |
| • | |
| | of the water to the proposed use shall be made on or before |
| | this 29th day of September ,19 50 |
| withers my hand t | CHAS. E. STRICKLIN |
| \ | STATE ENGINEER |

STATE ENGINEER ermits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933

State Printing Dept. 25175