

* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Ivan Torney or Veda Torney (Name of applicant) of Rt. 2, Albany (Mailing address), State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Wilson Lake (Name of stream), a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is .36 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of (N. or S.) (E. or W.) (Section or subdivision)

Sprinkler Irrigation by means of portable pumping equipment from Wilson Lake, anywhere along Lake within the area from a point where the North line of the Torney property intersects the lake to a point where the south line of the Torney property intersects the lake all (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 NW 1/4 of Sec. 19, Tp. 10 S (Give smallest legal subdivision) (N. or S.)

R. 3 W, W. M., in the county of Linn (E. or W.)

5. The pipe line to be 1800' (Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the SE 1/4 NE 1/4 of Sec. 19, Tp. 10 S (Smallest legal subdivision) (N. or S.)

R. 3 W, W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 2 inch centrifugal pump powered with a 7 1/2 H P electric motor - 10 feet lift. (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1800 ft.; size at intake, 2 in.; size at 20 ft. from intake 5 in.; size at place of use 3 in.; difference in elevation between intake and place of use, 30 ft. Is grade uniform? yes Estimated capacity,36 sec. ft.

8. Location of area to be irrigated, or place of use SW¹/₄ NW¹/₄ & SE¹/₄ NW¹/₄ of Sec. 19 Tp. 10 S, R 3 W

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
10 S	3 W	19	SW ¹ / ₄ NW ¹ / ₄	14.6
10 S	3 W	19	SE ¹ / ₄ NW ¹ / ₄	14.0
				28.6

Beginning at the Southwest corner of the D.L.C. of Madison D. Byland, Claim No. 40 in Section 24, Township 10 South, Range 4 West of the Willamette Meridian, Oregon, and running thence East 87.27 chains to the Northeast corner of the D.L.C. of Hiram Farlow and wife, thence North 53° 45' East 1.20 chains, thence East 13.73 chains; thence North 19.40 chains; thence West 69.92 chains to the center of the lake; thence North 16° West along the center of said lake 16.50 chains; thence North 7° West 4 chains to the line between Sections 18 and 19 in Township 10 South Range 3 West, thence West 56 links to the Northwest corner of Section 19; thence South 13.90 chains to the Northeast corner of said Claim No. 40; thence West 31.60 chains to the Northwest corner of said claim No. 40; thence South 19° East with the meanders of the Willamette River 5.80 chains; thence South 9° East 20.68 chains to the place of beginning, containing 228.67 acres, more or less, save and except the following:

(CONTINUED UNDER "REMARKS")

(If more space required, attach separate sheet)

(a) Character of soil Chehalis & Willamette

(b) Kind of crops raised Pasture, grass seed and legume seed

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$..... 1400.00.....

12. Construction work will begin on or before July 1, 1950.....

13. Construction work will be completed on or before August 15, 1950.....

14. The water will be completely applied to the proposed use on or before August 15, 1951.....

(Sgd) Ivan Torney or Veda Torney.....

(Signature of applicant)

by Ivan Torney

Remarks: (Continued from Item 8)

Beginning at the Northwest corner of Section 19 in Township 10 South, Range 3 West of the Willamette Meridian, thence South 13.90 chains to the Northeast corner of Claim No. 40 in Township 10 South, Range 4 West of the Willamette Meridian; thence West 31.40 chains to the meander line on the right bank of the Willamette Riv. r; thence South 11° East 26.60 chains along said meander line to the South line of said Claim No. 40; thence East 47.30 chains along the South line of said claim to a point 21.12 chains East of the quarter section corner on the West line of said Section 19; thence North 7.25 chains; thence North 81° 45' West 16.65 chains to the center of a certain lake; thence North 10° East 10 chains and North 17° West 21.50 chains along the center of said lake to the point of beginning, containing 105.50 acres in Linn County, Oregon.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

Application No. 24892
Permit No. 19579

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 19th day of June
1950, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

September 29, 1950

Recorded in book No. 48 of
Permits on page 19579
CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 2 Page 76-2

Fees Paid 15.00

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.358 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from Wilson Lake

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per
second or its equivalent for each acre irrigated and shall be further limited
to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated
during the irrigation season of each year, and shall be subject to such reasonable
rotation system as may be ordered by the proper State Officer.

~~This shall be subject to such reasonable rotation system as may be ordered by the proper State Officer.~~

The priority date of this permit is June 19, 1950

Actual construction work shall begin on or before September 29, 1951 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before
October 1, 1952

Complete application of the water to the proposed use shall be made on or before
October 1, 1953

WITNESS my hand this 29th day of September, 1950.

CHAS. E. STRICKLIN

STATE ENGINEER