

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, M. A. LaFollett (Name of applicant) of Route #2, Cornelius, (Mailing address) State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Tualatin River (Name of stream), a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 1.55 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 954.8 ft. N and 2240.6 ft. E from the SW corner of Section 9, T1S, R3W, W.M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 SW 1/4 of Sec. 9, Tp. 1S, R. 3W, W. M., in the county of Washington

5. The pipe line to be 5000 in length, terminating in the of Sec. of Tp. R. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Centrifugal pump 2" tractor 18HP Total head 65'

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 5000 ft.; size at intake, 6 in.; size at 2000 ft. from intake 5 & 4 in.; size at place of use 3" in.; difference in elevation between intake and place of use, 65 ft. Is grade uniform? Rolling Estimated capacity, 1.55 sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
1S	3W	4	SW $\frac{1}{4}$ SW $\frac{1}{4}$	4.5
1S	3W	4	SE $\frac{1}{4}$ SW $\frac{1}{4}$	5.2
1S	3W	9	NW $\frac{1}{4}$ NW $\frac{1}{4}$	10.6
1S	3W	9	NE $\frac{1}{4}$ NW $\frac{1}{4}$	27.6
1S	3W	9	NW $\frac{1}{4}$ NE $\frac{1}{4}$	1.8
1S	3W	9	SE $\frac{1}{4}$ NW $\frac{1}{4}$	18.5
1S	3W	9	SW $\frac{1}{4}$ NE $\frac{1}{4}$	1.8
1S	3W	9	NE $\frac{1}{4}$ SW $\frac{1}{4}$	21.4
1S	3W	9	NW $\frac{1}{4}$ SE $\frac{1}{4}$	16.8
1S	3W	9	SE $\frac{1}{4}$ SW $\frac{1}{4}$	9.7
1S	3W	9	SW $\frac{1}{4}$ SE $\frac{1}{4}$	6.1
1S	3W	4	SW $\frac{1}{4}$ SE $\frac{1}{4}$	0.5

(If more space required, attach separate sheet)

Total 124.5

(a) Character of soil Sandy loam

(b) Kind of crops raised Cannery crops - seeds - grain - clover

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal Subdivision)

Tp., R., W. M.

(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)


(h) The use to which power is to be applied is

(i) The nature of the mines to be served

19611

Property Description: (vol. 222, p. 696) Being that part of the west half of the Wm. Geiger and wife D.L.C. #45 in T1S, R3W, W.M., bounded and described as follows: Beginning 10.54 chains S0°16'W from the northeast corner of the west half of said claim #47 and running thence S0°16'W 5.39 chains; thence N89°44'W 55.64 chains to the west line of said claim; thence N5.39 chains; thence S89°44'E 55.64 chains to the place of beginning, containing 30 acres. (vol. 224, p. 653) Beginning at a point on the south line 751.12 feet west of the southeast corner of the Wm. Geiger D.L.C. #47; thence northerly parallel to the east line of said claim 1778.3 feet to the south line of a 30' roadway; thence N89°34'W parallel to the north line of said claim 598.88 feet; thence northerly parallel to the east line of said claim 23.2 feet to the south line of a 30' roadway; thence N89°20'W 107.17 feet; thence southerly parallel to the east line of said claim 1795.00 feet more or less to the south line of said claim; thence along the south line of said claim S88°51'E 706.5 feet to the place of beginning, containing 28.81 acres. (vol. 161, p. 171) Being a part of the west half of the Wm. Geiger D.L.C. #47 and beginning 21.32 chains S0°16'W from the northeast corner of the west half of said claim and running thence S0°16'W 5.39 chains; thence N89°44'W 55.64 chains to the west line of said claim; thence North 5.39 chains; thence south 89°44' east 55.64 chains to the place of beginning, containing 30 acres. (vol. 161, p. 345) Being that part of the Solomon Emerick D.L.C. in T1S, R3W, W.M., and commencing at the southeast corner of that tract of land conveyed by C. W. Fitch and B. P. Fitch to Robert Aiton about March 1890 and running thence east along the south line of the Emerick claim 10.88 chains; thence north 919 chains; thence west 10.88 chains to the northeast corner of the Aiton land; thence south 9.19 chains to the place of beginning, containing 10 acres. (vol. 113, p. 326) Beginning at a point on line between the east and west halves of the Wm. Geiger D.L.C. #47 561.27 feet south of the corner on the north line between these divisions; thence S0°16'W along the center line of the road 532.34 feet; thence easterly and parallel to the north line of the claim 1414.49 feet; thence N0°34'W 532.34 feet; thence westerly and parallel to the north line of the claim 1417.27 feet more or less to the place of beginning, containing 17.29 acres more or less. Also, beginning at a point on the north line between the east and west halves of the Wm. Geiger D.L.C. #47 30' south of the corner on the north line between these divisions, said point being in the center of the road; thence S0°16'W 531.27 feet; thence easterly parallel to the north line of said claim 1417.27 feet; thence N0°34'E 531.27 feet to the south line of the road; thence westerly and parallel to the north line of said claim 1417.27 feet to the place of beginning, containing 17.26 acres.

(vol. 81, p. 385) Beginning 10 chains west of the northeast corner of the Wm. Geiger D.L.C. #47 in T1S, R3W, W. M. and parts of sections 4 and 9 in said township and range and being on the wife's portion and running thence south 50 chains parallel with the east line of the claim; thence west 10 chains; thence north 50 chains; thence east 10 chains to the place of beginning.



Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....\$8500.....

12. Construction work will begin on or before Started

13. Construction work will be completed on or before 1953

14. The water will be completely applied to the proposed use on or before 1956

(Signature of applicant)

(Sgd) Mural A. LaFollett

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

Application No. 24985

Permit No. 19611

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 13th day of July, 1950, at 10:20 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

September 29, 1950

Recorded in book No. 48 of

Permits on page 19611

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 54-C

Fees Paid 26.75

PERMIT

STATE OF OREGON, County of Marion, ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.56 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Tualatin River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 13, 1950

Actual construction work shall begin on or before September 29, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1953

WITNESS my hand this 29th day of September, 1950

CHAS. E. STRICKLIN

STATE ENGINEER