

* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Alton R. McCue (Name of applicant)
of Arago Route, Myrtle Point, Oregon, (Mailing address),
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Coquille River (Name of stream), a tributary of Pacific Ocean

2. The amount of water which the applicant intends to apply to beneficial use is 37/80 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1050 ft. S and 700 ft. E from the N. W. corner of Section 5, T. 29 S., R. 12 W. W. M. An one inch reference post stands 660 ft. south and 557 ft. east of the same point. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the Lot 1 of Sec. 5, Tp. 29 S., R. 12 W., W. M., in the county of Coos

5. The portable pipe to be 2000 ft. in length, terminating in the NW 1/4 of the SW 1/4 of Sec. 5, Tp. 29 S., R. 12 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam none feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description three inch centrifugal pump powered by 10 horse power electric motor operating sprinkler heads. Lift 26 ft.

* A different form of application is provided where storage works are contemplated.
** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 2040 ft. ft.; size at intake, 4 in.; size at 1200 ft. from intake 3 in.; size at place of use 3 in.; difference in elevation between intake and place of use, 26 ft. Is grade uniform? NO Estimated capacity, 60/100 sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
29 S.	12 W.	5	Lot 1	4.88
29 S.	12 W.	5	Lot 2	24.25
29 S.	12 W.	5	NW $\frac{1}{4}$ SW $\frac{1}{4}$	7.87
				37.00

Property on which water is to be used is a part of that more explicitly described by applicant as follows:

Beginning 3.70 chains East of the Section line between Sections 5 and 6, Township 29 South, Range 12 West of the Willamette Meridian 13.27 chains South of the North boundary of said Township at a Cedar post 3 $\frac{1}{2}$ inches square, 2 $\frac{1}{2}$ feet long, driven full length in the ground, running thence South 52' East parallel with the Section line 7.22 chains to a cedar post driven in the ground, thence East 10.00 chains to a cedar post marked C.S., thence North 52' West 2.18 chains to a cedar post marked C.S. on the left bank of the Coquille River, thence down said river bank North 67° West 1.08 chains, thence North 37 $\frac{1}{2}$ ° West 4.00 chains, thence North 14° West 1.50 chains to a cedar post marked C.S., thence West 6.30 chains to the place of beginning, containing 6 acres, more or less. Also beginning at a cedar post marked

(CONTINUED UNDER "REMARKS")

(If more space required, attach separate sheet)

(a) Character of soil sandy loam

(b) Kind of crops raised clover, grass, cultivated crops

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal Subdivision)

Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 2000.00
- 12. Construction work will begin on or before Aug. 1, 1950
- 13. Construction work will be completed on or before Aug. 10, 1950
- 14. The water will be completely applied to the proposed use on or before Sept. 1, 1953.

(Sgd) Alton R. Mc Cue
(Signature of applicant)

Remarks: (Continued from Item 8)

C.S. situated 3 chains and 70 links East of the Section line between Sections 5 and 6, Township 29 South Range 12 West of the Willamette Meridian, 20.00 chains North of the corner of Sections 5, 6, 7 and 8, thence running North 52¹/₂ West parallel with the section line 10.00 chains to the County Road, thence South 68° East 13.70 chains along said road, thence South 4.95 chains to the ¹/₄ section line thence West 12.70 chains to the place of beginning, containing 9.54 acres, more or less.

Also, beginning at a point 40¹/₂ rods South of the line between Township 28 and 29 South, of Range 12 West, and 19 rods West of the Coquille River, thence South 12 5/8 rods, thence East to the bank of the Coquille River, along low water mark on said river 12 5/8 rods, thence West 19 rods to the place of beginning, situated in Section 5, Township 29 South, of Range 12 West of the Willamette Meridian, containing 1¹/₂ acres, more or less.

Also, beginning 3.70 chains East and 20.49 chains South of the Northwest corner of Section 5, in Township 29 South, of Range 12 West of the Willamette Meridian, running thence South to a point 10.00 chains North and 3.70 chains East of the Southwest corner of the NW¹/₄ of the SW¹/₄ of said Section 5, thence South 68° East 13.70 chains along County Road, thence North to the Coquille River, thence down saidriver to a point 13.70 chains East of the West line of Section 5, thence South 2.18 chains, thence West 10.00 chains to the place of beginning, containing 39 acres, more or less.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

Application No. 24993

Permit No. 19615

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of July, 1950, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

September 29, 1950

Recorded in book No. 48 of Permits on page 19615 CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 17 Page 11

Fees Paid 16.05

PERMIT

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.463 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Coquille River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 17, 1950

Actual construction work shall begin on or before September 29, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1953

WITNESS my hand this 29th day of September, 1950.

CHAS. E. STRICKLIN

STATE ENGINEER