## \* APPLICATION FOR PERMIT

CERTIFICATE NO. 37777

## To Appropriate the Public Waters of the State of Oregon

I, Gene E. Thornton (Name of applicant)
of Monmouth Rt 2 Box 219
(Mailing address)  State of Oregon , do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is Little Luckiamute River (Name of stream)
, a tributary of Luckiamute River
2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second. (If water is to be used from more than one source, give quantity from each)
**3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4. The point of diversion is located 535 ft. N and 3140 ft. T from the NW (N. or S.)
(N. or S.) (E. or W.)
corner of DLC No. 50 (Section or subdivision)
• • • • • • • • • • • • • • • • • • •
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  being within the SE4 NW4 of Sec. 6 , Tp. 9 S  (Give smallest legal subdivision) (N. or S.)
R. 5 W, W. M., in the county of Polk
5. The
in length, terminating in the
R, W. M., the proposed location being shown throughout on the accompanying map.
(E, or W.)
DESCRIPTION OF WORKS
Diversion Works—
No dam6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction(Loose rock, concrete, masonr
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate(Timber, concrete, etc., number and size of openings)
(Zamber, constant, cut, names and size of optimize)
(c) If water is to be pumped give general description(Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)
Will use sprinklers — details not determined

<sup>\*</sup> A different form of application is provided where storage works are contemplated

<sup>\*\*</sup> Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

	i top (ui wate	r line)	jeet, wiath on oottom
feet; depth of u housand feet.	vate <b>r</b>	feet; grade	feet fall per one
	. miles from h	neadgate: width on top (at	water line)
feet; width on	bottom	feet; depth	of water feet,
grade feet fa	ll per one tho	usand feet.	
(c) Length of pipe,	ft.	; size at intake,	in.; size at ft.
			; difference in elevation between
	_	•	Estimated capacity
sec. ft.	••••••••••••••••••••••••••••••••••••••		,
•	irrianted or m	olace of use	
Township Range	Section	Forty-acre Tract	Number Acres
WILAMETE MERIDIAN	Section	<u> </u>	To Be Irrigated
9 S 5 W	6	SWA NEA SEA NEA	16
		NE SE	<u> </u>
		NW4 SE4	<u>18</u> ————————————————————————————————————
Property on which water is	to be use	d is a part of that mo	re explicitly described by
applicant as follows:	ntion of la	nd of Gene E. Thornton	<b>1-</b>
		Page 10	• .
beginning at a point	in the mai	n channel of the Littl	e Iuckiamute River 9,43
hains south and 7.17 chai	ins east of	the northwest corner	of the D. L. C. No. 51. No.
10. 2807 of Sarah A. Bown	n in T. 9	S. R. 5 W. of the Will	amette Meridian in Polk
No. 2007 of Sarah A. Bowm County, Oregon, thence no	th 82° 15'	s. R. 5 W. of the Will east 40.18 chains; th	amette Meridian in Polk
County, Oregon, thence north	th 82° 15' ea	east 40.18 chains; the st 3.00 chains; thence	amette Meridian in Polk lence north 29° 30' west south 32° 30' east 4.00
county, Oregon, thence north chains; thence north 82°	th 82° 15' 82° 15' ea 15' east 13	east 40.18 chains; the st 3.00 chains; thence	amette Meridian in Polk lence north 29° 30' west south 32° 30' east 4.00 30 links west of the east
County, Oregon, thence north the chains; thence north 82° Line of said claim No. 51	th 82° 15' 82° 15' ea 15' east 13 thence no	east 40.18 chains; the st 3.00 chains; thence 70 chains to a point rth 3.93 chains to a p	amette Meridian in Polk lence north 29° 30' west e south 32° 30' east 4.00 30 links west of the east point 30 links north of the
County, Oregon, thence north chains; thence north 82° line of said claim No. 51 south line of the H. W. Enorth 1.90 chains; thence	th 82° 15' ea 15' east 13 thence no vans D. L. north 57°	east 40.18 chains; there a 70 chains to a point rth 3.93 chains to a point C. Not. No. 2279; there 30; west 7.00 chains to	amette Meridian in Polk dence north 29° 30' west e south 32° 30' east 4.00 30 links west of the east point 30 links north of the dece east 4.77 chains; then so the northeast corner of
County, Oregon, thence north 1.00 chains; thence north 82° line of said claim No. 51 south line of the H. W. Enorth 1.90 chains; thence said claim No. 51; thence	th 82° 15' ea 15' east 13 thence no vans D. L. north 57° north 13.2	east 40.18 chains; the st 3.00 chains; thence 70 chains to a point rth 3.93 chains to a p. C. Not. No. 2279; then 30' west 7.00 chains to a chains; thence east	amette Meridian in Polk lence north 29° 30' west e south 32° 30' east 4.00 30 links west of the east point 30 links north of the line east 4.77 chains; then to the northeast corner of 15.85 chains; thence south
county, Oregon, thence north thains; thence north 82° ine of said claim No. 51 thence north 1.90 chains; thence said claim No. 51; thence 2° east 19.12 chains to the said chains the said chains to the said chains to the said chains the said chains to the said chains the said	th 82° 15' ea 15' east 13 thence no vans D. L. north 57° north 13.2 he south 11	east 40.18 chains; the st 3.00 chains; thence 70 chains to a point rth 3.93 chains to a pC. Not. No. 2279; ther 30; west 7.00 chains to 2 chains; thence east me of said Evans D. L.	amette Meridian in Polk lence north 29° 30' west e south 32° 30' east 4.00 30 links west of the east point 30 links north of the ace east 4.77 chains; then to the northeast corner of 15.85 chains; thence south C.; thence west 14.79 chains
county, Oregon, thence north and the said claim No. 51 thence north 1.90 chains; thence caid claim No. 51; thence caid claim No. 51; thence county of the said claim No. 51; thence county of the said chains to the cast line of said	th 82° 15' ea 15' east 13 thence no vans D. L. north 57° north 13.2 he south 11 Bowman Clai	east 40.18 chains; the st 3.00 chains; thence 70 chains to a point rth 3.93 chains to a p. 1. Not. No. 2279; there 30; west 7.00 chains to 2 chains; thence east ne of said Evans D. L. M. No. 51; thence souther required, attach separate sheet) (CO	amette Meridian in Polk dence north 29° 30' west a south 32° 30' east 4.00 30 links west of the east point 30 links north of the dece east 4.77 chains; then to the northeast corner of 15.85 chains; thence south C.; thence west 14.79 chains; thence south 128.92 chains; thence south 128.92 chains; thence south
county, Oregon, thence north 1.00 chains; thence north 82° ine of said claim No. 51 touth line of the H. W. Enorth 1.90 chains; thence 2° east 19.12 chains to the the east line of said ine of said i	th 82° 15' ea 15' east 13 thence no vans D. L. north 57° north 13.2 he south 11 Bowman Clair Chehal1	east 40.18 chains; there is 3.00 chains; thence is 70 chains to a point of 3.93 chains there east of said Evans D. L. is required, attach separate sheet) (COS Wapato	amette Meridian in Polk dence north 29° 30' west a south 32° 30' east 4.00 30 links west of the east doint 30 links north of the dece east 4.77 chains; then do the northeast corner of 15.85 chains; thence south C.; thence west 14.79 chains; thence south 128.92 chains; thence south 28.92 chains; thence south
County, Oregon, thence north 1.00 chains; thence north 82° line of said claim No. 51 thence north 1.90 chains; thence said claim No. 51; thence 2° east 19.12 chains to the the east line of said (a) Character of soil	th 82° 15' ea 15' east 13 thence no vans D. L. north 57° north 13.2 he south 11 Bowman Clair Chehal1	east 40.18 chains; there is 3.00 chains; thence is 70 chains to a point of 3.93 chains there east of said Evans D. L. is required, attach separate sheet) (COS Wapato	amette Meridian in Polk dence north 29° 30' west a south 32° 30' east 4.00 30 links west of the east point 30 links north of the dece east 4.77 chains; then to the northeast corner of 15.85 chains; thence south C.; thence west 14.79 chains; thence south 128.92 chains; thence south 128.92 chains; thence south
County, Oregon, thence north 1.00 chains; thence north 82° line of said claim No. 51 the H. W. Enorth 1.90 chains; thence chains; thence 2° east 19.12 chains to the the east line of said (a) Character of soil	th 82° 15' ea 15' east 13 thence no vans D. L. north 57° north 13.2 he south 11 Bowman Clair Chehal1	east 40.18 chains; there is 3.00 chains; thence is 70 chains to a point of 3.93 chains there east of said Evans D. L. is required, attach separate sheet) (COS Wapato	amette Meridian in Polk dence north 29° 30' west a south 32° 30' east 4.00 30 links west of the east doint 30 links north of the dece east 4.77 chains; then do the northeast corner of 15.85 chains; thence south C.; thence west 14.79 chains; thence south 128.92 chains; thence south 28.92 chains; thence south
County, Oregon, thence north 1.00 chains; thence north 82° ine of said claim No. 51 thence north 1.90 chains; thence said claim No. 51; thence 2° east 19.12 chains to the the east line of said ine of said claim No. 51; thence in orth 1.90 chains; the orth 1.90 chains; the orth 1.90 chains; thence in orth 1.90 chains; the orth 1.90 chains; the orth 1.90 cha	th 82° 15' ea 82° 15' east 13 thence no vans D. L. north 57° north 13.2 the south 11 Bowman Clai Chehali Pastur	east 40.18 chains; there is 3.00 chains; thence is 70 chains to a point of the 3.93 chains; thence east of the 3.93 chains of the 3.93 chains to a point of the 3.93 chains to a p	amette Meridian in Polk dence north 29° 30' west a south 32° 30' east 4.00 30 links west of the east doint 30 links north of the dece east 4.77 chains; then do the northeast corner of 15.85 chains; thence south C.; thence west 14.79 chains; thence south 128.92 chains; thence south 28.92 chains; thence south
County, Oregon, thence north 1.00 chains; thence north 82° chains; thence north 82° chains; thence south line of the H. W. Enorth 1.90 chains; thence said claim No. 51; thence 2° east 19.12 chains to the the east line of said chains to the	th 82° 15' ea 15' east 13 16'	east 40.18 chains; there is 3.00 chains; thence is 70 chains to a point of the 3.93 chains; thence east of the 3.93 chains of the 3.93 chains to a point of the 3.93 chains to a p	amette Meridian in Polk lence north 29° 30' west south 32° 30' east 4.00 30 links west of the east boint 30 links north of the le east 4.77 chains; then to the northeast corner of 15.85 chains; thence south C.; thence west 14.79 chains; thence south NTINUED UNDER REMARKS)  theoretical horsepower
County, Oregon, thence north 1.00 chains; thence north 82° chains; thence north 82° chains; thence south line of the H. W. Enorth 1.90 chains; thence said claim No. 51; thence 2° east 19.12 chains to the the east line of said chains to the	th 82° 15' ea 15' east 13 16'	east 40.18 chains; the st 3.00 chains; thence of the st 7.00 chains to a point of the second of the	amette Meridian in Polk lence north 29° 30' west south 32° 30' east 4.00 30 links west of the east boint 30 links north of the le east 4.77 chains; then to the northeast corner of 15.85 chains; thence south C.; thence west 14.79 chains; thence south NTINUED UNDER REMARKS)  theoretical horsepower
County, Oregon, thence north 1.00 chains; thence north 82° chains; thence north 82° chains; thence south line of the H. W. Enorth 1.90 chains; thence 2° east 19.12 chains to the to the east line of said chains to the tothe east line of said.  (a) Character of soil	th 82° 15' ea 15' east 13 thence no vans D. L. north 57° north 13.2 he south 11 Bowman Clai Chehali Pastur ower to be dead to be used for	east 40.18 chains; the st 3.00 chains; thence of the second content of the second conten	amette Meridian in Polk lence north 29° 30' west south 32° 30' east 4.00 30 links west of the east boint 30 links north of the le east 4.77 chains; then to the northeast corner of 15.85 chains; thence south C.; thence west 14.79 chains; thence south NTINUED UNDER REMARKS)  theoretical horsepower
County, Oregon, thence north 1.00 chains; thence north 82° chains; thence north 82° chains; thence south line of the H. W. Enorth 1.90 chains; thence 2° east 19.12 chains to the to the east line of said chains to the tothe east line of said.  (a) Character of soil	th 82° 15' ea 15' east 13 16'	east 40.18 chains; the st 3.00 chains; thence of the second content of the second conten	amette Meridian in Polk lence north 29° 30' west south 32° 30' east 4.00 30 links west of the east coint 30 links north of the least 4.77 chains; thence to the northeast corner of 15.85 chains; thence south C.; thence west 14.79 chains; thence south 18.92 chains; thence south 18.92 chains; thence south 19.92 chains;
County, Oregon, thence north 1.00 chains; thence north 82° line of said claim No. 51 the H. W. Enorth 1.90 chains; thence chains; thence 2° east 19.12 chains to the the east line of said (a) Character of soil	th 82° 15' ea 15' east 13 16'	east 40.18 chains; there is 3.00 chains; thence is 70 chains to a point of the 3.93 chains to a	amette Meridian in Polk lence north 29° 30' west south 32° 30' east 4.00 30 links west of the east looint 30 links north of the loce east 4.77 chains; then loce the northeast corner of 15.85 chains; thence south C.; thence west 14.79 chains; thence south loce 28.92 chains; thence south local theoretical horsepower local theoretical horsepower local theoretical horsepower local sec. ft.  be developed
County, Oregon, thence north 1.00 chains; thence north 82° ine of said claim No. 51 the H. W. Enorth 1.90 chains; thence said claim No. 51; thence 2° east 19.12 chains to the east line of said ine o	th 82° 15' east 13; thence no vans D. L. north 57° north 13.2 te south 11: Bowner Claimore space Chehali  Pastur  ower to be der to be used for lized works by mea	east 40.18 chains; there is 3.00 chains; thence is 3.00 chains to a point of the second of the secon	amette Meridian in Polk lence north 29° 30' west south 32° 30' east 4.00 30 links west of the east boint 30 links north of the le east 4.77 chains; then le east 4.77 chains; then lo the northeast corner of 15.85 chains; thence south C.; thence west 14.79 chains; thence south le 28.92 chains; thence south
county, Oregon, thence north and the said claim No. 51 thence in the H. W. End the H.	th 82° 15' ea  15' east 13  16'	east 40.18 chains; there is 3.00 chains; thence is 70 chains to a point of the second	amette Meridian in Polk lence north 29° 30' west south 32° 30' east 4.00 30 links west of the east looint 30 links north of the loce east 4.77 chains; then loce the northeast corner of 15.85 chains; thence south C.; thence west 14.79 chains; thence south loce 28.92 chains; thence south local theoretical horsepower local theoretical horsepower local theoretical horsepower local sec. ft.  be developed
County, Oregon, thence north 1.00 chains; thence north 82° is ine of said claim No. 51 the H. W. Enorth 1.90 chains; thence said claim No. 51; thence said chains to the chains to the said said said said said said said said	th 82° 15' ea  15' east 13  16'	east 40.18 chains; there is 3.00 chains; thence is 3.00 chains to a point of the second of the secon	amette Meridian in Polk lence north 29° 30' west south 32° 30' east 4.00 30 links west of the east boint 30 links north of the le east 4.77 chains; then le o the northeast corner of 15.85 chains; thence south C.; thence west 14.79 cha le 28.92 chains; thence south MINUED UNDER REMARKS)  theoretical horsepower  sec. ft.  be developed  of Sec.
County, Oregon, thence north 1.00 chains; thence north 82° inchains; thence north 82° incorth 1.90 chains; thence said claim No. 51; thence 2° east 19.12 chains to the the east line of said incorth 1.90 chains; thence 2° east 19.12 chains to the the east line of said incorth 1.90 chains to the c	th 82° 15' ea  15' east 13  16'	east 40.18 chains; there is 3.00 chains; thence is 3.00 chains to a point of return is 13.00 chains; thence east ne of said Evans D. L. me No. 51: thence south a required, attach separate sheet) (CC is wapato is 13.00 chains to a point of return is 13.00 chains; thence east ne of said Evans D. L. me No. 51: thence south a required, attach separate sheet) (CC is wapato is 13.00 chains to a point of return is 13.00 chains to a point of return is 13.00 chains to a point of return is 13.00 chains; thence east ne of said Evans D. L. me No. 51: thence south a required, attach separate sheet) (CC is wapato is 13.00 chains to a point of return is 13.00 chains to a point of ret	amette Meridian in Polk lence north 29° 30' west south 32° 30' east 4.00 30 links west of the east boint 30 links north of the lece east 4.77 chains; then to the northeast corner of 15.85 chains; thence south C.; thence west 14.79 cha lece 28.92 chains; thence south TINUED UNDER REMARKS)  theoretical horsepower  sec. ft.  be developed  of Sec.
County, Oregon, thence north 1.00 chains; thence north 82° inchains; thence north 82° incorth 1.90 chains; thence said claim No. 51; thence 2° east 19.12 chains to the the east line of said incorth 1.90 chains; thence 2° east 19.12 chains to the the east line of said incorth 1.90 chains to the c	th 82° 15' ea 15' east 13 15' ea 16' ea 15' ea 16' ea 16	east 40.18 chains; there is 3.00 chains to a point of return  (Yes or No)  or of return  chains to a point of return  (Legal Subdivision)  M.  cream?  (Yes or No)  oint of return  (No. N. or interes and the second of the secon	amette Meridian in Polk lence north 29° 30' west south 32° 30' east 4.00 30 links west of the east boint 30 links north of the le east 4.77 chains; then le o the northeast corner of 15.85 chains; thence south C.; thence west 14.79 cha le 28.92 chains; thence south le theoretical horsepower  theoretical horsepower  sec. ft.  be developed  of Sec.

unicipal or Domestic Supply—	
10. (a) To supply the city of	
	present population of
nd an estimated population of	in 19
(b) If for domestic use state num	ber of families to be supplied
(Answer quest	stions 11, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works,	\$ 1500 <b>**</b>
	before One year after approval
	ted on or before Two years " **
	ied to the proposed use on or before3. " "
22. 2.00 www. www.oc.compressing upp.	
	(Sgd) Gene E. Thornton
	(Signature of applicant)
	,
n	8)
	nter of the channel of the Little Luckiamute River
hence up the channel along the line	e of the tract of land sold to Wm. A. J. Hoisingtoning containing 167 acres more or less.
ccompany.application.for.water.righ	it
,	
	)£
	······································
	······································
STATE OF OREGON, ss.	
County of Marion,	
This is to certify that I have examined	I the foregoing application, together with the accompanying
naps and data, and return the same for	completion
In order to retain its priority, this app	olication must be returned to the State Engineer, with correc- 1950
ions on or beforeMay 9	, 1949
WITNESS my hand this 8th	
	CHAS. E. STRICKLIN
	STATE ENGINEER
N.	By Ed K. Humphrey, Assistant
January 23  ns on or beforeMay 923rd  WITNESS my hand this8th	1950 

Application	No.	23611	
Dommit No		19633	

## **PERMIT**

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No District No	
	This instrument was first received in the office of the State Engineer at Salem, Oregon,	
	on the 7th day of February,	
	1949 , at 2:40 o'clock P. M.	
	Returned to applicant:	
	Corrected application received:	
	Approved:	
	January 31, 1951	
	Recorded in book No. 48 of	
	Permits on page	
	STATE ENGINEER	
•	Drainage Basin No2	
	Fees Paid	
CTLATE OF ORECON )	PERMIT	
STATE OF OREGON, County of Marion,	s.	••
The right herein gran	t I have examined the foregoing application and do her RIGHTS and the following limitations and conditions: ated is limited to the amount of water which can be appled 50 cubic feet per second measured at the point of case of rotation with other water users, from Little	lied to beneficial use of diversion from the
The use to which this	water is to be applied isirrigation	
second or its equivale diversion of not to ex	appropriation shall be limited to 1/80th nt for each acre irrigated and shall be furthed each 2 acre feet per acre for each acre irrigated year,	er limited to a
•	reasonable rotation system as may be ordered by the pro his permit isMarch_7.1950	- **
Actual construction v	work shall begin on or before January 31, 1952	and shall
	ith reasonable diligence and be completed on or before	
Complete application	of the water to the proposed use shall be made on or be	fore
October 1, 1953		
WITNESS my hand t	his 31st day of January,	19 <b>51</b>
	CHAS. E. STRICKLIN	COLA DE ENCINEERO

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

State Printing Dept. 28175