
* APPLICATION FOR PERMIT



To Appropriate the Public Waters of the State of Oregon

	I, Vern C. Osborn
of	(Name of applicant) 236 N. Echols, Monmouth
-	(Mailing address)
State	e ofOregon, do hereby make application for a permit to appropriate the
follo	wing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
	If the applicant is a corporation, give date and place of incorporation
	1. The source of the proposed appropriation is Little Luckiamute River and
Big	Luckiamute River , a tributary of Willamette River
	2. The amount of water which the applicant intends to apply to beneficial use is 0.50 + 0.44
cubic	c feet per second
	**3. The use to which the water is to be applied is <u>irrigation</u>
·	(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
corne	No. 1 4. The point of diversion is located / 476.7 ft. N and 2647.8 ft. E from the S. E. (E. or W.) er of David R. Lewis D.L.C.
	(Section or subdivision)
	2 - 1514.2 ft. N. and 3759.4 E from the S.E. Cor. of David R. Lewis D.L.C.
No.	3 - 695.7 ft. S. and 3141.5' E. from the N.E. Cor. of David R. Lewis D.L.C.
Nos	• 1 and 2 on Luckiamute River and No. 3 on Little Luckiamute River. (If preferable, give distance and bearing to section corner)
	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being	g within the of Sec. 8-16 & 17 , Tp. 9 S, (Give smallest legal subdivision) (N. or S.)
	5. W, W. M., in the county of Polk (R. or W.)
	5. The to be (Miles or feet)
	ngth, terminating in the of Sec, Tp, (Smallest legal subdivision) (N. or S.)
R	, W. M., the proposed location being shown throughout on the accompanying map.
	DESCRIPTION OF WORKS
Dive	rsion Works—
	feet; material to be used and character of construction(Loose rock, concrete, masonry,
rock an	d brush, timber crib, etc., wasteway over or around dam)
	(b) Description of headgate(Timber, concrete, etc., number and size of openings)
	(c) If water is to be pumped give general description Will use pump and (Size and type of pump)
	sprinklers details not determined.
	(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

[•] A different form of application is provided where storage works are contemplated.

^{**} Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or P	ipe Line—			\
7. (a) Give	e dimensions at	t each point of	canal where materially chan	ged in size, stating miles from
headgate. At head	lgate: width or	n top (at water	line)	feet; width on bottom
thousand feet.				feet fall per one
(b) At		. miles from he	eadgate: width on top (at wo	nter line)
j	feet; width on	bottom	feet; depth of	water feet;
grade	feet fa	ll per one thou	sand feet.	
(c) Length	of pipe,100	00 ft.;	size at intake,	in.; size at ft.
from intake	in.	; size at place o	of use in.; d	lifference in elevation between
intake and place o	of use,20	ft. I	s grade uniform? yes	Estimated capacity,
	_			1
8. Location	of area to be	irrigated, or pl	ace of use	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
		;		To Be irrigated
WILLAMIESTE	Nišaoza.			
<u>9 S</u>	5 w	<u> </u>	SE ¹ / ₄ of SE ¹ / ₄	25
		16	SW ¹ / ₄ of NW ¹ / ₄	19
			NW4 of SW4	6
• •	•.	17	$NE^{\frac{1}{4}}$ of $SE^{\frac{1}{4}}$	25
				75
	e	a • ¢	•	
applicant on a			is a part of that more	explicitly described by
-				
		(If more space :	required, attach separate sheet)	
(a) Charac	ter of soil		am - chehalis	
				•
. ,	-	mos cta b	asture.	•••••••••••••••••••••••••••••••••••••••
Power or Mining l	-	ower to be deve	alomad	theoretical horsepower.
	-		-	-
			power	sec. ft.
(c) Tota	ıl fall to be uti	lized	feet. (Head)	
(d) The	nature of the	works by mean	s of which the power is to be	e developed
(e) Sucl	h works to be	located in	(Logal Subdivision)	of Sec,
Tp(No. N. or S.)				
			eam?(Yes or No)	
			(Yes or No) int of return	
				, R, W. M.
(h) The	use to which	power is to be	applied is	
(i) The	nature of the n	iines to be serv	ed	••••••

description of land of Vern C. and Ethel L. Osborn

beginning at the southwest corner of the D. L. C. of James Smith, Not. No. 2696, Claim No. 56, in T 9 S R 5 W of the Willamette Meridian in Polk County, Oregon, thence North 5° west 11.65 chains; thence north 40.77 chains to the center of the state highway No. 244, leading from Monmouth to Kings Walley; thence south 86° east following the center line of the highway 24.00 chains; thence south 88° 5 ' east following said center line 5.87 chains; thence north 54.30 chains to the north boundary line of said D. L. C.; thence south 85° 14' east 9.63 chains to the most northerly northeast corner of said claim; thence south 10.00 chains to the reentrant angle corner of said claim; thence south 2° 10' east 64.45 chains to the southeast corner of said claim; thence south 67° 30' west 72.19 chains to the place of beginning EXCEPTING therefrom the burying ground known as the Smith Cemetery which is described as follows: being a piece of the James Smith D. L.C. No. 2696 Claim No. 56 in sections 8, 9, 17 and 20 in T. 9 S. R. 5 W. of the Wil. Med. beginning at a point south 2° 10' west 20.51 chains and west 5.47 chains from the portheast corner of said claim; thence north 14 rods; thence west 17 rods; thence east 17 rods to the place of beginning, to be used as a burial ground, all of which is in Polk County, Oregon.

all of which is in Polk County, Oregon.

ALSO beginning at a point (where is a rock 16 x 18 x9 inches and marked with X) which is south 23° 30' east and 19.03 chains distant from the corner of the Ell of said claim, this is also the southwest corner of the Isaac Butler D. L. C. thence south 1° 45' east 3.36 chains; thence north 88° 15' east 4.86 chains; thence north 35° 15' east .61 chain; thence north 1° 45' west 2.88 chains; thence south 88° 15' west 5.23 chains

to the place of beginning.

ALSO, beginning at a point (where is a rock 16 X 18 x 9 inches and marked with X) which is south 23° 30' east and 19.03 chains distant from the corner of the Ell of said claim this is also the southwest corner of Isaac Butler D. L. C.; thence north 1° 45' west 28 feet; thence (east 88° 15' north) 5.23 chains; thence south 1° 45' east 28 feet; thence south 88° 15' west 5.23 chains to the place of beginning. Also a 60 foot roadway beginning at the northeast corner of the above described tract and runing in a southeasterly direction to the present county road for entry purposes to said Smith Cemetry. Also beginning at a point (where is rock 16 x 18 x 9 inches and marked X) which is south 23° 30' east and 19.03 chains distant from the corner of the " L " of said claim (this is also the southwest corner of the Isaac Butler DLC); running thence north 1° 45' west 28 f feet; thence south 88° 15' west 20 feet; thence south 1° 45' west 20 feet; thence south 88° 15' east 340.76 feet; thence north 1° 45' west 20 feet; thence south 88° 15' west 320.76 feet; thence north 1° 45' west 221.76 feet to the place of beginning.

reserve 20 foot strip for telephone line as is for 6 months. reserve to the public right-of-way for roads and bridges. tract No. A-71

Vol. 132, Pg. 633

en de la composition Composition de la co

A second of the second of t

#6.1...

10.	0. (a) To supply the city of					
		f				
	estimated population ofin 19 in 19					
	(b) If for domestic use state number of families to be	supplied				
	(Answer questions 11, 12, 13, and 14 in all car	ees)				
11.	1. Estimated cost of proposed works, \$.2500					
	Construction work will begin on or before One year after approval.					
	3. Construction work will be completed on or before					
	4. The water will be completely applied to the proposed us					
14.	4. The water will be completely applied to the proposed as	e on or dejore z				
	/a 1\ 77	6.01				
	(Sgd) Verr	C. Osborn. (Signature of applicant)				
Ren	Remarks:					
,						
		<u> </u>				
	<u> </u>					
		· •				
	• •					
	· · · · · · · · · · · · · · · · · · ·					
		·				
	· ·					
STATE (OF OREGON,					
	$\left.\begin{array}{c} \left. \left. \right. \right. \right. \\ \text{ss.} \end{array} \right.$					
	This is to certify that I have examined the foregoing applic	ation, together with the accompanying				
	nd data, and return the same for					
	n order to retain its priority, this application must be retu					
		vo vive Douve Diogracer, while correc-				
	or before February 10 ,19 50	_ማ ፈ _ን ፈ ሳ				
WI	VITNESS my hand this 11th day of Januar	.J., 19				
	CHAS. I	E. STRICKLIN STATE ENGINEER				
	Ву	Humphrey, Assistant				
	Ed K	Humphrey, Assistant eg				

Municipal or Domestic Supply—

Application	No. 2)1190
Permit No	19639

PERMIT TO APPROPRIATE THE PUBLIC

	WATERS OF THE STATE OF OREGON
	Division No District No
	This instrument was first received in the office of the State Engineer at Salem, Oregon,
	on the 5th day of October,
é	1949, at11:05. o'clock M.
	Returned to applicant:
	Corrected application received:
•	Approved:
e	January 31, 1951
	Recorded in book No. 48 of
	Permits on page 19639
	CHAS. E. STRICKLIN STATE ENGINEER
	Drainage Basin No. 2 Page 15 A & 18 C
	Fees Paid 21.75
	PERMIT
STATE OF OREGON,	\$8.
This is to certify the	at I have examined the foregoing application and do hereby grant the same,
	RIGHTS and the following limitations and conditions: unted is limited to the amount of water which can be applied to beneficial use
	•94 cubic feet per second measured at the point of diversion from the
•	n case of rotation with other water users, from Little Luckismute River
Big Luckiamute R.	iver, being 0.31 cfs from Little Luckiamute R. and 0.63 cfs from
The use to which thi	is water is to be applied is irrigation
	appropriation shall be limited to
	ent for each acre irrigated and shall be further limited to a
	exceed 21 acre feet per acre for each acre irrigated during the
	each year,
	······································
and shall be subject to suc	h reasonable rotation system as may be ordered by the proper state officer.
The priority date of	this permit is October 26, 1950
Actual construction	work shall begin on or before January 31, 1952 and shall
thereafter be prosecuted under 1. 1952	with reasonable diligence and be completed on or before
Complete applicatio	n of the water to the proposed use shall be made on or before
	this 31st day of January ,19 51
= 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
	CHAS. E. STRICKLIN

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933. State Printing Dept. 28175