* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, W. T. Putnam and Sons	e of applicant)
of Rt. 2, Hillsboro	· ox appareant)
(Mailing address) State of Oregon , do here	chai males application for a pormit to appropriate the
following described public waters of the State of Ore	egon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and p	place of incorporation
1. The source of the proposed appropriation is	an unnamed stream, trib. (Name of stream)
of Tualatin R. and Tualatin River , a tribut	
2. The amount of water which the applicant int	tends to apply to beneficial use is0.15
cubic feet per second. (If water is to be used	d from more than one source give quantity from each)
**3. The use to which the water is to be applied i	
•	(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4. The point of diversion is located 1000 j	ft. N and ft. 2600 E from the S W (E. or W.)
corner of Sec. 31 Tp 1 S R 2 W (Sect	don or subdivision)
- 1	
(If preferable, give distance an	id bearing to section corner)
(If there is more than one point of diversion, each mu	
being within the SET SWT (Give smallest legal subdivision)	of Sec32, Tp1.S,
R. 2 W , W. M., in the county of Washingto	m
5. The	to be
in length, terminating in the(Smallest legal subdivision	
R, W. M., the proposed location being	
(E. or W.)	, shown throughout on the accompanying map.
DESCRIPTION	N OF WORKS
Diversion Works—	
6. (a) Height of dam none feet, le	
feet; material to be used and characte	er of construction
rock and brush, timber crib, etc., wasteway over or around dam) (h) Description of handants	
(b) Description of neargure	Timber, concrete, etc., number and size of openings)
(c) If water is to be pumped give general descr	ription 211 pump — gas. (Size and type of pump)
20 - 10 gpm sprinklers. (Size and type of engine or motor to be us	Add Add Load and a data by West and
(Size and type of engine or motor to be us	ed, total nead water is to be lifted, etc.)

[•] A different form of application is provided where storage works are contemplated.

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or I	_	t each point of	canal where materially change	ed in size statina miles from
			line)	•
thousand feet.			feet; grade	
(b) At	***************************************	miles from he	eadgate: width on top (at water	er line)
	feet; width on	bottom	feet; depth of u	vater feet;
grade	feet fa	ll per one thous	sand feet.	
(c) Length	of pipe,120	00 ft.;	size at intake, 4	in.; size at ft.
from intake	in.	; size at place o	f use3in.; dif	ference in elevation between
intake and place	of use, 20	1 ft. Is	f use3	Estimated capacity,
	-	irrigated, or pl	ace of use	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
	. 0	;		To Be Migateu
	TTE MERIDIAN			20 h
<u>1 S</u>	2 W	32	SW ¹ / ₄ SE ¹ / ₄	12.0
Property on whapplicant as i		s to be used	is a part of that more	explicitly described by
DEED RECORDS V	OL.208 Page		n T. Putnam Jr., to Lore	
			r of Felix Landess D. L. dian in Washington Count	
			following the East line or less, to the center of	
			e meanderings thereof, 5	
			in tract or parcel of la ed Sept. 22nd, 1905, and	
at page 103 Re	cord of Dee	ds for washi	ngton County Oregon; the	nce following the south
line of said	ameson trac	t north 71 d	egrees West 709 feet, mo	re or less, to the
North 20 degre	er of said of ses 35 minut	es East 1155	t, thence following west feet, more or less, to	the southeast corner of
tract conveyed	by George	\$. Robinson	to James B. Adams by dee	d dated Oct. 3rd, 1905,
thence North 7	l degrees 1	West 132 fee	cords of deeds for Wash t to the southwest corne	r of said Adams tract:
thence north	0 degrees 3	5 minutes Ea	st 165 feet to the North required, attach separate sheet) (CONTI	west corner of said
(a) Charac	ter of soil	silt loam a	nd sandy bottom	NUED UNDER REMARKS)
(b) Kind o	of crops raised	grass -	corn - pasture	
Power or Mining	Purposes—			
9. (a) Tot	al amount of p	ower to be deve	eloped	theoretical horsepower.
(b) Qua	intity of water	to be used for	powers	ec. ft.
(c) Total	al fall to be uti	lized	feet.	
			s of which the power is to be a	leveloped

(e) Suc	h works to be	located in	(Legal Subdivision)	of Sec.
Tp(No. N. or S.)				
			eam?(Yes or No)	
(g) If s	o, name stream	and locate poi	int of return	
		, Sec	, Tp(No. N. or S.)	, R, W. M.
(h) The	use to which	power is to be	applied iss	
(i) The	matuma of the	ines to be serv	od.	
(i) The	navare of the n	voices to de seroi		

	or Domestic Supply—
	(a) To supply the city of
	mated population ofin 19
((b) If for domestic use state number of families to be supplied
	(Answer questions 11, 12, 13, and 14 in all cases)
11. 1	Estimated cost of proposed works, \$
12.	Construction work will begin on or before Have equipment except 300!
	of pipe. Construction work will be completed on or before
	The water will be completely applied to the proposed use on or before 3. Yrs. " "
	(Sgd) W T Putnam & Sons by (Signature of applicant)
	F. C. Putnam
	arks:
	acres to be irrigated from stream
7	n n n n river
dams tra aid nort f said I outh 31 obinson obinson age 376,	of from Item 8) ct, a point on the north line of said Felix Landess D.L.C. thence following the line North 71 degrees West 895.1 feet to an iron belt on the north line andess D.L.C.; thence south 23 degrees 21 minutes west 2340.5 feet; thence degrees West 1047.4 feet to a large fir stump on the north line of Joseph s land and described as A Fir tree 4 feet in diameter in deed from Geo. et ux to Joseph S. Robinson dated Nov. 29th, 1879, recorded in Book 0 at record of deeds for Washington County, Oregon, thence south 15 degrees 35 ast 1420 feet, more or less, to the Northeast corner of tract conveyed by nson et ux to R. L. Robinson by deed dated June 12th, 1876, recorded in
dams tra aid nort f said I outh 31 obinson age 376, inutes F eo. Robi ook M at egrees 1 eet; the hite fir	ct, a point on the north line of said Felix Landess D.L.C. thence following the line North 71 degrees West 895.1 feet to an iron bolt on the north line andess D.L.C.; thence south 23 degrees 21 minutes west 2340.5 feet; thence degrees West 1047.4 feet to a large fir stump on the north line of Joseph s land and described as A Fir tree 4 feet in diameter in deed from Geo. et ux to Joseph S. Robinson dated Nov. 29th, 1879, recorded in Book 0 at record of deeds for Washington County, Oregon, thence south 15 degrees 35
dams tra id nort f said I outh 31 obinson age 376, nutes F ook M at agrees 1 eet; the agrees e ite fir agrees, mo andow, o eptember regon. The like un create	ct, a point on the north line of said Felix Landess D.L.C. thence following the line North 71 degrees West 895.1 feet to an iron bolt on the north line andess D.L.C.; thence south 23 degrees 21 minutes west 2340.5 feet; thence andess D.L.C.; thence south 23 degrees 21 minutes west 2340.5 feet; thence adegrees West 1047.4 feet to a large fir stump on the north line of Joseph's land and described as A Fir tree 4 feet in diameter in deed from Geo. et ux to Joseph S. Robinson dated Nov. 29th, 1879, recorded in Book C at record of deeds for Washington County, Oregon, thence south 15 degrees 35 ast 1420 feet, more or less, to the Northeast corner of tract conveyed by nson et ux to R. L. Robinson by deed dated June 12th, 1876, recorded in page 153, record of deeds for Washington County, Oregon; thence south 3 minutes East 850.00 feet; thence south 37 degrees 51 minutes East 114.00 mice south 28 degrees 53 minutes east 230 feet, more or less, to where a tree described in said J. L. Robinson's deed once stood. Thence south 20 ast 1200 feet more or less to the place of beginning, containing 237.757 me or less. Table of the rights, privileges, easements and appurtenances described in the deed from A. S. Ellis and Edna C. Ellis, his wife, to J. A. Lindow and Ida lated the 20th day of September, 1918, and recorded on the 23rd day of 1918 at page 94 of Book 113 of the Records of Deeds for Washington Count Grantor and the Grantee herein are husband and wife. The Grantor retains divided one-half of said real property. The purpose of this conveyance is an estate by the entireties in the Grantor and the Grantee in and to said
lams traid north said north said I buth 31 binson less 376, nutes Helper 1 book M at legrees 1 bet; the legrees extrain dandow, contember 1 like under 1 like und	ct, a point on the north line of said Felix Landess D.L.C. thence following the line North 71 degrees West 895.1 feet to an iron belt on the north line andess D.L.C.; thence south 23 degrees 21 minutes west 2340.5 feet; thence degrees West 1047.4 feet to a large fir stump on the north line of Joseph S land and described as A Fir tree 4 feet in diameter in deed from Geo. et ux to Joseph S. Robinson dated Nov. 29th, 1879, recorded in Book O at record of deeds for Washington County, Oregon, thence south 15 degrees 35 mist 1420 feet, more or less, to the Northeast corner of tract conveyed by nson et ux to R. L. Robinson by deed dated June 12th, 1876, recorded in page 153, record of deeds for Washington County, Oregon; thence south 3 minutes East 850.00 feet; thence south 37 degrees 51 minutes East 114.00 mce south 28 degrees 53 minutes east 230 feet, more or less, to where a tree described in said J. L. Robinson's deed once stood. Thence south 20 mast 1200 feet more or less to the place of beginning, containing 237.757 me or less. all of the rights, privileges, easements and appurtenances described in the deed from A. S. Ellis and Edna C. Ellis, his wife, to J. A. Lindow and Idal lated the 20th day of September, 1918, and recorded on the 23rd day of 1918 at page 94 of Book 113 of the Records of Deeds for Washington Count Grantor and the Grantee herein are husband and wife. The Grantor retains divided one—half of said real property. The purpose of this conveyance is an estate by the entireties in the Grantor and the Grantee in and to said erry.
lams traid north said I outh 31 obinson lee 376, nutes February March 1 ook M at legrees leet; the legrees extain dandow, content of the like under the like	ct, a point on the north line of said Felix Landess D.L.C. thence following the line North 71 degrees West 895.1 feet to an iron belt on the north line andess D.L.C.; thence south 23 degrees 21 minutes west 2340.5 feet; thence degrees West 1047.4 feet to a large fir stump on the north line of Joseph's land and described as A Fir tree 4 feet in diameter in deed from Geo. et ux to Joseph 5. Robinson dated Nov. 29th, 1879, recorded in Book 0 at record of deeds for Washington County, Oregon, thence south 15 degrees 35 ast 1420 feet, more or less, to the Northeast corner of tract conveyed by mson et ux to R. L. Robinson by deed dated June 12th, 1876, recorded in page 153, record of deeds for Washington County, Oregon; thence south 3 minutes East 850.00 feet, thence south 37 degrees 51 minutes East 114.00 mac south 28 degrees 53 minutes east 230 feet, more or less, to where a tree described in said J. L. Robinson's deed once stood. Thence south 20 ast 1200 feet more or less to the place of beginning, containing 237.757 are or less. The results of the rights, privileges, easements and appurtenances described in the eed from A. S. Ellis and Edna C. Ellis, his wife, to J. A. Lindow and Ida lated the 20th day of September, 1918, and recorded on the 23rd day of 1918 at page 9h of Book 113 of the Records of Deeds for Washington Count Grantor and the Grantee herein are husband and wife. The Grantor retains divided one-half of said real property. The purpose of this conveyance is an estate by the entireties in the Grantor and the Grantee in and to said erry. FOREGON, of Marion,
lams traid north said north said I buth 31 binson age 376, nutes Feo. Robinson agrees I bet; the agrees of the said of the said property of the said propert	ot, a point on the north line of said Felix Landess D.L.C. thence following the line North 71 degrees West 895.1 feet to an iron belt on the north line andess D.L.C.; thence south 23 degrees 21 minutes west 2310.5 feet; thence degrees West 1017.1 feet to a large fir stump on the north line of Joseph's land and described as A Fir tree hefet in diameter in deed from Geo. et ux to Joseph S. Robinson dated Nov. 29th, 1879, recorded in Book O at record of deeds for Washington County, Oregon, thence south 15 degrees 35 ast 1120 feet, more or less, to the Northeast corner of tract conveyed by mson et ux to R. L. Robinson by deed dated June 12th, 1876, recorded in page 153, record of deeds for Washington County, Oregon; thence south 3 minutes East 850.00 feet; thence south 37 degrees 51 minutes East 11h.00 mice south 28 degrees 53 minutes east 230 feet, more or less, to where a tree described in said J. L. Robinson's deed once stood. Thence south 20 ast 1200 feet more or less to the place of beginning, containing 237.757 are or less. all of the rights, privileges, easements and appurtenances described in the dated the 20th day of September, 1918, and recorded on the 23rd day of 1918 at page 9h of Book 113 of the Records of Deeds for Washington Count Grantor and the Grantee herein are husband and wife. The Grantor retains davided one—half of said real property. The purpose of this conveyance is an estate by the entireties in the Grantor and the Grantee in and to said erry. FOREGON, as a certify that I have examined the foregoing application, together with the accompanying to certify that I have examined the foregoing application, together with the accompanying to certify that I have examined the foregoing application, together with the accompanying to certify that I have examined the foregoing application, together with the accompanying to certify that I have examined the foregoing application, together with the accompanying to certify that I have examined the foregoing application, together with the accompanying to c
lams traid north and in the said I be in	ot, a point on the north line of said Felix Landess B.L.C. thence following haline North 71 degrees West 895.1 feet to an iron belt on the north line andess D.L.C.; thence south 23 degrees 21 minutes west 2340.5 feet; thence degrees West 1047.4 feet to a large fir stump on the north line of Joseph's land and described as A Fir tree 4 feet in diameter in deed from Geo. The tract of deeds for Washington County, Oregon, thence south 15 degrees 35 ast 1420 feet, more or less, to the Northeast corner of tract conveyed by mson et ux to R. L. Robinson by deed dated June 12th, 1876, recorded in page 153, record of deeds for Washington County, Oregon; thence south 3 minutes East 850.00 feet; thence south 37 degrees 51 minutes East 111.00 mce south 28 degrees 53 minutes east 230 feet, more or less, to where a tree described in said J. L. Robinson's deed once stood. Thence south 20 ast 1200 feet more or less to the place of beginning, containing 237.757 me or less. The corner less. The corner of the rights, privileges, easements and appurtenances described in the eed from A. S. Ellis and Edna C. Ellis, his wife, to J. A. Lindow and Ida lated the 20th day of September, 1918, and recorded on the 23rd day of 1918 at page 94 of Book 113 of the Records of Deeds for Washington Count Grantor and the Grantee herein are husband and wife. The Grantor retains divided one-half of said real property. The purpose of this conveyance is an estate by the entireties in the Grantor and the Grantee in and to said erry. FOREGON, Ss. of Marion, Ss. of Marion, Ss. of Warion, the examined the foregoing application, together with the accompanying that, and return the same for
lams tradictions tradictions tradictions on the second sec	ct, a point on the north line of said Felix Landess B.L.C. thence followin him line North 71 degrees West 895-1 feet to an iron bolt on the north line andess D.L.C.; thence south 23 degrees 21 minutes west 2340.5 feet; thence degrees West 1047.4 feet to a large fir stump on the north line of Joseph s land and described as A Fir tree 4 feet in diameter in deed from Geo. et ux to Joseph S. Robinson dated Nov. 29th, 1879, recorded in Book O at record of deeds for Washington County, Oregon, thence south 15 degrees 35 ast 1420 feet, more or less, to the Northeast corner of tract conveyed by nson et ux to R. L. Robinson by deed dated June 12th, 1876, recorded in page 153, record of deeds for Washington County, Oregon; thence south 3 minutes East 850.00 feet; thence south 37 degrees 51 minutes East 114.00 nce south 28 degrees 53 minutes east 230 feet, more or less, to where a tree described in said J. L. Robinson's deed once stood. Thence south 20 ast 1200 feet more or less to the place of beginning, containing 237.757 are or less. all of the rights, privileges, easements and appurtenances described in the ed from A. S. Ellis and Edna C. Ellis, his wife, to J. A. Lindow and Ida lated the 20th day of September, 1918, and recorded on the 23rd day of 1918 at page 94 of Book 113 of the Records of Deeds for Washington Count Grantor and the Grantee herein are husband and wife. The Grantor retains divided one-half of said real property. The purpose of this conveyance is an estate by the entireties in the Grantor and the Grantee in and to said serty. FOREGON, as series of the foregoing application, together with the accompanying lata, and return the same for the retain its priority, this application must be returned to the State Engineer, with corrected to retain its priority, this application must be returned to the State Engineer, with corrected to retain its priority, this application must be returned to the State Engineer, with corrected to retain its priority, this application must be returned to the State Engineer.
dams tra aid nort f said I outh 31 obinson age 376, inutes F eo. Robi ook M at egrees 1 eet; the hite fir egrees e ares, mo ertain d indow, c ertain d indow	ot, a point on the north line of said Felix Landess B.L.C. thence following haline North 71 degrees West 895.1 feet to an iron belt on the north line andess D.L.C.; thence south 23 degrees 21 minutes west 2340.5 feet; thence degrees West 1047.4 feet to a large fir stump on the north line of Joseph's land and described as A Fir tree 4 feet in diameter in deed from Geo. The tract of deeds for Washington County, Oregon, thence south 15 degrees 35 ast 1420 feet, more or less, to the Northeast corner of tract conveyed by mson et ux to R. L. Robinson by deed dated June 12th, 1876, recorded in page 153, record of deeds for Washington County, Oregon; thence south 3 minutes East 850.00 feet; thence south 37 degrees 51 minutes East 111.00 mce south 28 degrees 53 minutes east 230 feet, more or less, to where a tree described in said J. L. Robinson's deed once stood. Thence south 20 ast 1200 feet more or less to the place of beginning, containing 237.757 me or less. The corner less. The corner of the rights, privileges, easements and appurtenances described in the eed from A. S. Ellis and Edna C. Ellis, his wife, to J. A. Lindow and Ida lated the 20th day of September, 1918, and recorded on the 23rd day of 1918 at page 94 of Book 113 of the Records of Deeds for Washington Count Grantor and the Grantee herein are husband and wife. The Grantor retains divided one-half of said real property. The purpose of this conveyance is an estate by the entireties in the Grantor and the Grantee in and to said erry. FOREGON, Ss. of Marion, Ss. of Marion, Ss. of Warion, the examined the foregoing application, together with the accompanying that, and return the same for

Application	No. 211404
Permit No.	19642

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	OF OREGON	
	Division No District No	
	This instrument was first received in the office of the State Engineer at Salem, Oregon,	
	on the 23rd day of January	
	19.50, at .8:00 o'clock .A. M.	
	Returned to applicant:	
	Corrected application received:	
	Approved:	
	January 31, 1951	
	Recorded in book No. 48 of	
	Permits on page19642 CHAS. E. STRICKLIN	
	STATE ENGINEER	
	Drainage Basin No. 2 Page 54 C and 62 R	
	Fees Paid 15.00	
	PERMIT	
STATE OF OREGON,	s.	
County of Marion, \ This is to certify that SUBJECT TO EXISTING R	t I have examined the foregoing application and do hereby grant the san RIGHTS and the following limitations and conditions:	ne,
The right herein gran	ated is limited to the amount of water which can be applied to beneficial v	ıse
and shall not exceed	5	he
	case of rotation with other water users, froman unnamed stream and	-41
	0.062 cfs from stream and 0.088 cfs from river	
	water is to be applied is irrigation	
• • • • • • • • • • • • • • • • • • • •	appropriation shall be limited to	per
	ceed 21 acre feet per acre for each acre irrigated during th	
	ach year,	
	ь • '	
	•	
		···
	magazamahla matatian ayatam ga may ba aydayad bu tha propose atata affican	·
•	reasonable rotation system as may be ordered by the proper state officer. his permit is	
Actual construction u	work shall begin on or before	ıall
	ith reasonable diligence and be completed on or before	••••••
Complete application	of the water to the proposed use shall be made on or before	
	this 31st day of January ,19 51	
•	CHAS. E. STRICKLIN	

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1833.

State Printing Dept. 28175