

* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Alfred P. Waer
(Name of applicant)
 of Rt. 2, Box 135 - Estacada
(Mailing address)
 State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed stream & 5 springs
(Name of stream)
, a tributary of Clear Creek
2. The amount of water which the applicant intends to apply to beneficial use is 0.08 fish
0.05 swim pool
0.02 domestic
0.03 irrigation
0.18
 cubic feet per second being 0.15 CFS from stream & 0.03 CFS from springs
(If water is to be used from more than one source, give quantity from each)
- **3. The use to which the water is to be applied is Swimming Pool, Fish culture,
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
domestic, & irrigation (domestic for 2 families)
4. The point of diversion is located ft. and ft. from the
(N. or S.) (E. or W.)
 corner of See "REMARKS"
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
 being within the SE 1/4 SW 1/4 & SW 1/4 SE 1/4 of Sec. 3, Tp. 3S
(Give smallest legal subdivision) (N. or S.)

R. 3E, W. M., in the county of Clackamas
(E. or W.)

5. The Pipe line to be 1350'
(Main ditch, canal or pipe line) (Miles or feet)
 in length, terminating in the of Sec. 3, Tp. 3S
(Smallest legal subdivision) (N. or S.)
 R. 3E, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 3 feet, length on top 25 feet, length at bottom 8 feet; material to be used and character of construction earth - control by flash boards
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

- (b) Description of headgate one opening -- 2" Pipe with valve
(Timber, concrete, etc., number and size of openings)

- (c) If water is to be pumped give general description gravity flow
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1350 ft.; size at intake, 2" in.; size at ft. from intake in.; size at place of use 2" in.; difference in elevation between intake and place of use, 45 ft. Is grade uniform? Yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
3S	3E	3	SE $\frac{1}{4}$ SW $\frac{1}{4}$	2.5 Ac., Fish, Dom. & pool
			SW $\frac{1}{4}$ SE $\frac{1}{4}$	swimming pool

Property on which water is to be used is a part of that more explicitly described by applicant as follows:

Being a part of government lots 1, 2 and 3, of Section 3, Township 3 South, Range 3 East, Willamette Meridian, described as:

Beginning at an iron rod North 85° 52' West 70.2 feet distant from a stone at the Northeast corner of the Oran Mattoon D. L. C., and North 32° 47' East 17.4 feet distant from a 1" iron pipe erroneously set for said D. L. C. corner; thence North 0° 50' West 490.8 feet to an iron rod, from which a stone at Northwest corner of the Thomas Waterbury D. L. C. bears North 5° 01' West 49.3 feet; thence South 89° 36' West 1501.7 feet to an iron rod set on the easterly line of the A. M. Harding D. L. C. and from which point a stone at the Southwest corner of the C. E. Tracy D. L. C. bears North 15° 47' East 14.4 feet; thence tracing the easterly line of the A. M. Harding D. L. C. South 15° 47' West 143.7 feet to a stone at the Southeast corner thereof; thence tracing the south boundary of said Harding D.L.C. South 88° 59' West 694.3 feet to an iron pipe on the easterly right of way of the Mattoon

(continued under Remarks) (If more space required, attach separate sheet)

(a) Character of soil Loam

(b) Kind of crops raised Blueberries

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 2

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1500.00

12. Construction work will begin on or before Already commenced13. Construction work will be completed on or before 2 yrs. after approval14. The water will be completely applied to the proposed use on or before 3 yrs. after approval

Alfred P. Waer

(Signature of applicant)

Remarks: (continued from Item 8)

Road; thence tracing said right of way along a curve to the left, the chord of which bears South 16° 19' East 378.4 feet, to an iron pipe; thence North 89° 06' East 2136.2 feet to the place of beginning.

Containing 23.05 acres, and it being the intent of the grantor to convey only that portion of said government lots lying east of the Mattoon Road, and within the existing fence lines, as surveyed in June 1949. These lines do not follow the Donation Land Claim lines, excepting where specifically mentioned in the above description.

DIVERSION POINTS

From Springs on applicant's property

300 ft. South and 65 ft. east from S.W. Cor. of C & E Tracy DLC

310 " " " " " " " " " " " "

320 " " " 180 " west " " " " " " " "

280 " " " 205 " west " " " " " " " "

225 " " " 510 " west " " " " " " " "

From Spring branch (unnamed stream)

225 ft. south and 565 ft. east " " " " " " " "

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

Application No. 24769

Permit No. 19666

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 25th day of May
1950, at 10:08 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

January 31, 1951

Recorded in book No. 48 of
Permits on page 19666

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 2 Page 10 D

Fees Paid 25.00

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.18 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from an unnamed stream,

5 springs and reservoir to be constructed under Application No. R-24768, Permit No. R-1057
being 0.15 cfs from stream and 0.03 cfs from springs.

The use to which this water is to be applied is swimming pool, fish culture, domestic and
irrigation, being 0.05 cfs for pool, 0.08 cfs for fish, 0.02 cfs for domestic and
0.03 cfs for irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per
second or its equivalent for each acre irrigated and shall be further limited to a
diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the
irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 25, 1950

Actual construction work shall begin on or before January 31, 1952 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before
October 1, 1952

Complete application of the water to the proposed use shall be made on or before
October 1, 1953

WITNESS my hand this 31st day of January, 1951.

CHAS. E. STRICKLIN
STATE ENGINEER