

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, We, Edith June Walker, a single person and Clare Thompson Walker, a single person of 320 N. B Street, Forest Grove, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed stream, a tributary of Tualatin

2. The amount of water which the applicant intends to apply to beneficial use is 1.3 cubic feet per second.

**3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 145 ft. and ft. from the S.W. corner of land owned by Edith June Walker and Clare Thompson Walker.

See Remarks

being within the SW 1/4 of SW 1/4 of Sec. 13 & SE 1/4 of SE 1/4 of Sec. 14, Tp. 1 S, R. 4, W. M., in the county of Washington

5. The pipe line to be 300 ft. in length, terminating in the SW 1/4 of SW 1/4 of Sec. 13 & SE 1/4 of SE 1/4 of Sec. 14, Tp. 1 S, R. 4, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 4 ft. feet, length on top 10 feet, length at bottom feet; material to be used and character of construction earth and rock

(b) Description of headgate Timber

(c) If water is to be pumped give general description Portable Centrifugal Gasoline Pump 2 H.P. Engine Briggs Stratton Pump Pacific

* A different form of application is provided where storage works are contemplated. ** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$850.....

12. Construction work will begin on or before Oct. 1, 1949.....

13. Construction work will be completed on or before May 11, 1950.....

14. The water will be completely applied to the proposed use on or before Oct. 1, 1951.....

Clare Thompson Walker
(Signature of applicant)

Edith June Walker

Remarks: That part of the R. S. Tupper D.L.C.#42 in T. 1S. R. 4W. Will. Mer., particularly bounded and described as follows, to-wit: Beginning at the SW corner of a tract of 3.90 acres conveyed in 1885 by Thos. J. Reed and Sarah A. Reed, his wife, to D. M. Dunbar, running thence south 74 deg. 30' E. with S. line of said tract 3.90 acres, 14.05 chs.; thence north 28 deg. 45' E. 6.44 chs. to a post; thence north 69 deg. 45' W. 5.90 chs. to center of creek; Thence south 86 deg. 30' West up center of said creek 4.82 chs.; thence south 57 deg. west up said center of creek 0.48 chs.; thence S. 86 deg. 30' west up said center of creek 2.60 chs.; thence north 82 deg. 30' West 1.51 chs. to a stone in county road; thence south 32 deg. west in county road 3.92 chs. to place of beginning and containing 7.91 acres.

The first point of diversion for said water right is reached by beginning at a stone, the Northeast corner of the D.L.C. of Joshua Dickson #45 in Township 1 South, Range 4 West, Will. Mer., and running thence south 22 deg. 45' East 2.60 chains to a point in the center of the county road; running thence North 28 deg. 41' East along said center of county road 3.14 chains; thence North 22 deg. 11' East in the center of said road 11 chains; thence north 29 deg. 42' East in the center of said road 1.66 chains; thence North 32 deg. East in center of said road 3.92 chains to a stone, the said first point of diversion. Said point of diversion is also reached by beginning at the Southeast corner of Section 14, Township 1 South, Range 4 West of the Will. Mer., and running thence North one chain; thence North 2 deg. West 3.96 chains; thence North 74.25 deg. West 9.13 chains to a stone. The second point of diversion is reached by following the center line of said creek in an easterly direction 4.23 chains from the first point of diversion. The third point of diversion is reached by following the centerline of said creek in an easterly direction 4.82 chains from the second point of diversion. The fourth point of diversion is reached by following the centerline of said creek in an easterly direction 5.60 chains from the third point of diversion.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion and correction.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 14 August 21 1950 1950.....

WITNESS my hand this 21st July 1950
13th day of June 19 50.

CHAS. E. STRICKLIN
STATE ENGINEER

By Ed K. Humphrey, Assistant

eg

Application No. 24773

Permit No. 19667

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 29th day of May 1950, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

January 31, 1951

Recorded in book No. 48 of Permits on page 19667

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 62 S

Fees Paid 15.00

PERMIT

STATE OF OREGON, County of Marion, ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.099 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 19, 1950

Actual construction work shall begin on or before January 31, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1953

WITNESS my hand this 31st day of January, 1951

CHAS. E. STRICKLIN

STATE ENGINEER